



# Helping Children Cope with Violence

## A School-Based Program That Works

- RAND RESEARCH AREAS**
- CHILD POLICY
  - CIVIL JUSTICE
  - EDUCATION
  - ENERGY AND ENVIRONMENT
  - HEALTH AND HEALTH CARE
  - INTERNATIONAL AFFAIRS
  - NATIONAL SECURITY
  - POPULATION AND AGING
  - PUBLIC SAFETY
  - SCIENCE AND TECHNOLOGY
  - SUBSTANCE ABUSE
  - TERRORISM AND HOMELAND SECURITY
  - TRANSPORTATION AND INFRASTRUCTURE

**V**iolence is one of our most significant public health issues. Between 20 percent and 50 percent of children in the United States are touched by violence, either as victims or, even more commonly, as witnesses. The emotional impact may be profound. Children exposed to violence frequently develop post-traumatic stress symptoms. They are more likely to have behavioral problems, poorer school performance, more days of school absence, and feelings of depression and anxiety.

Violence affects all racial, ethnic, and economic groups, but its burden falls disproportionately on poor and minority children—the very children whose mental health needs are least likely to be met by the health care system. School officials are often willing to provide help at school. But these professionals face an important question: What works? There have been no randomized controlled trials of intervention effectiveness with which to answer this question.

### Key findings:

- This school-based program significantly reduced symptoms of post-traumatic stress in students exposed to violence.
- School mental health clinicians successfully delivered the program.
- The program produced consistent results.
- The program was well-accepted by students, parents, and teachers.

To fill this gap, a team of clinician-researchers from several institutions collaborated to develop, implement, and evaluate an intervention designed to help children traumatized by violence. The team included professionals from the RAND Corporation, the University of California at Los Angeles (UCLA), and the Los Angeles Unified School District (LAUSD).

This product is part of the RAND Corporation research brief series. RAND research briefs present policy-oriented summaries of individual published, peer-reviewed documents or of a body of published work.

**Corporate Headquarters**  
1776 Main Street  
P.O. Box 2138  
Santa Monica, California  
90407-2138  
TEL 310.393.0411  
FAX 310.393.4818

© RAND 2005

### This Highlight summarizes RAND Health research reported in the following publications:

Jaycox L, Stein BD, Kataoka S, Wong M, Fink A, Escudero P, Tu W, Zaragoza C. Violence Exposure, Post-traumatic Stress Disorder, and Depressive Symptoms Among Recent Immigrant Schoolchildren, *Journal of the American Academy of Child and Adolescent Psychiatry*, Vol. 41, No. 9, September 2002, pp. 1104–1110.

Kataoka S, Stein BD, Jaycox LH, Wong M, Escudero P, Tu W, Zaragoza C, Fink A. A School-Based Mental Health Program for Traumatized Latino Immigrant Children, *Journal of the American Academy of Child and Adolescent Psychiatry*, Vol. 42, No. 3, March 2003, pp. 311–318.

Stein BD, Jaycox LH, Kataoka SH, Wong M, Tu W, Elliott MN, Fink A. A Mental Health Intervention for School Children Exposed to Violence, *Journal of the American Medical Association*, Vol. 290, No. 6, August 6, 2003, pp. 603–611.

Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C. Theoretical Basis and Program Design of a School Based Mental Health Intervention for Traumatized Immigrant Children: A Collaborative Research Model, *Journal of Behavioral Health Services and Research*, Vol. 29, No. 3, August 2002, pp. 318–326.

The program works. Students who participated in the program had significantly less post-traumatic stress symptoms, less depression, and less psychosocial dysfunction. The program was implemented successfully by school-based mental health clinicians. The participating schools, located in economically disadvantaged neighborhoods, have a large percentage of Latino students, demonstrating the program's ability to reach poor and minority children. And the program was welcomed by students, teachers, school officials, and parents.

### **The First Randomized Controlled Study of a Program to Help Children Traumatized by Violence**

RAND, UCLA, and LAUSD have collaborated for several years on studies to determine the magnitude of violence exposure and post-traumatic stress symptoms among LAUSD schoolchildren, and to develop effective interventions. The team developed and implemented an earlier program designed specifically for immigrant children, many of whom are subjected to violence in their country of origin, during their immigration to the United States, and/or after their arrival (often to a disadvantaged neighborhood).

Building on the earlier work, the team designed and conducted a randomized controlled study in the 2000–2001 academic year. Students in the study attended one of two Los Angeles public middle schools in largely Latino neighborhoods.

Psychiatric social workers from LAUSD administered a screening questionnaire to English-speaking sixth-grade students in the two schools. Students were eligible to participate in the program if they (1) had substantial direct exposure to violence, (2) had post-traumatic stress symptoms in the clinical range (a score of 14 or higher on the CPSS, the Child Post-Traumatic Stress Symptom Scale), and (3) were willing to discuss their symptoms in a group setting. Participants' experience with violence ranged from witnessing serious physical fights to being attacked with a knife or gun.

A total of 159 students were eligible to participate; 126 actually participated (the parents of 28 children did not give consent and five children elected not to participate). All 126 students completed the baseline assessments; 93 percent completed a three-month follow-up; and 90 percent completed both the three-month and the six-month follow-ups.

Students were randomly assigned to two groups. One group (the early-intervention group) started the program promptly; the other (the late-intervention group) was wait-listed for later in the school year.

The intervention program, called the Cognitive-Behavioral Intervention for Trauma in Schools (CBITS) was developed at RAND, in close collaboration with mental health clini-

cians at LAUSD. It consists of 10 group sessions designed for inner-city schools with a multicultural population. Activities include training children in relaxation, dealing with negative thoughts, solving real-life problems, approaching anxiety-provoking situations, and coping with the violent event through talking, drawing pictures, and writing. The program is also designed to build both peer and parental support.

In addition to the group sessions, the program included at least one individual session for each child, four group-parenting meetings, and an educational presentation for teachers. The LAUSD school clinicians who delivered the program received two days of training and weekly supervision from the other members of the research team. To help ensure that the program was standardized, the clinicians followed the CBITS treatment manual (see table).

### **Participants Experienced Significant Mental Health Improvement**

Data from students, parents, and teachers were collected at baseline, three months, and six months. These intervals

### **Cognitive-Behavioral Intervention for Trauma in Schools (CBITS)**

**Session 1:** Introduction of group members, confidentiality, and group procedures; explanation of treatment using stories; discussion of reasons for participation (kinds of stress or trauma).

**Session 2:** Education about common reactions to stress or trauma; relaxation training to combat anxiety.

**Individual Session:** Between sessions 2 and 6.

**Session 3:** Thoughts and feelings (introduction to cognitive therapy); "fear thermometer"; linkage between thoughts and feelings; combating negative thoughts.

**Session 4:** Combating negative thoughts.

**Session 5:** Avoidance and coping (introduction to real life exposure); construction of fear hierarchy; alternative coping strategies.

**Sessions 6 and 7:** Exposure to stress or trauma memory through imagination/drawing/writing.

**Session 8:** Introduction to social problem solving.

**Session 9:** Practice with social problem solving and hot seat.

**Session 10:** Relapse prevention and graduation ceremony.

SOURCE: Jaycox L, *Cognitive-Behavioral Intervention for Trauma in Schools*, Longmont, Colo.: Sopris West Educational Services, 2003.

enabled both early- and late-intervention groups to complete the program and to be tested in the same academic year.

**Baseline:** The 126 students enrolled in the program had substantial levels of exposure to violence. On average, students reported being a victim of 2.8 violent events and directly witnessing 5.9 violent events in the previous year. The mean CPSS score was 24, indicating moderate to severe post-traumatic stress symptoms. There were no significant differences between the early-intervention and late-intervention groups at the start of the program.

**Three months:** At three months, students in the early-intervention group had completed the program; students in the late-intervention group had not yet begun.

Figure 1 compares the CPSS scores for the two groups. The early-intervention students showed substantial improvement. The magnitude of the difference between the two groups means that 86 percent of the early-intervention group reported less severe post-traumatic stress symptoms than would have been expected without intervention. Figure 2 shows depression symptom scores; the magnitude of the difference between the two groups means that 67 percent of the early-intervention group reported less severe symptoms than would have been expected without intervention. In addition, parents of students in the early-intervention group reported that their children were functioning significantly better.

**Six months:** At six months, both groups had completed the program. There is no longer any significant difference

between the two groups. The early-intervention group maintained, and the late-intervention group achieved, substantial improvement.

### Classroom Behavior Stayed About the Same


Teachers assessed each student's shyness/anxiety, learning skills, and acting out behavior in the classroom. Teachers observed only slight improvements throughout the study period. Possible explanations include: The student's classroom behavior is affected by many factors, not just the child's mental health; there may be a time lag before improved mental health translates into improved behavior; teachers may be more attuned to disruptive behavior than to anxiety or depression; or perhaps the program simply does not affect classroom behavior.

### Conclusions


The results show that the program significantly helped students cope with the devastating effects of violence. The results also affirm the feasibility of the approach: School-based clinicians delivered the program with integrity and high quality.

The study measured only short-term results. The program is designed to build resilience and coping skills, so it is possible that the effect will be lasting. It is encouraging that the children in the early-intervention group maintained improvement at six months. The team hopes that this study will form the basis of future studies designed to provide long-term help to victims of violence.

**Figure 1**  
Post-Traumatic Stress Symptoms at Baseline, Three Months, and Six Months



**Figure 2**  
Depressive Symptoms at Baseline, Three Months, and Six Months



SOURCE: Stein BD, Jaycox LH, Kataoka SH, Wong M, Tu W, Elliott MN, Fink A. A Mental Health Intervention for School Children Exposed to Violence, *Journal of the American Medical Association*, Vol. 290, No. 6, August 6, 2003, pp. 603-611. Copyright © 2003, American Medical Association. All rights reserved.

## Talking with Participants

*Below are excerpts from interviews with a student, a parent, and a teacher who participated in the program for immigrant children suffering from exposure to violence. These interviews were conducted by LAUSD's Mental Health Services Unit.*

### A Student

*Q. Can you tell me what happened?*

A. I was walking home from school with my cousin when I heard somebody screaming. We turned to see who it was and I saw a man being hit by four men. The men were wearing ski masks. We started to run. At that moment I heard gunshots. I was very afraid. When I was running, I thought the men were following us. I thought that if they saw us, they could look for us at school and hurt us. After that, I was afraid to go to school. Every day, I tried a different path to go to and from school. I had nightmares.

*Q. How did the group help you?*

A. The group helped me because I don't have nightmares about that any more. I don't think about what happened anymore. Even though I was nervous when I shared this in the group, I felt much better after that.

*Q. What would you change about the group?*

A. I would change the length of the groups. Sometimes, the time spent in the group went too fast. I would like to stay longer.

### A Parent

*Q. Did this program help your child with his behavior?*

A. My son's behavior has improved at school and at home. He was very anxious before participating in the groups.

Now he appears calmer and less anxious. He doesn't get into fights [with his siblings] as often as he used to.

*Q. What changes have you noticed in your child as a result of the program?*

A. He stops and thinks before he acts. That is something he never did before. And now he has more respect for me and is more obedient. We do not argue as much as we used to.

*Q. Would you recommend this program to other families?*

A. Yes. My son and I learned a lot from this program.

### A Teacher

*Q. What would you say are the one or two best things about the program?*

A. I think it gave attention to newcomer students with issues that not all other students have. I think it's very difficult to come to a new country and, in addition, to start a new school. These kids need extra attention.

*Q. What changes do you think should be made to the program?*

A. We need to expand the program to include more students. We have a lot of students who are still facing the same issues that they had when they were newcomer students, but they have been here maybe four or five years. More students and longer term—maybe they could be in it more than a semester. The kids ask me, "Are the clinicians going to come back? When they come back, I want to be in it." So they are actually asking for the services themselves.

*Q. How can we involve more teachers?*

A. I think it would be good to do more staff development, maybe on a pupil-free day. The biggest issue for the faculty is not understanding what the problems are and what issues exist for these kids. ■

---

Abstracts of all RAND Health publications and full text of many research documents can be found on the RAND Health web site at [www.rand.org/health](http://www.rand.org/health). The RAND Corporation is a nonprofit research organization providing objective analysis and effective solutions that address the challenges facing the public and private sectors around the world. RAND's publications do not necessarily reflect the opinions of its research clients and sponsors. RAND® is a registered trademark.

**RAND Offices** Santa Monica • Washington • Pittsburgh • New York • Doha • Berlin • Cambridge • Leiden



## Center for Domestic and International Health Security

A RAND HEALTH PROGRAM

CHILD POLICY

CIVIL JUSTICE

EDUCATION

ENERGY AND ENVIRONMENT

HEALTH AND HEALTH CARE

INTERNATIONAL AFFAIRS

NATIONAL SECURITY

POPULATION AND AGING

PUBLIC SAFETY

SCIENCE AND TECHNOLOGY

SUBSTANCE ABUSE

TERRORISM AND  
HOMELAND SECURITY

TRANSPORTATION AND  
INFRASTRUCTURE

This PDF document was made available from [www.rand.org](http://www.rand.org) as a public service of the RAND Corporation.

This product is part of the RAND Corporation research brief series. RAND research briefs present policy-oriented summaries of individual published, peer-reviewed documents or of a body of published work.

The RAND Corporation is a nonprofit research organization providing objective analysis and effective solutions that address the challenges facing the public and private sectors around the world.

---

## Support RAND

[Browse Books & Publications](#)

[Make a charitable contribution](#)

## For More Information

Visit RAND at [www.rand.org](http://www.rand.org)

Explore [RAND Center for Domestic and International Health Security](#)

View [document details](#)

## Limited Electronic Distribution Rights

This document and trademark(s) contained herein are protected by law as indicated in a notice appearing later in this work. This electronic representation of RAND intellectual property is provided for non-commercial use only. Permission is required from RAND to reproduce, or reuse in another form, any of our research documents for commercial use.