
BIBLIOGRAPHY

- Abou-Donia, M. B., "Organophosphorus ester-induced delayed neurotoxicity," *Ann Rev Pharmacol Toxicol*, 21, 1981, 511.
- Abou-Donia, M. B., and D. M. Lapadula, "Mechanisms of organophosphorus ester-induced delayed neurotoxicity: type I and type II," *Ann Rev Pharmacol Toxicol*, 30, 1990, 405.
- Abou-Donia M., K. Wilmarth, et al., "Increased neurotoxicity following concurrent exposure to pyridostigmine bromide (PB), DEET, and chlorpyrifos," *Fundam Appl Toxicol*, 34, 1996a, 201–222.
- Abou-Donia M., K. Wilmarth, et al., "Neurotoxicity resulting from coexposure to pyridostigmine bromide, DEET, and permethrin: Implications of Gulf War chemical exposures," *J Toxicol Environ Health*, 48, 1996b, 35–56.
- Abramson D. I., S. M. Fierst, K. Flachs, "Evaluation of the local vasodilator effect of acetyl-beta-methylcholine chloride (mecholy) by iontophoresis," *Am Heart J*, 23, 1942, 817–822.
- ACGIH, "Propoxur," *Documentation of the Threshold Limit Values and Biological Exposure Indices*, 5th ed., American Conference of Governmental Industrial Hygienists, Cincinnati, OH, 1986.
- ACGIH, "TLVs and other occupational exposure values," CD-ROM, American Conference of Governmental Industrial Hygienists, Cincinnati, OH, 1999.
- Adrian, E. D., "The temperature coefficient of the refractory period in nerve," *J Physiol*, 48, 1914, 453–464.
- Aks, S. E., A. Krantz, et al., "Acute accidental lindane ingestion in toddlers," *Ann Emergency Med*, 26, 1995, 647–651.
- Albright, R. K., B. W. Kram, et al., "Malathion exposure associated with acute renal failure," *JAMA*, 250, 1983, 2469.
- Aldridge, W. N., "An assessment of the toxicological properties of pyrethroids and their neurotoxicity," *Crit Rev in Toxicology*, 21, 1990, 89–104.

- Aldridge, W. N., B. Clothier, P. Forshaw, M. K. Johnson, V. H. Parker, R. J. Price, D. N. Skilleter, R. D. Verschoyle, and C. Stevens, "The effect of DDT and the pyrethroids cismethrin and decamethrin on the acetylcholine and cyclic nucleotide content of rat brain," *Biochem Pharmacol*, 27, 1978, 1703–1706.
- Al-Saleh, I., A. Echeverria-Quevedo, et al., "Residue levels of organochlorinated insecticides in breast milk: A preliminary report from Al-Kharj, Saudi Arabia," *J Environ Pathol, Toxicol and Oncol*, 17, 1998, 37–50.
- Ambrose, A. M., and D. H. Yost, "Pharmacologic and toxicologic studies of *N,N*-Diethyltoluamide. II. *N,N*-Diethyl-*o*-toluamide and *N,N*-Diethyl-*p*-toluamide," *Toxicol and Appl Pharmacol*, 7, 1965, 772–780.
- Ames, R. G., K. Steenland, B. Jankins, D. Chrislip, and J. Russo, "Chronic neurologic sequelae to cholinesterase inhibition among agricultural pesticide applicators," *Arch Environ Health*, 50(6), 1995, 440–444.
- Amr, M., M. Allam, L. Osmaan, M. El-Batanouni, G. El Samra, and Z. Halim, "Neurobehavioral changes among workers in some chemical industries in Egypt," *Environ Res*, 63, 1993, 295–300.
- Amyes, S. J., P. A. Martin, et al., "Sumithrin®: Oncogenicity and toxicity study in mice," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Life Science Research, Suffolk, U.K., 1987.
- Anderson, D., and C. R. Richardson, "Permethrin (PP557): Cytogenic study in the rat," CTL/P/296, unpublished report submitted to WHO by ICI Central Toxicology Laboratory, ICI Central Toxicology Laboratory, 1976.
- Andrews, E. B., M. C. Joseph, et al., "Postmarketing surveillance study of permethrin creme rinse," *Am J Public Health*, 82, 1992, 857–861.
- Angerer, J., R. Maass, et al., "Occupational exposure to hexachlorocyclohexane. VI. Metabolism of gamma-hexachlorocyclohexane in man," *Int Arch Occup Environ Health*, 52, 1983, 59–67.
- Antunes-Madeira, M. C., L. M. Almeida, et al., "Depth-dependent effects of DDT and lindane on the fluidity of native membranes and extracted lipids. Implications for mechanisms of toxicity," *Bull Environ Contam Toxicol*, 51(6), 1993, 787–794.
- Aprea, C., G. Sciarra, et al., "Biological monitoring of exposure to organophosphorus insecticides by assay of urinary alkylphosphates: Influence of protective measures during manual operations with treated plants," *Int Arch Occup Environ Health*, 66(5), 1994, 333–338.
- Arisi, A.C.M., K. Simizu, et al., "Brain and liver lipid peroxidation levels following acute and short-term lindane administration in the rat," *Toxicol Letters*, 74, 1994, 61.

- Artigas, F., E. Martainez, et al., "Synthesis and utilization of neurotransmitters: actions of subconvulsant doses of hexachlorocyclohexane isomers on brain monoamines," *Toxicol*, 49, 1988, 49–55.
- Asa P. B., Y. Cao, and R. F. Garry, "Antibodies to squalene in Gulf War syndrome," *Exp Mol Pathol*, 68(1), 2000, 55–64.
- Au, W. W., G. Cantelli-Forti, et al., "Cytogenetic assays in genotoxic studies: Somatic cell effects of benzene and germinal cell effects of dibromochloropropane," *Teratogen Carcinogen Mutagen*, 10, 1990, 125–134.
- Baetjer, A. M., "Effect of water deprivation and food restriction of toxicity of parathion and paraoxon," *Arch Environ Health*, 38(1), 1983, 68–171.
- Banerjee, B. D., B. C. Koner, et al., "Influence of subchronic exposure to lindane on humoral immunity in mice," *Indian J Exp Biol*, 34, 1996, 1109–1113.
- Bardin, P. G., S. F. Van Eeden, et al., "Organophosphate and carbamate poisoning," *Arch Int Med*, 154, 1994, 1433–1441.
- Barja, G., M. L. Torres, R. P. Campo, C. Rojas, S. Cadenas, J. Prat, and R. Pamplona, "Dietary vitamin C decreases endogenous protein oxidative damage, malondialdehyde, and lipid peroxidation and maintains fatty acid unsaturation in the guinea pig liver," *Free Rad Biol Med*, 17, 1994, 105–115.
- Baron, R. L., "Carbamate insecticides," *Handbook of Pesticide Toxicology*, W.J.J. Hayes and E. R. Laws, Jr. (eds.), 1991.
- Baron, R. L., J. L. Casterline, Jr., and O. G. Fitzhugh, "Specificity of carbamate-induced esterase inhibition in mice," *Toxicol and Appl Pharmacol*, 6, 1964, 402–410.
- Baron, R. L., J. L. Casterline, Jr., and R. Orzel, "In vivo effects of carbamate insecticides on mammalian esterase enzymes," *Toxicol and Appl Pharmacol*, 9, 1966, 6–16.
- Barrett, D. S., and F. W. Oehme, "A review of organophosphorus ester-induced delayed neurotoxicity," *Vet Human Toxicol*, 27, 1985, 22–37.
- Barron, M. G., S. M. Plakas, et al., "Chlorpyrifos pharmacokinetics and metabolism following intravascular and dietary administration in channel catfish," *Toxicol and Appl Pharmacol*, 108, 1991, 474–482.
- Baumann, K., J. Angerer, et al., "Occupational exposure to hexachlorocyclohexane. I. Body burden of HCH-isomers," *Int Arch Occup Environ Health*, 47, 1980, 119–127.
- Baynes, R. E., K. B. Halling, et al., "The influence of diethyl-m-toluamide (DEET) on the percutaneous absorption of permethrin and carbaryl," *Toxicol and Appl Pharmacol*, 144, 1997, 332–339.

- Beach, J., A. Spurgeon, et al., "Abnormalities on neurological examination among sheep farmers exposed to organophosphorous pesticides," *Occup Environ Med*, 53, 1996, 520–525.
- Bear, D., J. Rosenbaum, and R. Normal, "Aggression in cat and human precipitated by a cholinesterase inhibitor," *Psychosomatics*, 27, 1986, 535–536.
- Beard, A. P., A. C. McRae, et al., "Reproductive efficiency in mink (*Mustela vison*) treated with the pesticides lindane, carbofuran and pentachlorophenol," *J Reproduc and Fertil*, 111, 1997, 21–28.
- Benowitz, N. L., "Pharmacology of nicotine: Addiction and therapeutics," *Ann Rev Pharmacol Toxicol*, 36, 1996, 597–613.
- Bianchi-Santamaria, A., M. Gobbi, et al., "Human lymphocyte micronucleus genotoxicity test with mixtures of phytochemicals in environmental concentrations," *Mutation Res*, 388, 1997, 27–32.
- Bidstrup L., J. Bonnell, and A. Becket, "Paralysis following poisonings by a new organic phosphorus insecticide (misafox): Report on two cases," *BMJ*, 1, 1953, 1068–1072.
- Billups, L. H., "Histopathologic examination of a twenty-four month toxicity/carcinogenicity study of compound FMC33297 in rats," unpublished report submitted to WHO by FMC Corporation, Environmental Pathology Services, FMC Corporation, Environmental Pathology Services, 1978a.
- Billups, L. H., "Twenty-four month toxicity/carcinogenicity study of compound FMC33297 in rats," unpublished report submitted to WHO by FMC Corporation, Environmental Pathology Services, FMC Corporation, Environmental Pathology Services, 1978b.
- Blair A., D. J. Grauman, J. H. Lubin, and J. F. Fraumeni, "Lung cancer and other causes of death among licensed pesticide applicators," *J Natl Cancer Inst*, 71, 1983, 31–37.
- Blair A., H. Malke, K. P. Cantor, L. Burmeister, and K. Wiklund, "Cancer among farmers," *Scand J Work Environ Health*, 11, 1985, 397–407.
- Blair, A., K. P. Cantor, et al., "Non-Hodgkin's lymphoma and agricultural use of the insecticide lindane," *Am J Ind Med*, 33, 1998, 82–87.
- Block, E. R., and D. Edwards, "Effect of plasma membrane fluidity on serotonin transport by endothelial cells," *Am J Physiol*, 253, 1987, 672–678.
- Bloomquist, L., and W. Thorsell, "Distribution and fate of the insect repellent ¹⁴C-N,N-diethyl-m-toluamide in the animal body. II. Distribution and excretion after cutaneous application," *Acta Pharmacol Toxicol*, Copenhagen, 41, 1977, 235–243.

- Boffa, M. J., P. A. Brough, et al., "Lindane neurotoxicity," *Br J Dermatol*, 133, 1995, 1013.
- Bonatti, S., C. Bolognesi, et al., "Genotoxic effects of the carbamate insecticide methomyl. I. In vitro studies with pure compound and the technical formulation 'Lannate 25,'" *Environ and Molec Mutagenesis*, 23, 1994, 306–311.
- Bosio P., K. E. Elgar, and B. Mathews, "Dichlorvos residues in food arising from the domestic use of dichlorvos PVC strips," *Pestic Sci*, 3, 1972, 601–607.
- Bowler R. M., G. Huel, D. Mergler, J. E. Cone, S. S. Rauch, and C. Hartney, "Symptom base rates after chemical exposure for White, Hispanic, and African-Americans," *Neurotoxicol*, 17(3-4), 1996, 793–802.
- Boyd, E. M., "Dietary protein and pesticide toxicity in male weanling rats," *Bull WHO*, 40, 1969, 801–805.
- Braham, J., "Drop attacks in the elderly: Effect of pyridostigmine," *Postgrad Med J*, 70(829), 1994, 848.
- Branch, R. A., and E. Jacqz, "Subacute neurotoxicity following long-term exposure to carbaryl," *Am J Med*, 80, 1986, 741–745.
- Brassow, H. L., K. Baumann, et al., "Occupational exposure to hexachlorocyclohexane. II. Health conditions of chronically exposed workers," *Int Arch Occup Environ Health*, 48, 1981, 81–87.
- Braun, W. G., and J. C. Killeen, "Acute oral toxicity in rats: Compound no. FMC33297," unpublished report submitted to WHO by FMC Corporation, Bio-Dynamics, Inc., 1975.
- Braun, W. G., and W. E. Rinehart, "A twenty-four month oral toxicity/carcinogenicity study of FMC33297 in rats," unpublished report submitted to WHO by FMC Corporation, Bio-Dynamics, Inc. Project, 1977.
- Brealy, C. J., et al., "A-esterase activities in relation to the differential toxicity of pirimiphos-methyl to birds and mammals," *Pestic Sci*, 11, 1980, 546–554.
- Brenner, F. E., G. G. Bond, et al., "Morbidity among employees engaged in the manufacture or formulation of chlorpyrifos," *Br J Ind Med*, 46, 1989, 133–137.
- Broughton, A., "Chronic health effects and immunologic alterations associated with exposure to pesticides," *Comments Toxicol*, 4, 1990, 59–71.
- Brown, D., "Lindane: 3 week dermal toxicity study (with interim kill and recovery period in the rat)," 5757–580/2, Hazelton U.K., North Yorkshire, 1988, as referenced in ATSDR, 1997.
- Brown, L. M., A. Blair, R. Gibson, G. D. Everett, K. P. Cantor, L. M. Schuman, L. F. Burmeister, S. F. Van Lier, and F. Dick, "Pesticide exposure and other

- agricultural risk factors for leukemia among men in Iowa and Minnesota," *Cancer Res*, 50, 1990, 6585–6591.
- Burton, B. T., V. K. Will, et al., "Seizure following lindane ingestion in a patient pretreated with pnenytoin" [Abstract], *Vet Hum Toxicol*, 33, 1991, 391.
- Butterworth, S.T.G., and R. W. Hend, "Toxicity studies on the insecticide WL43470: A five week feeding study in rats," TLGR.0056.76, unpublished report submitted to WHO by Shell Research, Ltd., Shell Research, Ltd., 1976.
- Camaon, L., E. Martainez, et al., "The effect of non-convulsant doses of lindane on temperature and body weight," *Toxicol*, 49, 1988, 389–394.
- Canadian Department of National Defence, *Health Study of Canadian Forces Personnel Involved in the 1991 Conflict in the Persian Gulf*, Vols. I and II, prepared for the Gulf War Illness Advisory Committee, Department of National Defence, by Goss Gilroy Inc Management Consultants, Ottawa, April 20, 1998, http://www.DND.ca/menu/press/reports/health/health_study/e/vol1_TOC.htm.
- Cantor, K. P., "Farming and mortality from non-Hodgkin's lymphoma: A case-control study," *Int J Cancer*, 29, 1982, 239–247.
- Cantor, K. P., A. Blair, et al., "Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota," *Cancer Res*, 52, 1992, 2447–2455.
- Carmichael, E. A., and F. R. Fraser, "The effects of acetylcholine in man," *Heart*, 16, 1933, 263–274.
- Casterline, J. L., and C. H. Williams, "Effect of pesticide administration upon esterase activities in serum and tissues of rats fed variable casein diets," *Toxicol and Appl Pharmacol*, 14, 1969, 266–275.
- Casterline, J. L., and C. H. Williams, "The effect of 28-day pesticide feeding on serum and tissue enzyme activities of rats fed diets of varying casein content," *Toxicol and Appl Pharmacol*, 18, 1971, 607–618.
- Centers for Disease Control and Prevention, "Unexplained illness among Persian Gulf War veterans in an Air National Guard unit: Preliminary report," *MMWR*, 44, August 1990–March 1995, 443–447.
- Chakravarty, S., A. Mandal, et al., "Effect of lindane on clutch size and level of egg yolk protein in domestic duck *anas-platyrrhynchos-domesticus*," *Toxicol*, 39, 1986, 93–104.
- Chen, H. H., J. L. Hsueh, et al., "Induction of sister-chromatid exchanges and cell cycle delay in cultured mammalian cells treated with eight organophosphorus pesticides," *Mutation Res*, 88, 1981, 307–313.

- Chen, S. Y., Z. W. Zhang, et al., "An epidemiological study on occupational acute pyrethroid poisoning in cotton farmers," *Br J Ind Med*, 48, 1991, 77–81.
- Cheremisinoff, N. P., and J. A. King, *Toxic Properties of Pesticides*, New York: Marcel Dekker, 1994.
- Cherry, N., "The Manchester Gulf War Study: First Results" [Abstract], *Proceedings of the Conference on Federally Sponsored Gulf War Veterans' Illnesses Research*, Pentagon City, June 1999, 97.
- Chesher, B. C., R. C. Clampitt, et al., "21Z73—Preliminary investigations into the cumulative oral toxicity on dogs," HEFG 75-9, unpublished data submitted to WHO, Wellcome Research Laboratories, Berkhamsted, 1975.
- Cid, M. G., and E. Matos, "Induction of sister chromatid exchanges in cultured human lymphocytes by Aldicarb, a carbamate pesticide," *Mutation Res*, 138, 1984, 175–179.
- Cid, M. G., et al., "Genotoxicity of the pesticide propoxur and its nitroso derivative, NO-propoxur, on human lymphocytes in vitro," *Mutation Res*, 232, 1990, 45–48.
- Clandinin, M. T., S. Cheema, C. J. Field, M. L. Garg, J. Venkatraman, and T. R. Clandinin, "Dietary fat: Exogenous determination of membrane structure and cell function," *FASEB J*, 5, 1991, 2761.
- Clandinin, M. T., M. Suh, and K. Hargreaves, "Impact of dietary fatty acid balance on membrane structure and function of neural tissues," *Advances in Exp Med Biol*, 318, 1992, 197–210.
- Clapp, M.J.L., P. B. Banham, et al., "PP557: 28 day feeding study in rats," CTL/P/355, unpublished report submitted to WHO by ICI Central Toxicology Laboratory, ICI Central Toxicology Laboratory, 1977a.
- Clapp, M.J.L., P. B. Banham, et al., "PP557: 28 day feeding study in mice," CTL/P/354, unpublished report submitted to WHO by ICI Central Toxicology Laboratory, ICI Central Toxicology Laboratory, 1977b.
- Clark, D. G., "Toxicology of WL43479: Acute toxicity of WL43479," TLGR 0043.78, unpublished data submitted to WHO, Shell Research Ltd., Sittingbourne, 1978.
- Clem, J. R., D. F. Havemann, et al., "Insect repellent (*N,N*-diethyl-*m*-toluamide) cardiovascular toxicity in an adult," *Ann Pharmacother*, 27, 1993, 289–293.
- Clive, C. D., "Mutagenicity of BW21Z73 in L5178Y/TK mouse lymphoma cells with and without exogenous metabolic activation," TTEP/77/0011, unpublished data submitted to WHO, Burroughs Wellcome Co., Research Triangle Park, North Carolina, 1977.

- Cole, D., F. Carpio, et al., "Assessment of peripheral nerve function in an Ecuadorian rural population exposed to pesticides," *J Toxicol Environ Health, Part A*, 55, 1998, 77–91.
- Committee to Study the Interactions of Drugs, Biologics, and Chemicals in U.S. Military Forces (Institute of Medicine), *Interactions of Drugs, Biologics, and Chemicals in U.S. Military Forces*, Washington, D.C.: National Academy Press, 1996.
- Conti-Fine, B., and R. Horton, "A 'neuronal' nicotinic acetylcholine receptor regulating cell adhesion is expressed in human epidermal keratinocytes," *International Symposium on the Cholinergic Synapse: Structure, Function and Regulation* (3rd), Baltimore: University of Maryland, 1994.
- Corrigan, F. M., S. MacDonald, A. Brown, K. Armstrong, and E. M. Armstrong, "Neurasthenic fatigue, chemical sensitivity and GABA_A receptor toxins," *Med Hypotheses*, 43, 1994, 195–200.
- Costa, L. G., B. E. McDonald, et al., "Serum paraoxonase and its influence on paraoxon and chlorpyrifos-oxon toxicity in rats," *Toxicol and Appl Pharmacol*, 103, 1990, 66–76.
- Costa, L. G., et al., "Species differences in serum paraoxonase activity correlate with sensitivity to paraoxon toxicity," in L. G. Costa et al. (eds.), *Toxicology of Pesticides: Experimental, Clinical, and Regulatory Aspects*, NATO ASI Series Vol. H13, Berlin: Springer Verlag, 1997, 263–266.
- Cox, R. H., J. D. Sutherland, et al., "Chronic toxicity study in dogs with Sumithrin® technical grade," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Hazelton Laboratories, Inc., Vienna, Virginia, 1987.
- Coye, M. J., P. Barnett, M. J. Midtling, A. R. Velasco, C. L. Clements, M. A. O'Malley, and M. W. Tobin, "Clinical confirmation of organophosphate poisoning of agricultural workers," *Am J Ind Med*, 10, 1986, 399–409.
- Currie, K. L., E. C. McDonald, L. T. Chung, and A. R. Higgs, "Concentrations of diazinon, chlorpyrifos, and bendiocarb after application in offices," *Am Ind Hyg Assoc J*, 51(1), 1990, 23–27.
- Czegledi-Janko, G., and P. Avar, "Occupational exposure to lindane: clinical and laboratory findings," *Br J Ind Med*, 27, 1970, 283–286.
- Daerr, W., E. Kaukel, et al., "Hemoperfusion—a therapeutic alternative to early treatment of acute lindane poisoning," *Dtsch Med Wochenschr*, 110, 1985, 1253–1255.
- Dagli, A. J., J. S. Moos, and W. A. Shaikh, "Acute pancreatitis as a complication of diazinon poisoning," *J Assoc Phys India*, 29, 1981, 794–795.

- Dagli, A. J., and W. A. Shaikh, "Pancreatic involvement in malathion-anticholinesterase insecticide intoxication: A study of 75 cases," *Br J Clin Pract*, 37, 1983, 270-272.
- Dale, W. E., A. Curley, et al., "Hexane extractable chlorinated insecticides in human blood," *Life Sci*, 5, 1966, 47-54.
- Dalsenter, P. R., A. S. Faqi, et al., "Reproductive toxicity and tissue concentrations of lindane in adult male rats," *Human and Exp Toxicol*, 15, 1996, 406-410.
- Damaj, M. I., and B. R. Martin, "Tolerance to the antinociceptive effect of epibatidine after acute and chronic administration in mice," *Eur J Pharmacol*, 300(1-2), 1996, 51-57.
- Davies, H., R. Richter, et al., "The effect of the human serum paraoxonase polymorphism is reversed with diazinon, soman, and sarin," *Nature Genetics*, 14, 1996, 334-336.
- Davies, J. E., "Neurotoxic concerns of human pesticide exposure," *Am J Ind Med*, 18, 1990, 327-331.
- Davies, J. E., H. V. Dedhia, et al., "Lindane poisonings," *Arch Dermatol*, 119, 1983, 142-144.
- Davis, E. E., and P. G. Sokolove, "Lactic acid-sensitive receptors on the antennae of the mosquito, *Aedes aegypti*," *J Comp Physiol*, 105, 1976, 43-54.
- Dayan, A. D., "21 day neuropathological study in Sprague-Dawley rat of permethrin (212732J) administered in the diet," BDPE77-3, unpublished data submitted to WHO, Wellcome Research Laboratories, Berkhamsted, 1980.
- De Bleeker, J. L., 1993. "Intermediate syndrome: prolonged cholinesterase inhibition," *J Toxicol Clin Toxicol*, 31(1), 197-199.
- De Ferrari, M., M. Artuso, S. Bonassi, S. Bonatti, Z. Cavalieri, D. Pescatore, E. Marchini, V. Pisano, and A. Abbondando, "Cytogenetic biomonitoring of an Italian population exposed to pesticides: Chromosome aberration and sister-chromatid exchange analysis in peripheral and blood lymphocytes," *Mutation Res*, 260(1), 1991, 105-113.
- De Fraités, R., E. I. Wanat, et al., *Investigation of a suspected outbreak of an unknown disease among veterans of Operation Desert Shield/Storm, 123rd Army Reserve Command, Fort Benjamin Harrison, Indiana*, Washington, DC: Walter Reed Army Institute of Research, April 1992.
- Degraeve, N., and J. Moutschen, "Genetic and cytogenetic effects induced in the mouse by an organophosphorus insecticide: malathion," *Environ Res*, 34, 1984, 170-174.

- Degraeve, N., J. Moutschen, and M. Houbrechts, "Cytogenetic effects of organophosphates in mouse," *Mutation Res*, 53, 1978, 175–176.
- Degraeve, N., M. C. Chollet, and J. Moutschen, "Cytogenetic and genetic effects of subchronic treatment with organophosphorus insecticides," *Arch Toxicol*, 56, 1984, 66–67.
- De Jager, A.E.J., T. W. van Weerden, H. J. Houthoff, and J.G.R. De Monehy, "Polyneuropathy after massive exposure to parathion," *Neurol*, 31, 1981, 603–605.
- Delbeke, J., J. Kopec, and A. J. McComas, "Effects of age, temperature, and disease on the refractoriness of human nerve and muscle," *J Neurolo, Neurosurg and Psych*, 41(1), 1978, 65–71.
- Denys, E. H., AAEM minimonograph #14: "The influence of temperature in clinical neurophysiology," *Muscle and Nerve*, 14(9), 1991, 795–811.
- Department of Defense, *Comprehensive Clinical Evaluation Program for Persian Gulf War Veterans: CCEP report on 18,598 participants*, 1996.
- Derek, J., "Major epileptic seizures and topical gammabenzene hexachloride," *Br Med J*, 289, 1984, 228.
- Devinsky, O., et al., Aggressive behavior following exposure to cholinesterase inhibitors," *J Neuropsych and Clin Neurosci*, 4(2), 1992, 189–194.
- Dick, I. P., P. G. Blain, et al., "The percutaneous absorption and skin distribution of Lindane in man. I. In vivo studies," *Human Exp Toxicol*, 16, 1997a, 645–651.
- Dick, I. P., P. G. Blain, et al., "The percutaneous absorption and skin distribution of lindane in man. II. In vitro studies," *Human Exp Toxicol*, 16, 1997b, 652.
- Dietrich, W. D., O. Alonso, M. Halley, R. Busto, and MY-T. Globus, "Intraventricular infusion of N-methyl-D-aspartate 1. Acute blood brain barrier consequences," *Acta Neuropathol*, 84, 1992, 621–629.
- Dikshith, T. S., P. Chandra, et al., "Effect of lindane on the skin of albino rats," *Experientia*, 29, 1973, 684–685.
- Dille, J. R., and P. W. Smith, "Central nervous system effects of chronic exposure to organophosphate insecticides," *Aerospace Med*, 35, 1964, 474–478.
- D'Mello, G. D., and F. R. Sidell, "A model for carbamate and organophosphate-induced emesis in humans," *Neurosci and Biobehav Rev*, 15, 1991, 179–184.
- Dolara, P., F. Torricella, and N. Antonelli, "Cytogenetic effects of human lymphocytes of a mixture of fifteen pesticides commonly used in Italy," *Mutation Res*, 325, 1994, 47–51.

- Donnelly-Roberts, D. L., P. S. Puttfarcken, et al., "ABT-594 [(R)-5-(2-Azetidinyl-methoxy)-2-Chloropyridine]: A novel, orally effective analgesic acting via neuronal nicotinic acetylcholine receptors: I. In vitro characterization," *J Pharmacol Exp Ther*, 285(2), 1998, 777–786.
- Dressel, T. D., R. L. Goodale, M. A. Arneson, and J. W. Borner, "Pancreatitis as a complication of anticholinesterase insecticide intoxication," *Ann Surg*, 189, 1979, 199–204.
- Dringenberg, H. C., and M. A. DeSouza-Silva, "Histamine H1 receptor antagonists produce increases in extracellular acetylcholine in rat frontal cortex and hippocampus," *J Neurochem*, 70(4), 1998, 1750–1758.
- Dulout, F. N., O. A. Olivero, et al., "Cytogenetic effect of malathion assessed by the micronucleus test," *Mutation Res*, 105, 1982, 413–416.
- Dunstan, R. H., M. Donohoe, et al., "A preliminary investigation of chlorinated hydrocarbons and chronic fatigue syndrome," *Med J Aust*, 163, 1995, 294–297.
- Dyck, P. J., M. Shimono, et al., "The evaluation of a new synthetic pyrethroid pesticide (permethrin) for neurotoxicity," *J Environ Pathol, Toxicol, Oncol*, 1984, 109–117.
- Eamsila, C., S. P. Frances, et al., "Evaluation of permethrin-treated military uniforms for personal protection against malaria in northeastern Thailand," *J Am Mosq Control Assoc*, 10, 1994, 515–521.
- Eaton, D. L., and C. D. Klaassen, "Principles of Toxicology," in C. D. Klaassen (ed.), *Casarett and Doull's Toxicology: The Basic Science of Poisons*, 1996, 13–34.
- Edwards, M. J., and T. J. Iswaran, "Permethrin: Residue transfer and toxicology study with cows fed treated grass nuts," TMJ1519/B, submitted to WHO by ICI Plant Protection Division, ICI Plant Protection Division, 1977.
- Elgar, K. E., and B. D. Steer, "Dichlorvos concentrations in the air of houses arising from the domestic use of dichlorvos PVC strips," *Pestic Sci*, 3, 1972, 591–600.
- Ellis, L. B., and S. Weiss, "A study of the cardiovascular responses in man to the intravenous and intra-arterial injection of acetylcholine," *J Pharmacol Exp Ther*, 44, 1932, 235–251.
- El-Yousef, M. K., D. Janowsky, J. M. Davis, and H. J. Sekerke, "Reversal of antiparkinson drug toxicity by physostigmine: A controlled study," *Am J Psychiatry*, 130(2), 1973, 141–145.

- Engel, L. S., M. C. Keifer, et al., "Neurophysiological function in farm workers exposed to organophosphate pesticides," *Arch Environ Health*, 53(1), 1998, 7-14.
- Eriksson, P., and A. Fredricksson, "A neurotoxic effect of two different pyrethroids bioallethrin and deltamethrin on immature and adult mice: Changes in behavioral muscarinic receptor variables," *Toxicol and Appl Pharmacol*, 108, 1991, 78-85.
- Eriksson P, and A. Nordberg, "Effects of two pyrethroids, bioallethrin and deltamethrin, on subpopulation of muscarinic and nicotinic receptors in neonatal mouse brain," *Toxicol and Appl Pharmacol*, 102, 1990, 456-463.
- Ernest, K., M. Thomas, et al., "Delayed effects of exposure to organophosphorus compounds," *Indian J Med Res*, 101, 1995, 81-84.
- Eto, M., *Organophosphorus Pesticides: Organic and Biological Chemistry*, Boca Raton, FL: CRC Press, 1979.
- Evans, S. R., G.W.J. Korch, et al., "Comparative field evaluation of permethrin and DEET-treated military uniforms for personal protection against ticks (Acari)," *J Med Entomol*, 27, 1990, 829-834.
- Farquhar, J. A., D.B.A. Hutchinson, et al., "An investigation into the absorption of permethrin from impregnated clothing," BKDL/81/1, unpublished data submitted to WHO, Wellcome Research Laboratories, Bechenham, 1981a.
- Farquhar, J. A., D.B.A. Hutchinson, et al., "An investigation of tolerance to absorption of and persistence of permethrin applied as a 1% lotion to human hair," BKDL/81/2, unpublished data submitted to WHO, Wellcome Research Laboratories, Bechenham, 1981b.
- Feldman, R. J., and H. I. Maibach, "Percutaneous penetration of some pesticides and herbicides in man," *Toxicol and Appl Pharmacol*, 28, 1974, 126-132.
- Fenske, R. A., K. G. Black, et al., "Potential exposure and health risks of infants from indoor residential pesticide applications," *Am J Pub Health*, 80, 1990, 689.
- Fiedler, N., H. Kipen, et al., "Long-term use of organophosphates and neuropsychological performance," *Am J Ind Med*, 32, 1997, 487-496.
- Field, L., "Toxic alopecia caused by pyridostigmine bromide," *Arch Dermatol*, 116, 1980, 1103.
- Fischer, T. F., "Lindane toxicity in a 24-year-old woman," *Annals Emer Med*, 24, 1994, 972-974.

- Fisher, J. R., "Guillain-Barre syndrome following organophosphate poisoning," *J Am Med Assoc*, 238, 1977, 1950–1951.
- Flannigan, S. A., and S. B. Tucker, "Variation in cutaneous sensation between synthetic pyrethroid insecticides," *Contact Dermatitis*, 13, 1985, 140–147.
- Flannigan, S. A., S. B. Tucker, et al., "Synthetic pyrethroid insecticides: A dermatological evaluation," *Br J Ind Med*, 42, 1985a, 363–372.
- Flannigan, S. A., S. B. Tucker, et al., "Primary irritant contact dermatitis from synthetic pyrethroid insecticide exposure," *Arch Toxicol*, 56, 1985b, 288–294.
- Flessel, P., et al., "Genetic toxicity of malathion: A review," *Environ and Molec Mutagenesis*, 22, 1993, 7–17.
- Foot, M., T. F. Cruz, and M. T. Clandinin, "Influence of dietary fat on the lipid composition of rat brain synaptosomal and microsomal membranes," *Biochem J*, 208, 1982, 631–640.
- Fradin, M. S., "Mosquitoes and mosquito repellents: A clinician's guide," *Annals Int Med*, 128, 1998, 931–940.
- Franz, T. J., P. A. Lehman, et al., "Comparative percutaneous absorption of lindane and permethrin," *Arch Dermatol*, 132, 1996, 901–905.
- Fricker, R. D., E. Reardon, D. M. Spektor, S. K. Cotton, J. Hawes-Dawson, J. E. Pace, and S. D. Hosek, *A Review of the Scientific Literature as It Pertains to Gulf War Illnesses, Volume 12: Pesticide Use During the Gulf War: A Survey of Gulf War Veterans*, Santa Monica, CA: RAND, MR-1018/12-OSD, 2000.
- Fukuda, K., R. Nisebaum, et al., "Chronic multisymptom illness affecting Air Force veterans of the Gulf War," *JAMA*, 280, 1998, 981–988.
- Furlong, C. E., R. J. Richter, et al., "Role of genetic polymorphism of human plasma paraoxonase/arylesterase in hydrolysis of the insecticide metabolites chlorpyrifos oxon and paraoxon," *Am J Human Genet*, 43, 1988, 230–238.
- Furlong, C. E., R. J. Richter, et al., "Spectrophotometric assays for the enzymatic hydrolysis of the active metabolites of chlorpyrifos and parathion by plasma paraoxonase/arylesterase," *Anal Biochem*, 180, 1989, 242–247.
- Gaines, T., "The acute toxicity of pesticides to rats," *Toxicol and Appl Pharmacol*, 2, 1960, 88–99.
- Garry, V. F., R. L. Nelson, et al., "Preparation for human study of pesticide applicators: Sister chromatid exchanges and chromosome aberrations in cultured human lymphocytes exposed to selected fumigants," *Teratogenesis, Carcinogenesis, Mutagenesis*, 10, 1990, 21–29.
- Gasser, H. S., "Nerve activity as modified by temperature changes," *Am J Physiol*, 97, 1931, 254–270.

- Geoffroy, H., A. Slomic, M. Benebadji, and P. Pascal, "Myelo-polynevrites tri-cresyl phosphatees; toxi-epidemie marocaine de septembre-octobre 1959," *World Neurol*, 1, 1960, 244–315.
- Gerhard, I., V. Daniel, et al., "Chlorinated hydrocarbons in women with repeated miscarriages," *Environ Health Perspec*, 106, 1998, 675–681.
- Gershon, S., M. B. Sydney, and F. H. Shaw, "Psychiatric sequelae of chronic exposure to organophosphorous insecticides," *Lancet*, 1, 1961, 1371–1374.
- Gilbert, M. E., "Repeated exposure to lindane leads to behavioral sensitization and facilitates electrical kindling," *Neurotoxicol and Teratol*, 17, 1995, 131–141.
- Ginsburg, C. M., W. Lowry, et al., "Absorption of lindane (gamma benzene hexachloride) in infants and children," *J Pediatr*, 91, 1977, 998–1000.
- Glaister, J. R., I. Pratt, et al., "Effects of high dietary levels of PP557 on clinical behaviour and structure of sciatic nerves in rats," CTL/P/317, unpublished data submitted to WHO, ICI Central Toxicology Laboratory, 1977.
- Glickman, A. H., S. D. Weitman, et al., "Different toxicity of trans-permethrin in rainbow trout and mice. I. Role of biotransformation," *Toxicol and Appl Pharmacol*, 66, 1982, 153–161.
- Golomb, B. A., *A Review of the Scientific Literature as It Pertains to Gulf War Illnesses*, Volume 2: *Pyridostigmine Bromide*, Santa Monica, CA: RAND, MR-1018/2-OSD, 1999.
- Goodyer, L., and R. H. Behrens, "Short report: The safety and toxicity of insect repellents," *Am J Tropical Med and Hygiene*, 59, 1998, 323–324.
- Gordon, C. J., and P. J. Rowsey, "Poisons and Fever," *Clin and Exp Pharmacol and Physiol*, 25, 1998, 145–149.
- Gordon, J. J., R. H. Inns, et al., "The delayed neuropathic effects of nerve agents and some other organophosphorus compounds," *Arch Toxicol*, 52, 1983, 71–82.
- Gould, R. J., and B. H. Ginsberg, "Membrane fluidity and membrane receptor function," in R. C. Aloia and J. M. Boggs (eds.), *Membrane Fluidity in Biology*, New York: Academic Press, 1985.
- Grabarczyk, M., and J. Kopec-Szlezak, "Protective action of vitamin E on the subcellular structures of lymphocytes intoxicated with pesticides in vitro," *Mater Med Pol*, 24(4), 1992, 237–239.
- Grando, S., R. Horton, et al., "A nicotinic acetylcholine receptor regulating cell adhesion and motility is expressed in human keratinocytes," *J Invest Dermatol*, 105(6), 1995, 774–781.

- Grange, J. D., L. Mallet, et al., "Hepatite aigue due au pyridinol carbamate [Acute hepatitis caused by pyridinol carbamate]," *Gastroenterologie Clinique et Biologique*, 8(2), 1984, 194–195.
- Gray, G. C., B. D. Coate, C. M. Anderson, H. K. Kang, S. W. Berg, F. S. Wignall, J. D. Knoke, and E. Barrett-Connor, "The postwar hospitalization experience of US veterans of the Persian Gulf War," *N Engl J Med*, 335, 1996, 1505–1513.
- Gray, R., A. S. Rajan, K. A. Radcliffe, M. Yakehiro, and J. A. Dani, "Hippocampal synaptic transmission enhanced by low concentrations of nicotine," *Nature*, 383, 1996, 713–716.
- Greenman, S. B., M. J. Rutten, et al., "Herbicide/pesticide effects on intestinal epithelial growth," *Environ Res*, 75, 1997, 85–93.
- Greenwood, C. E., C. D. McGee, and J. R. Dyer, "Influence of dietary fat on brain membrane phospholipid fatty acid composition and neuronal function in mature rats," *Nutrition*, 5(4), 1989, 278–281.
- Gribetz, B., E. D. Richter, M. Gordon, et al., "Heat stress exposure of aerial spray pilots," *Aviat Space Environ Med*, 52, 1980, 53–56.
- Grob, D., and A. M. Harvey, "Effects and treatment of nerve gas poisoning," *Am J Med*, 14, 1953, 52–63.
- Gurunathan, S., M. Robson, et al., "Accumulation of chlorpyrifos on residential surfaces and toys accessible to children," *Environ Health Perspec*, 106, 1998, 9–16.
- Hagmar, L., A. Brogger, et al., "Cancer risk predicted by increased levels of chromosomal aberrations in lymphocytes: Nordic Study Group on the health risk of chromosomal damage," *Cancer Res*, 54, 1994, 2919–2922.
- Haley, R. W., "Is Gulf War Syndrome due to stress? The evidence reexamined," *Am J Epidemiol*, 145, 1997, 695–703.
- Haley, R. W., and T. L. Kurt, "Exposure to neurotoxic chemical combinations in the Gulf War: Cross sectional epidemiological study," *JAMA*, 277, 1997a, 231–237.
- Haley, R. W., and T. L. Kurt, "Self-reported exposure to neurotoxic chemical combinations in the Gulf War: A cross-sectional epidemiologic study," *JAMA*, 277, 1997b, 231–237.
- Haley, R. W., J. Hom, P. S. Roland, W. W. Bryan, P. C. Van Ness, F. J. Bonte, M. D. Devous, D. Mathews, J. L. Fleckenstein, F. H. Wians, G. I. Wolfe, and T. L. Kurt, "Evaluation of neurological function in Gulf War veterans: A blinded case-control study." *JAMA*, 277(3), 1997, 223–230.

- Haley, R. W., et al., "Is there a Gulf War syndrome? Searching for syndromes by factor analysis of symptoms," *JAMA*, 277, 1997, 215–222.
- Haley, R. W., et al., "Association of low PON1 Type Q (Type A) arylesterase activity with neurological symptom complexes in Gulf War veterans," *Toxicol and Appl Pharmacol*, 157, 1999a, 227–233.
- Haley, R. W., et al., "Association of low PON1 Type Q (Type A) arylesterase activity with neurological symptom complexes in Gulf War veterans" [Abstract], *Proceedings of the Conference on Federally Sponsored Gulf War Veterans' Illnesses Research*, Pentagon City, June 1999b, 130.
- Handysides, S., "Reports of anophthalmia under scrutiny," *Br Med J*, 306, 1993, 416.
- Hanig, J. P., P. D. Yoder, et al., "Convulsions in weanling rabbits after a single topical application of 1% lindane," *Toxicol and Appl Pharmacol*, 38, 1976, 463–469.
- Hashimoto, S., S. Okano, et al., "Human volunteer study with phenothrin and d-phenothrin powder," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., 1980.
- He, F. S., S. G. Wang, et al., "Clinical manifestations and diagnosis of acute pyrethroid poisoning," *Arch Toxicol*, 63, 1989, 54–58.
- Heick, H. M., R. G. Peterson, et al., "Insect repellent, *N,N*-diethyl-*m*-toluamide, effect on ammonia metabolism," *Pediatrics*, 82, 1988, 373–376.
- Hend, R. W., and S.T.G. Butterworth, "Toxicity of insecticides: A short-term feeding study of WL 43379 in rats," TLGR.0108.77, unpublished data submitted to WHO, Shell Research, Ltd., 1977.
- Herath, J. F., S. M. Jala, et al., "Genotoxicity of the organophosphorus insecticide based on human lymphocytes in culture," *Cytologia*, 54, 1989, 191–195.
- Heron, D.S.W., M. Shinitzky, M. Hershkowitz, and D. Samuel, "Lipid fluidity markedly modulates the binding of serotonin to mouse brain membranes," *Proc Nat Acad Sci*, 77, 1980, 7463–7467.
- Hiromori, T., S. Hara, et al., "Acute intravenous toxicity of phenothrin and d-phenothrin in mice," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Japan, 1984.
- Hirshberg, A., and Y. Lerman, "Clinical problems in organophosphate insecticide poisoning: The use of a computerized information system," *Fundament and Appl Toxicol*, 4(2 pt 2), 1984, S209–S214.

- Hoar, S. K., A. Blair, et al., "Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma," *J Am Med Assoc*, 256, 1986, 1141–1147.
- Hodge, M.C.E., P. B. Banham, et al., "PP557: Three generation reproduction study in rats," unpublished report submitted to WHO by FMC Corporation, 1977.
- Hofmann, W. W., R. L. Parsons, and G. A. Feigen, "Effects of temperature and drugs on mammalian motor nerve terminals," *Am J Physiol*, 211(1), 1966, 135–140.
- Hogan, G. K., and W. E. Rinehart, "A twenty-four month oral carcinogenicity study of FMC 33297 in mice," unpublished report submitted to WHO by FMC Corporation, Bio-Dynamics, Inc. Project, 1977.
- Hogstedt, C., et al., "A questionnaire approach to the monitoring of early disturbances in central nervous function," in R. Aitio et al. (eds.), *Biological Monitoring and Surveillance of Workers Exposed to Chemicals*, Washington, D.C.: Hemisphere Publishing, 1984.
- Holmes, G. P., J. E. Kaplan, et al., "Chronic fatigue syndrome: A working case definition," *Annals Int Med*, 108, 1988, 387–389.
- Holmstedt, B., "Pharmacology of organophosphorus cholinesterase inhibitors," *Pharmacol Rev*, 11, 1959, 567–688.
- Holsboer-Trachsler, E., M. Hatzinger, et al., "Effects of the novel acetylcholinesterase inhibitor SDZ ENA 713 on sleep in man," *Neuropsychopharmacol*, 8, 1993, 87–92.
- Hornsby, A. G., R. D. Wauchope, et al., *Pesticide Properties in the Environment*, New York: Springer Verlag, 1996, viii, 227.
- Hosler, J., C. Tschanz, et al., "Topical application of lindane cream (Kwell) and antipyrine metabolism," *J Invest Dermatol*, 74, 1980, 51–53.
- Howard, P. H. (ed.), *Handbook of Environmental Fate and Exposure Data for Organic Chemicals*, Vol. 3, *Pesticides*, Boca Raton, FL: Lewis, 1991.
- Huff, J. E., R. Bates, S. L. Eustis, et al., "Malathion and malaaxon: Histopathology reexamination of the National Cancer Institute's Carcinogenesis studies," *Environ Res*, 37, 1985, 154–173.
- Husain, R., R. Husain, V. M. Adhami, and P. K. Seth, "Behavioral, neurochemical, and neuromorphological effects of deltamethrin in adult rats," *J Toxicol and Environ Health*, 48, 1996, 515–526.
- Husain, R., M. Mualviya, P. K. Seth, and R. Husain, "Effect of deltamethrin on regional brain polyamines and behavior in young rats," *Pharmacol and Toxicol*, 74, 1994, 211–215.

- International Agency for Research on Cancer, *Miscellaneous Chemicals, Lyons, Monographs on the Carcinogenic Risk of Chemicals to Humans*, 1983, 30.
- IOM, Committee to Study the Interactions of Drugs, Biologics, and Chemicals in U.S. Military Forces, *Interactions of Drugs, Biologics, and Chemicals in US Military Forces*, Washington, D.C.: National Academy Press, 1996.
- Iowa Persian Gulf Study Group, "Self-reported illness and health status among Gulf War veterans: A population-based study," *JAMA*, 177, 1997, 238–245.
- IPCS, "d-Phenothrin," *International Program on Chemical Safety*, Geneva: World Health Organization, 96 0250-863X, 1990, 64.
- Ishmael, J., and M. H. Litchfield, "Chronic toxicity and carcinogenic evaluation of permethrin in rats and mice," *Fundam Appl Toxicol*, 11, 1988, 308–311.
- Jagers, S. E., and G. R. Parkinson, "Permethrin: Summary and review of acute toxicities in laboratory species," CTL/P/461, unpublished data submitted to WHO by ICI Central Toxicology Laboratory, ICI Central Toxicology Laboratory, 1979.
- Jamal, G. A., "Long term neurotoxic effects of chemical warfare organophosphate compounds (Sarin)," *Adverse Drug React Toxicol Rev*, 14(2), 1995, 83–84.
- Jamal, G. A., "Long term neurotoxic effects of organophosphate compounds," *Adverse Drug Toxicol Rev*, 14(2), 1995, 5–89.
- James, J. A., "Fetal toxicity study of 21Z73 (NRDC 143) in the rat," BPAT 74-10, unpublished data submitted to WHO, Wellcome Research Laboratories, Bechenham, 1974.
- James, J. A., "A multigeneration reproduction study of 21Z73 (permethrin) in the rat," BPAT 79-3, unpublished data submitted to WHO, Wellcome Research Laboratories, Bechenham, 1979.
- Jedrzejowska, H., K. Rowinska-Marcinska, and B. Hoppe, "Clinical and toxicological investigations of a case of delayed neuropathy in man after acute poisoning by an organophosphorus pesticide," *Arch Toxicol*, 40, 1980, 279–284.
- Jian, T., and H. L. Tian, "Biochemical changes as biomarkers of pyrethroid toxicity in rats," *J Occup Health*, 38, 1996, 54–56.
- Johnson, D. A., N. M. Lee, R. Codle, and H. H. Loh, "Ethanol-induced fluidization of brain lipid bilayers: Required presence of cholesterol in membranes for expression of tolerance," *Mol Pharmacol*, 15, 1979, 739–746.

- Joseph, S. C., "A comprehensive clinical evaluation of 20,000 Persian Gulf War veterans: Comprehensive Clinical Evaluation Program evaluation team," *Mil Med*, 162, 1997, 149–155.
- Kadota, T., J. Miyamoto, et al., "Six-month subacute oral toxicity of NRDC in Sprague-Dawley rats," unpublished report submitted to WHO by Sumitomo Chemical Co., 1975.
- Kamrin, M. A. (ed.), *Pesticide Profiles: Toxicity, Environmental Impact, and Fate*, Boca Raton, FL: CRC/Lewis Publishers, 1997.
- Kaplan, J. G., J. Kessler, N. Rosenberg, D. Pack, and H. H. Schaumburg, "Sensory neuropathy associated with Dursban (chlorpyrifos) exposure," *Neurology*, 43, 1993, 2193–2196.
- Kappas, A., R. Vachkova, S. Lalchev, M. Tzoneva, and M. Markaki, "Genotoxicity studies on the organophosphorus insecticide chloracetophone," *Mutation Res*, 240, 1990, 203–208.
- Karczmar, A. G., "Acute and long lasting central actions of organophosphate agents," *Fund Appl Toxicol*, 4, 1984, S1–S17.
- Karmaus, W., and N. Wolf, "Reduced birthweight and length in the offspring of females exposed to PCDFs, PCP, and lindane," *Environ Health Perspec*, 103, 1995, 1120–1125.
- Kashyap, S. K., "Health surveillance and biological monitoring of pesticide formulators in India," *Toxicol Letters*, 33, 1986, 107–114.
- Keeble, V. B., L. Correll, et al., "Evaluation of knit glove fabrics as barriers to dermal absorption of organophosphorus insecticides using an in vitro test system," *Toxicol*, 27(3), 1993, 195–203.
- Kevekordes, S., T. Gebel, K. Pav, R. Edenharder, and H. Dunkelberg, "Genotoxicity of selected pesticides in the mouse bone-marrow micronucleus test and in the sister-chromatid exchange test with human lymphocytes in vitro," *Toxicol Letters*, 89, 1996, 35–42.
- Khan, P. K., and S. P. Sinha, "Ameliorating effect of vitamin C on murine sperm toxicity induced by three pesticides (endosulfan, phosphamidon and mancozeb)," *Mutagenesis*, 11(1), 1996, 33–36.
- Khanna, R. N., K. Kunwar, et al., "Placental transport of lindane during early and late stages of gestation in rats," *Bull Environ Contam Toxicol*, 47, 1991, 508–514.
- Kidd, H., and D. R. James (eds.), *The Agrochemicals Handbook*, 3rd ed., Cambridge: Royal Society of Chemistry Information Services, 1991.

- Killeen, J. C., and W. R. Rapp, "A three month oral toxicity study of FMC 33297 in beagle dogs," unpublished report submitted to WHO by FMC Corporation, Bio-Dynamics, Inc. Project, 1976a.
- Killeen, J. C., and W. R. Rapp, "A three month oral toxicity study of FMC 33297 in rats," unpublished report submitted to WHO by FMC Corporation, Bio-Dynamics, Inc. Project, 1976b.
- Kishi, M., N. Hirschhorn, et al., "Relationship of pesticide spraying to signs and symptoms in Indonesian farmers" [published erratum appears in *Scand J Work Environ Health*, 121(5), 1995, 400], *Scand J Work Environ Health*, 21(2), 1995, 124–133.
- Klonne, D. R., and W. J. Kintigh, "Lindane technical: Fourteen-week dust aerosol inhalation study on mice," 51-524, Bushy Run Research Center, Export, Pennsylvania, 1988, as referenced in ATSDR 1997.
- Kohda, H., T. Kadota, et al., "Teratogenic evaluation with permethrin in mice," unpublished report submitted to WHO by Sumitomo Chemical Co., Sumitomo Chemical Co., 1976.
- Kohda, H., T. Kadota, et al., "Acute oral, dermal and subcutaneous toxicities of permethrin in rats and mice," unpublished report submitted to WHO by Sumitomo Chemical Company, Sumitomo Chemical Co., 1979.
- Kohda, H., K. Nishimoto, et al., "Acute and subacute inhalation toxicity studies of S-2539 Forte in rats and mice," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Japan, 1979.
- Kolmodin-Hedman, B., A. Swensson, et al., "Occupational exposure to some synthetic pyrethroids (permethrin and fenvalerate)," *Arch Toxicol*, 50, 1982, 27–33.
- Kurt, T. L., "Epidemiological association in US veterans between Gulf War illness and exposures to anticholinesterases," *Toxicol Letters*, 102-103, 1998, 523–526.
- Kurt, T. L., R. Bost, et al., "Accidental Kwell (lindane) ingestions," *Vet Human Toxicol*, 28, 1986, 569–571.
- Ladodo, K. S., V. A. Skvortsova, et al., "Content of toxic substances in breast milk after timely and premature labor," *Voprosy Pitaniya*, 0(6), 1997, 21–23.
- Lahiri, P., and S. Chakraborty, "Effect of lindane (gamma-HCH) on ATPase activity and calcium content in shell gland and plasma of the domestic duck," *Indian J Exp Biol*, 29, 1991, 94–96.
- Laine-Cessac, P., A. Turcant, et al., "Inhibition of cholinesterases by histamine 2 receptor antagonist drugs," *Res Commun in Chem Pathol and Pharmacol*, 79(2), 1993, 185–193.

- Lander, F., and K. Hinke, "Indoor application of anti-cholinesterase agents and the influence of personal protection on uptake," *Arch Environ Contam Toxicol*, 22(2), 1992, 163–166.
- Landers, F., and M. Rønne, "Frequency of sister chromatid exchange and hematologic effects in pesticide-exposed greenhouse sprayers," *Scand J Environ Health*, 21, 1995, 283–288.
- Lang, A. H., and A. Puusa, "Dual influence of temperature on compound nerve action potential," *J Neurolog Sci*, 51(1), 1981, 81–88.
- Lankisch, P. G., C. H. Muller, H. Niederstadt, and A. Brand, "Painless acute pancreatitis subsequent to anticholinesterase insecticide (parathion) intoxication," *Am J Gastroenterol*, 85, 1990, 872–875.
- Lass, Y., and G. D. Fischbach, "A discontinuous relationship between the acetylcholine-activated channel conductance and temperature," *Nature*, 263(5573), 1976, 150–151.
- Laughlin, J., K. Newburg, and R. E. Gold, "Pyrethroid insecticides and formulations as factors in residues remaining in apparel fabrics after laundering," *Bull Environ Contam Toxicol*, 47, 1991, 355–361.
- Leach, G. J., R. D. Russell, et al., "Some cardiovascular effects of the insect repellent *N,N*-diethyl-*m*-toluamide (DEET)," *J Toxicol Environ Health*, 25, 1988, 217–225.
- Lee, M., K. Harris, and N. Trowbridge, "Effect of the level of dietary protein on the toxicity of dieldrin for the laboratory rat," *J Nutr*, 84, 1964, 136–144.
- Lee, W. C., C. C. Yang, and J. F. Deng, "The clinical implications of acute pancreatitis in organophosphate poisoning (abstract)," *J Toxicol Clin Toxicol*, 35(5), 1997, 516 (NACCT 1997 abstracts).
- Leng, G., and J. Lewalter, "Role of individual susceptibility in risk assessment of pesticides," *Occup Environ Med*, 56, 1999, 449–453.
- Leon, F. E., G. Pradilla, and E. Vesga, "Neurological effects of organophosphate pesticides," *Br Med J*, 313, 1996, 690–691.
- Le Quesne, P. N., I. C. Maxwell, et al., "Transient facial sensory symptoms following exposure to synthetic pyrethroids: A clinical and electrophysiological assessment," *Neurotoxicol*, 2, 1980, 1–11.
- Lerman, Y., A. Hirshberg, and Z. Shteger, "Organophosphate and carbamate pesticide poisoning: The usefulness of a computerized clinical information system," *Am J Ind Med*, 6, 1984, 17–26.
- Leveridge, Y. R., "Pesticide poisoning in Costa Rica during 1996," *Vet Human Toxicol*, 40(1), 1998, 42–44.

- Lewis, R. G., A. E. Bond, D. E. Johnson, and J. P. Hsu, "Measurement of atmospheric concentrations of common household pesticides: A pilot study," *Environ Monit Assess*, 10(1), 1988, 59.
- Li, W. F., L. G. Costa, and C. E. Furlong, "Serum paraoxonase status: A major factor in determining resistance to organophosphates," *J Toxicol Environ Health*, 40, 1993, 337–346.
- Li, W. F., C. E. Furlong, and L. G. Costa, "Paraoxonase protects against chlorpyrifos toxicity in mice," *Toxicol Lett*, 76, 1995, 219–226.
- Lieberman, A. D., M. R. Craven, H. A. Lewis, and J. H. Nemenzo, "Genotoxicity from domestic use of organophosphate pesticides," *JOEM*, 40(11), 1998, 954–957.
- Lindquist, R. K., H. R. Krueger, and C. C. Powell, Jr., "Airborne and surface residues of permethrin after high- and low-volume applications in greenhouses," *J Environ Sci Health*, B22, 1987, 15–27.
- Lipscomb, J. W., J. E. Kramer, et al., "Seizure following brief exposure to the insect repellent *N,N*-diethyl-*m*-toluamide," *Ann Emerg Med*, 21, 1992, 315–317.
- Litchfield, M. H., "Characterisation of the principal mammalian toxicological and biological actions of synthetic pyrethroids," in J. Miyamoto and P. C. Kearney, II (eds.), *Pesticide Chemistry: Human Welfare and the Environment*, 1983, 207–211.
- Llorens, J., J. M. Tusell, et al., "Effects of lindane on spontaneous behavior of rats analyzed by multivariate statistics," *Neurotoxicol and Teratol*, 11, 1989, 145–151.
- Llorens, J., J. M. Tusell, et al., "Repeated lindane exposure in the rat results in changes in spontaneous motor activity at 2 weeks post-exposure," *Toxicol Lett*, 61, 1992, 265–274.
- London, L., V. Nell, M. L. Thompson, and J. E. Myers, "Effects of long-term organophosphate exposures on neurological symptoms, vibration sense and tremor among South African farm workers," *Scand J Work, Environ and Health*, 24(1), 1998, 18–29.
- Longo, L. D., "Environmental pollution and pregnancy: Risks and uncertainties for the fetus and infant," *Am J Obstet Gynecol*, 137, 1980, 162–173.
- Longstaff, E., "Permethrin: Short term predictive tests for carcinogenicity, results from the Ames test," CTL/P/301, unpublished data submitted to WHO by ICI Central Toxicology Laboratory, ICI Central Toxicology Laboratory, 1976.

- Lopez, D. E., and E. Carrascal, "Sensitivity of human lymphocyte chromosome to diazinon at different times during cell culture," *Bull Environ Contam Toxicol*, 38, 1987, 125–130.
- Lotti, M., "Central neurotoxicity and behavioural effects of anticholinesterases," in B. Ballantyne and T. C. Marrs (eds.), *Clinical and Experimental Toxicology of Organophosphates and Carbamates*, Oxford: Butterworth, 1992, 75–83.
- Lotti, M., and M. K. Johnson, "Neurotoxicity of organophosphorus pesticides—predictions can be based on in vitro studies with hen and human enzymes," *Arch Toxicol*, 41, 1978, 215–221.
- Lotti, M., and A. Moretto, "Inhibition of lymphocytic neuropathy target esterase predicts the development of organophosphate polyneuropathy in man," *Human Toxicol*, 5, 114, 1986.
- Lowitzsch, K., H. C. Hopf, and J. Galland, "Changes of sensory conduction velocity and refractory periods with decreasing tissue temperature in man," *J Neurol*, 216(3), 1977, 181–188.
- Lu, C., and R. A. Fenske, "Air and surface chlorpyrifos residues following residential broadcast and aerosol pesticide applications," *Environ Sci and Tech*, 32, 1998, 1386–1390.
- Macdermot, V., "The changes in the motor endplate in myasthenia gravis," *Brain*, 83, 1960, 24–35.
- Machemer, L. H., and M. Pickel, "Carbamate insecticides," *Toxicol*, 91, 1994, 29–36.
- Mackness, A. B., M. I. Mackness, S. Arrol, W. Turkie, and P. N. Durrington, "Effect of the molecular polymorphisms of human paraoxonase (PON1) on the rate of hydrolysis of paraoxon," *Br J Pharmacol*, 122, 1997, 265–268.
- Mackness, M. I., B. Mackness, et al., "Paraoxonase: Biochemistry, genetics and relationship to plasma lipoproteins," *Curr Opin Lipidol*, 7(2), 1996, 69–76.
- MacPhail, R. C., W. F. Sette, and K.M. Crofton, "Neurobehavioral toxicology of pesticides," Chap. 13 in *Introduction to Neurobehavioral Toxicology: Food and Environment*, CRC Press, 1999, 383–392.
- Mani, A., M. S. Thomas, and A. P. Abraham, "Type II paralysis or intermediate syndrome following organophosphorus poisoning," *J Assoc Physicians India*, 40(8), 1992, 542–544.
- Marinovich, M., F. Ghilardi, and C. L. Galli, "Effect of pesticide mixtures on in vitro nervous cells: Comparison with single pesticides," *Toxicol*, 108, 1996, 201–206.

- Markowitz, J. S., E. M. Gutterman, and B. G. Link, "Self-reported physical and psychological effects following a malathion pesticide incident," *J Occup Med*, 28(5), 1986, 377–383.
- Marsh, W. H., G. A. Vukov, and E. C. Conradi, "Acute pancreatitis after cutaneous exposure to an organophosphate insecticide," *Am J Gastroenterol*, 83, 1988, 1158–1160.
- Martin, P. A., S. J. Amyes, et al., "Sumithrin®: Combined toxicity and oncogenicity study in rats," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Life Science Research, Suffolk, U.K., 1987.
- Matoba, Y., Y. Takimoto, et al., "Indoor behavior and risk assessment following residual spraying of d-phenothrin and d-tetramethrin," *Am Ind Hygiene Assoc J*, 59, 1998, 191–199.
- Mayersdorf, A., and R. Israeli, "Toxic effects of chlorinated hydrocarbon insecticides on the human electroencephalogram," *Arch Environ Health*, 28, 1974, 159–163.
- McCain, W. C., R. Lee, et al., "Acute oral toxicity study of pyridostigmine bromide, permethrin, and DEET in the laboratory rat," *J Toxicol and Environ Health*, 50, 1997, 113–124.
- McCann, J., E. Choi, E. Yamasaki, and B. Ames, "Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals," *Proc Natl Acad Sci USA*, 72, 1975, 5135–5139.
- McCollister, S. B., R. J. Kociba, C. G. Humiston, D. D. McCollister, and P. J. Gehring, "Studies of the acute and long-term oral toxicity of chlorpyrifos (O,O-diethyl-O-(3,5,6-trichloro-2-pyridyl)phosphorothioate)," *Food Cosmet Toxicol*, 12, 1974, 45–61.
- McGregor, D. B., and G. A. Wickramaratne, "Teratogenicity study in rats of ICI-PP557," Report 623, unpublished report submitted to WHO by ICI, Ltd., Inveresk Research International, 1976.
- Mennear, J. H., "Dichlorvos carcinogenicity: An assessment of the weight of experimental evidence," *Reg Toxicol and Pharmacol*, 20, 1994, 351–361.
- Mennear, J. H., "Dichlorvos: A regulatory conundrum," *Regulatory Toxicol and Pharmacol*, 27(3), 1998, 265–272.
- Merck Index*, 10th ed., M. Windholz (ed.), Rahway, NJ: Merck & Co., Inc., 1983.
- Metcalf, R. L., T. R. Swift, and R. K. Sikes, "Fenthion and veterinarians: Peripheral neuropathy when used in a mixture," *MMWR*, 34(26), 1985.

- Metcalfe, D. R., and J. H. Holmes, "EEG, psychological and neurological alterations in humans with organophosphate exposure," *Ann NY Acad Sci*, 160, 1969, 357–365
- Metker, L. W., *Subchronic inhalation toxicity of 3-(phenoxyphenyl)methyl(+)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropane-carboxylate (permethrin)*, U.S. Army Environmental Hygiene Agency, Aberdeen Proving Ground, MD, 75-51-0026-80, 1978.
- Metker, L. W., R. A. Angerhofer, et al., *Toxicological evaluation of 3-(phenoxyphenyl)methyl(+)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropane-carboxylate (permethrin)*, U.S. Environmental Hygiene Agency, Aberdeen Proving Ground, MD, 51-0831-78, 1977.
- Meylan, W. M., and P. H. Howard, "Bond contribution method for estimating Henry's Law constants," *Environ Toxicol and Chem*, 10, 1991, 1283.
- Meylan, W., P. H. Howard, and R. S. Boethling, "Molecular topology/fragment contribution method for predicting soil sorption coefficients," *Environ Sci and Tech*, 26, 1992, 1560.
- Midtling, J., P. Barnett, M. Coye, A. R. Velasco, P. Romero, C. L. Clements, M. O'Malley, M. W. Tobin, T. G. Rose, and I. H. Monosson, "Clinical management of fieldworker pesticide poisoning," *Western J Med*, 145, 1985, 514–518.
- Milham, S., "Leukemia and multiple myeloma in farmers," *Am J Epidemiol*, 94, 1971, 307–310.
- Miller, C., and H. Mitzel, "Chemical sensitivity attributed to pesticide exposure versus remodelling," *Arch Environ Health*, 50(2), 1995, 119–129.
- Miller, C. S., and N. A. Ashford, "Chronic multisystem illness among Gulf War veterans [letter]," *JAMA*, 282(4), 1999, 328.
- Miller, D. B., "Neurotoxicity of the pesticidal carbamates," *Neurobehav Toxicol and Teratol*, 4, 1982, 779–787.
- Miller, J. D., "Anaphylaxis associated with insect repellent," *N Engl J Med*, 307, 1982, 1341–1342.
- Millner, C. K., and S.T.G. Butterworth, "Toxicity of pyrethroid insecticides: Investigation of the neurotoxic potential of WL43479 to adult hens," TLGR.0069.77, unpublished report submitted to WHO, Shell Research, Ltd., 1977.
- Minton, N. A., and V.S.G. Murray, "A review of organophosphate poisoning," *Med Toxicol*, 3, 1988, 350–375.

- Misra, U. K., M. Prasad, and C. M. Pandey, "A study of cognitive functions and event related potentials following organophosphate exposure," *Electromyogr Clin Neurophysiol*, 34, 1994, 197–203.
- Miyamoto, J., "Degradation, metabolism and toxicity of synthetic pyrethroids," *Environ Health Perspec*, 14, 1976, 15–28.
- MMWR, "Seizures temporally associated with the use of DEET insect repellent—New York and Connecticut," *Morb Mortal Wkly Rep*, 38, 1989, 678–680.
- MMWR, *Unexplained Illness Among Persian Gulf War Veterans in an Air National Guard Unit: Preliminary Report, August 1990–March 1995*, 1995.
- Mohn, G., "5-methyltryptophan resistance mutations in *Escherichia coli* K-12: Mutagenic activity of monofunctional alkylating agents including organophosphorus insecticides," *Mutation Res*, 20, 1973, 7–15.
- Moody, R. P., and B. Nadeau, "An automated in vitro dermal absorption procedure. III. In vivo and in vitro comparison with the insect repellent *N,N*-diethyl-*m*-toluamide in mouse, rat, guinea pig, pig, human and tissue-cultured skin," *Toxicol in Vitro*, 7, 1993, 167–176.
- Moody, R. P., and L. Ritter, "Dermal absorption of the insecticide lindane (1delta, 2delta, 3beta, 4delta, 5delta, 6beta-hexachlorocyclohexane) in rats and rhesus monkeys: Effect of anatomical site," *J Toxicol Environ Health*, 28, 1989, 161–170.
- Moody, R. P., D. Riedel, et al., "The effect of DEET (*N,N*-diethyl-*m*-toluamide) on dermal persistence and absorption of the insecticide, fenitrothion, in rats and rhesus monkeys," *J Toxicol Environ Health*, 22, 1987, 51–59.
- Moody, R. P., B. Nadeau, et al., "In vitro dermal absorption of *N,N*-diethyl-*m*-toluamide (DEET) in rat, guinea pig, and human skin," *In Vitro Toxicol*, 8, 1995, 263–275.
- Moore, J. C., J. C. Dukes, J. R. Clark, J. Malone, C. F. Hallmon, and P. G. Hester, "Downwind drift and deposition of malathion on human targets from ground ultra-low volume mosquito sprays," *J Am Mosq Control Assoc*, 9(2), 1993, 138–142.
- Moore, P. G., and O. F. James, "Acute pancreatitis induced by acute organophosphate poisoning?" *Postgrad Med J*, 57, 1981, 660–662.
- Morgan, D. P., *Recognition and Management of Pesticide Poisonings*, 540/9-88-001, Washington, D.C.: Environmental Protection Agency, 1989.
- Moya-Quiles, M. R., E. Muñoz-Delgado, and C. J. Vidal, "Effect of the pyrethroid insecticide allethrin on membrane fluidity," *Biochem and Molec Biol Int*, 36(6), 1995, 1299–1308.

- Munk, Z. M., and A. Nantel, "Acute lindane poisoning with development of muscle necrosis," *Can Med Assoc J*, 117, 1977, 1050–1054.
- Murakami, M., T. Hiromori, et al., "Six month oral toxicity study of S2539 Forte (Sumithrin®) in rats," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., 1981.
- Mutch, E., Blain, P. G., and F. M. Williams, "Interindividual variations in enzymes controlling organophosphate toxicity in man," *Human Exp Toxicol*, 11, 1992, 109–116.
- Nakamoto, N., T. Kato, et al., "Teratogenicity study of S-2539 Forte in mice," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Japan, 1973.
- Namba, T., C. T. Nolte, J. Jackrel, et al., "Poisoning due to organophosphate insecticides: Acute and chronic manifestations," *Am J Med*, 50, 1971, 475–492.
- Newell, G. W., and W. A. Skinner, "In vitro microbiological mutagenicity study of an FMC Corporation compound," unpublished report submitted to WHO by FMC Corporation, FMC Corporation, 1976.
- Nicholas, A., M. Vienne, and H. van den Berghe, "Induction of sister-chromatid exchanges in cultured human cells by an organophosphorus insecticide: Malathion," *Mutation Res*, 67, 1979, 167–172.
- Nolan, R. J., D. L. Rick, N. L. Freshour, and J. H. Saunders, "Chlorpyrifos: Pharmacokinetics in human volunteers," *Toxicol and Appl Pharmacol*, 73, 1984, 8–15.
- NRC, *Health Effects of Permethrin-Impregnated Army Battle-Dress Uniforms*, Washington, D.C.: National Research Council Committee on Toxicology, Subcommittee to Review Permethrin Toxicity from Military Uniforms, 1994.
- Okuno, Y., H. Miyagawa, et al., "Skin and eye irritation study of permethrin (S-3151) in rabbits," unpublished report submitted to WHO by Sumitomo Chemical Co., Sumitomo Chemical Co., 1976.
- Okuno, Y., T. Kadota, et al., "Neurotoxicity study of d-phenothrin (S-2539 Forte®) in rats by repeated oral administration," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., 1978.
- Osimitz, T. G., and R. H. Grothaus, "The present safety assessment of DEET," *J Am Mosq Control Assoc*, 11, 1995, 274–278.
- Osimitz, T. G., and J. V. Murphy, "Neurological effects associated with use of the insect repellent *N,N*-diethyl-*m*-toluamide (DEET)," *J Toxicol Clin Toxicol*, 35, 1997, 435–441.

- Parent-Massin, D., D. Thouvenot, et al., "Lindane haematotoxicity confirmed by in vitro tests on human and rat progenitors," *Human and Exp Toxicol*, 13, 1994, 103–106.
- Parkinson, G. R., "Permethrin: Acute toxicity to male rats," CTL/P/388, submitted to WHO by ICI Central Toxicology Laboratory, ICI Central Toxicology Laboratory, 1978.
- Parkinson, G. R., P. N. Berry, et al., "PP557 (Permethrin): Acute and sub-acute toxicity," CTL/P/225, submitted to WHO by ICI Central Toxicology Laboratory, ICI Central Toxicology Laboratory, 1976.
- Pasqualetti, P, R. Casale, D. Colantonio, and A. Collacciani, "Occupational risk for hematological malignancies," *Am J Hematol*, 38, 1991, 147–149.
- Pegum, J. S., and B. J. Doughty, "Human skin patch test with pyrethrins, kadthrin, permethrin and decamethrin," 77-11, unpublished data submitted to WHO, Wellcome Group Research and Development, Berkhamsted Hill, 1978.
- Pence, D. H., W. H. Hagen, et al., "Subchronic toxicity study of S2539-F in dogs," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Hazelton Laboratories, Inc., Vienna, VA, 1981.
- Peper, M., M. Ertl, et al., "Long-term exposure to wood-preserving chemicals containing pentachlorophenol and lindane is related to neurobehavioral performance in women," *Am J Ind Med*, 35, 1999, 632–641.
- Perocco, P., and A. Fini, "Damage by dichlorvos of human lymphocyte DNA," *Tumori*, 66, 1980, 425–430.
- Persian Gulf Veterans Coordinating Board, "Unexplained illnesses among Desert Storm veterans," *Arch Intern Med*, 155, 1995, 262–268.
- Persson, B., M. Fredriksson, K. Olsen, B. Boeryd, and O. Axelson, "Some occupational exposures as risk factors for malignant lymphomas," *Cancer*, 72, 1993, 1773–1778.
- Piercy, D.W.T., J. Reynolds, et al., "Effects of diet on the acute toxicity of permethrin in the female rat," 77-11, unpublished data submitted to WHO, Wellcome Research and Development, Berkhamsted Hill, 1976.
- Pines, A., S. Cucos, et al., "Some organochlorine insecticide and polychlorinated biphenyl blood residues in infertile males in the general Israeli population of the middle 1980's," *Arch Environ Contam Toxicol*, 16, 1987, 587–598.
- Pluijmen, M., C. Drevon, et al., "Lack of mutagenicity of synthetic pyrethroids in salmonella typhimurium strains in V79 Chinese hamster cells," *Mutation Res*, 137, 1984, 7–15.

- Pluth, J. M., J. A. Nicklas, J. P. O'Neill, and R. J. Albertini, "Increased frequency of specific genomic deletions resulting from in vitro malathion exposure," *Cancer Res*, 56, 1996, 2392–2399.
- Podstawka, U., M. Grabarczyk, et al., "Vitamin E protects human leucocytes against toxic effects of lindan in vitro," *Mater Med Pol*, 23(4), 1991, 285–289.
- Pope, C. N., and S. Padilla, "Potentiation of organophosphorus-induced delayed neurotoxicity by phenylmethylsulfonyl fluoride," *J Toxicol and Environ Health*, 31(4), 1990, 261–273.
- Pope, C. N., D. Tanaka, Jr., and S. Padilla, "The role of neurotoxic esterase (NTE) in the prevention and potentiation of organophosphorous-induced delayed neurotoxicity," *Chemico-Biolog Interact*, 87(1-3), 1993, 95–406.
- Pramanik, A. K., and R. C. Hansen, "Transcutaneous gamma benzene hexachloride absorption and toxicity in infants and children," *Arch Dermatol*, 115, 1979, 1224–1225.
- Rauch, A. E., S. F. Kowalsky, et al., "Lindane (Kwell)-induced aplastic anemia," *Arch Int Med*, 150, 1990, 2393–2395.
- Reifenrath, W. G., J. A. Hill, et al., "Percutaneous absorption of Carbon-14 labelled insect repellents in the hairless dog," *J Environ Pathol Toxicol*, 4, 1980, 249–256.
- Reifenrath, W. G., P. B. Robinson, et al., "Percutaneous penetration of mosquito repellents in the hairless dog: Effect of dose on percentage penetration," *Food Cosmet Toxicol*, 19, 1981, 195–199.
- Reifenrath, W. G., E. M. Chellquist, et al., "Percutaneous penetration in the hairless dog, weanling pig, and grafted athymic nude mouse: Evaluation of models for predicting skin penetration in man," *Br J Dermatol Suppl*, 27, 1984, 123–135.
- Reuber, M. D., "Carcinogenicity of dichlorvos," *Clin Toxicol*, 18, 47–84, 1981, 119–153.
- Reuber, M. D., "Carcinogenicity and toxicity of malathion and malaoxon," *Environ Res*, 37(1), 1985, 119–153.
- Reynolds, J., D.W.T. Piercy, et al., "Permethrin oral administration to dogs for 6 months," HEFG 78-14, unpublished report submitted to WHO, Wellcome Research Laboratories, Berkhamsted Hill, 1978.
- Richards, D., P. B. Banham, et al., "Permethrin: Teratogenicity study in the rabbit," CTL/P/523, unpublished report submitted to WHO by ICI, Ltd., ICI, Ltd., 1980.

- Richardson, R. J., "Assessment of the neurotoxic potential of chlorpyrifos relative to other organophosphorus compounds: A critical review of the literature," *J Toxicol and Environ Health*, 44, 1995, 135–165.
- Richter, E. D., P. Chuwers, Y. Levy, M. Gordon, F. Grauer, J. Marzouk, S. Levy, S. Barron, and N. Gruener, "Health effects from exposure to organophosphate pesticide in workers and residents in Israel," *Isr J Med Sci*, 28, 1992, 594–598.
- Richter, E. D., M. Kowalski, A. Leventhal, F. Grauer, J. Marzouk, S. Brenner, I. Shkolnik, A. S. Lerman, H. Zahavi, A. Bashari, A. Peretz, H. Kaplanski, N. Gruener, and P. B. Ishai, "Illness and excretion of organophosphate metabolites four months after household pest extermination," *Arch Environ Health*, 47(2), 1992, 135–138.
- Rivera, S., R. Rosa, et al., "Behavioral and monoaminergic changes after lindane exposure in developing rats," *Neurotoxicol Teratol*, 20, 1998, 155.
- Rivett, K. F., H. Chesterman, et al., "Effects of feeding lindane to dogs for periods of up to 2 years," *Toxicol*, 9, 1978, 273–289.
- Robbins, P. J., and M. G. Cherniack, "Review of the biodistribution and toxicity of the insect repellent *N,N*-diethyl-*m*-toluamide (DEET)," *J Toxicol Environ Health*, 18, 1986, 503–526.
- Roland, E. H., C. E. Jan, et al., "Toxic encephalopathy in a child after brief exposure to insect repellents," *Can Med Assoc J*, 132, 1985, 155–156.
- Rosenblatt, J. E., D. S. Janowsky, J. M. Davis, and M. K. el-Yousef, "The augmentation of physostigmine toxicity in the rat by 9-tetrahydrocannabinol," *Res Commu in Chem Pathol and Pharmacol*, 1972, 3(3), 479–482.
- Rosenstock, L., M. Keifer, A.W.E. Daniell, R. McConnell, K. Claypoole, and the Pesticide Health Effects Study Group, "Chronic central nervous system effects of acute organophosphate pesticide intoxication," *Lancet*, 338, 1991, 223–227.
- Rosenthal, N., and C. L. Cameron, "Exaggerated sensitivity to an organophosphate pesticide," *Am J Psychiatry*, 148, 1991, 2.
- Ross, D. B., and D. E. Prentice, "Examination of permethrin (PP557) for neurotoxicity in the domestic hen," ICI/157-NT/77468, unpublished data submitted to WHO by FMC Corporation and ICI, Ltd., Huntingdon Research Center, Huntingdon, 1977.
- Rowe, L. D., S. D. Warner, and R. V. Johnston, *Acute Delayed Neurotoxicological Evaluation of Chlorpyrifos in White Leghorn Hens*, Lake Jackson, TX: Dow Chemical Co., Report TA-609, 1978.

- Rowntree, D. W., S. Nevin, and A. Wilson, "Effects of diisopropylfluorophosphate in schizophrenia and manic depressive psychosis," *J Neurol Neurosurg Psychiatry*, 13, 1950, 47–62.
- Roy, M. J., P. A. Koslowe, K. Kroenke, and C. Magruder, "Signs, symptoms and ill-defined conditions in Persian Gulf War veterans: Findings from the Comprehensive Clinical Evaluation Program," *Psychosomatic Med*, 60, 1998, 663–668.
- Ruijten, M.W.M.M., J.H.A. Salle, M. M. Verberk, and M. Smink, "Effect of chronic mixed pesticide exposure on peripheral and autonomic nerve function," *Arch Environ Health*, 49(3), 1994, 188–195.
- Rupa, D. S., P. V. Lakshman Rao, P. P. Reddy, and O. S. Reddi, "In vitro effect of monocrotophos on human lymphocytes," *Bull Environ Contam Toxicol*, 41, 1988, 737–741.
- Rupa, D. S., P. P. Reddy, and O. S. Reddi, "Frequencies of chromosomal aberrations in smokers exposed to pesticides in cotton fields," *Mutation Res*, 222, 1989, 37–41.
- Rupa, D. S., P. P. Reddy, K. Sreemannarayana, and O. S. Reddi, "Frequency of sister chromatid exchange in peripheral lymphocytes of male pesticide applicators," *Environ and Molecular Mutagen*, 19, 1991, 136–138.
- Rustam, H., R. Von Burg, et al., "Evidence for a neuromuscular disorder in methylmercury poisoning," *Arch Environ Health*, 30, 1975, 190–195.
- Rutchik, J. S., and B. Rutkove, "Effect of temperature on motor responses in organophosphate intoxication," *Muscle and Nerve*, 21, 1998, 958–960.
- Rutkove, S. B., M. J. Kothari, and J. M. Shefner, "Nerve, muscle, and neuromuscular junction electrophysiology at high temperature," *Muscle and Nerve*, 20(4), 1997, 431–436.
- Rutter, H. A., "Teratogenicity study in rabbits: S-2539 Forte," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Hazleton Laboratories, Inc., Vienna, Virginia, 1974.
- Saadeh, A. M., M. K. Al-Ali, N. A. Farsakh, and M. A. Ghani, "Clinical and sociodemographic features of acute carbamate and organophosphate poisoning: A study of 70 adult patients in North Jordan," *Clin Toxicol*, 34(1), 1996, 45–51.
- Salvadori, D.M.F., L. R. Ribeiro, C.A.B. Pereira, and W. Becak, "Cytogenetic effects of malathion insecticide on somatic and germ cells of mice," *Mutation Res*, 204, 1988, 283–287.

- Sasinovich, L. M., and T. N. Panshina, "[Substantiation of hygienic rules for synthetic pyrethroid content in the work zone air]," *Gig Tr Prof Zabol*, 8, 1987, 48–50.
- Saxena, D. K., R. C. Murthy, et al., "Embryotoxic and teratogenic effects of interaction of cadmium and lindane in rats," *Acta Pharmacol Toxicol*, 59, 1986, 175–178.
- Saxena, M. C., M. K. Siddiqui, et al., "Role of chlorinated hydrocarbon pesticides in abortions and premature labour," *Toxicol*, 17, 1980, 323–331.
- Schaumburg, H. H., and A. R. Berger, "Human toxic neuropathy due to industrial agents," in P. J. Dyck and P. K. Thomas (eds.), *Peripheral Neuropathy*, London: Saunders, 1993, 1533–1548.
- Scheuplein, R. J., "Mechanisms of percutaneous absorption," *J Invest Dermatol*, 48, 1967, 79–88.
- Schmidt, C. H., F. Acree, et al., "Fate of ¹⁴C-diethyl-toluamide applied to guinea pigs," *J Econ Entomol*, 52, 1959, 928–930.
- Schoenig, G. P., R. E. Hartnagel, et al., "Neurotoxicity evaluation of *N,N*-diethyl-*m*-toluamide (DEET) in rats," *Fundam Appl Toxicol*, 21, 1993, 355–365.
- Schoenig, G. P., R.E.J. Hartnagel, et al., "Absorption, distribution, metabolism, and excretion of *N,N*-diethyl-*m*-toluamide in the rat," *Drug Metab Disp*, 24, 1996, 156–163.
- Schroeder, R. E., and W. E. Rinehart, "A three generation reproduction study of FMC33297 in rats," unpublished report submitted to WHO by FMC Corporation, Bio-Dynamics Inc. Project, 1977.
- Scott, B., J. Lew, M. T. Clandinin, et al., "Dietary fat influences electric membrane properties of neurons in cell culture," *Cell Mol Neurobiol*, 9, 1989, 105.
- See, A., and M. Bouvry, "[Hepatitis from pyricarbate (letter)] Hepatite au pyricarbate," *Gastroenterol Clin Biol*, 8(6-7), 1984, 579.
- Segawa, T., "Acute oral, subcutaneous, dermal, and intraperitoneal toxicity studies of S-2539 Forte in mice," unpublished Technical Report No. ET-31-0032 submitted to WHO by Sumitomo Chemical Co., Ltd., Hiroshima University School of Medicine, Hiroshima, 1979a.
- Segawa, T., "Acute oral, subcutaneous, dermal, and intraperitoneal toxicity studies of S-2539 Forte in rats," unpublished Technical Report No. ET-31-0033, submitted to WHO by Sumitomo Chemical Co., Ltd., Hiroshima University School of Medicine, Hiroshima, 1979b.

- Selim, S., R.E.J. Hartnagel, et al., "Absorption, metabolism, and excretion of *N,N*-diethyl-*m*-toluamide following dermal application to human volunteers," *Fundam and Appl Toxicol*, 25, 1995, 95–100.
- Senanayake, N., and M. Johnson, "Acute polyneuropathy after poisoning by a new organophosphate insecticide," *N Engl J Med*, 306, 1982, 155–157.
- Senanayake, N., and L. Karalliedde, "Neurotoxic effects of organophosphorous insecticides. An intermediate syndrome," *N Engl J Med*, 316, 1987, 761–763.
- Serat, W. F., A. J. Van Loon, and W. H. Serat, "Loss of pesticides from patches used in the field as pesticide collectors," *Arch Environ Contam Toxicol*, 11(2), 1982, 227–234.
- Sharma, H., F. Nyberg, et al., "Histamine modulates heat stress-induced changes in blood-brain barrier permeability, cerebral blood flow, brain oedema and serotonin levels: An experimental study in the young rat," *Neurosci*, 50, 1992, 445–454.
- Shih, D. M., L. Gu, Y. R. Xia, M. Navab, W. F. Li, S. Hama, L. W. Castellani, C. E. Furlong, L. G. Costa, A. M. Fogelman, and A. Lusic, "Mice lacking serum paraoxonase are susceptible to organophosphate toxicity and atherosclerosis," *Nature*, 394, 1998, 284–287.
- Shinitzky, M., and M. Inbar, "Differences in microviscosity induced by different cholesterol levels in the surface membrane lipid layer of normal lymphocytes and malignant lymphoma cells," *J Molecular Biol*, 85, 1974, 603–615.
- Shirasu, Y., M. Moriya, A. Furuhashi, and T. Kada, "Mutagenicity screening of pesticides in the microbial system," *Mutation Res*, 40, 1976, 19–30.
- Shuster, J., "Lindane-induced CNS effects," *Hosp Pharm*, 31, 1996, 370–375.
- Simmon, V. F., "In vitro microbiological mutagenicity study of an FMC corporation compound," LSC-4768, unpublished report submitted to WHO, Stanford Research Institute, Menlo Park, CA, 1976.
- Sircar, S., and P. Lahiri, "Lindane (γ -HCH) causes reproductive failure and fetotoxicity in mice," *Toxicol*, 59, 1989, 171–177.
- Smith, C. N., I. H. Gilbert, et al., *Factors Affecting the Protection Period of Insect Repellents*, Washington, D.C.: U.S. Department of Agriculture, USDA Technical Bulletin 1285, 1963a, 1–36.
- Smith, C. N., I. H. Gilbert, et al., *Factors Affecting the Protection Period of Mosquito Repellents*, Washington, D.C.: U.S. Department of Agriculture, USDA Technical Bulletin 1285, 1963b, 1–36 (Referenced in Robbins and Cherniack, 1986).

- Snodgrass, H., D. C. Nelson, et al., "Dermal penetration and potential for placental transfer of the insect repellent, *N,N*-diethyl-*m*-toluamide," *Am Ind Hygiene Assoc J*, 43, 1982, 747-753.
- Snodgrass, H. L., "Permethrin transfer from treated cloth to the skin surface: Potential for exposure in humans," *J Toxicol Environ Health*, 35, 1992, 91-105.
- Snyder, J. W., R. O. Poe, et al., "Acute manic psychosis following the dermal application of *N,N*-diethyl-*m*-toluamide (DEET) in an adult," *Clin Toxicol*, 24, 1986, 429-439.
- Sobti, R. C., A. Krishan, and C. D. Pfaffenberger, "Cytokinetic and cytogenetic effects of some agricultural chemicals on human lymphoid cells in vitro: Organophosphates," *Mutation Res*, 102, 1982, 89-102.
- Solomon, L. M., L. Fahrner, et al., "Gamma benzene hexachloride toxicity: A review," *Arch Dermatol*, 113, 1977, 353-357.
- Spencer, F., and Z. Berhance, "Uterine and fetal characteristics in rats following post-implantational exposure to permethrin," *Bull Environ Contam Toxicol*, 29, 1982, 84-88.
- Spencer, T. S., J. A. Hill, et al., "Evaporation of diethyltoluamide from human skin *in vivo* and *in vitro*," *J Invest Dermatol*, 72, 1979, 317-319.
- Stamboulis, E., A. Psimaras, D. Vassilopoulos, et al., "Neuropathy following acute intoxication with Mecarbam (OP ester)," *Acta Neurol Scand*, 83, 1991, 731-736.
- Starr, H. G., and N. J. Clifford, "Acute lindane intoxication," *Arch Environ Health*, 25, 1972, 374-375.
- Stegeman, D. F., and J. P. De Weerd, "Modelling compound action potentials of peripheral nerves in situ. II. A study of the influence of temperature," *Electroencephalog and Clin Neurophysiol*, 54(5), 1982, 516-529.
- Stephens, R., A. Spurgeon, I. A. Calvert, J. Beach, L. S. Levy, H. Berry, and J. M. Harrington, "Neuropsychological effects of long-term exposure to organophosphates in sheep dip," *Lancet*, 345, 1995, 1135-1139.
- Stephenson, L. A., and M. A. Kolka, *Acetylcholinesterase Inhibitor, Pyridostigmine Bromide, Reduces Skin Blood Flow in Humans*, Defense Technical Information Center May 1989, Army Res Inst of Env Med, Natick, MA, Report M49-89, 1989, 1-20.
- Stinecipher, J., and J. Shah, "Percutaneous permeation of *N,N*-diethyl-*m*-toluamide (DEET) from commercial mosquito repellents and the effect of solvent," *J Toxicol Environ Health*, 52, 1997, 119.

- Stokes, L., A. Stark, E. Marshall, and A. Narang, "Neurotoxicity among pesticide applicators exposed to organophosphates," *Occup Environ Med*, 521, 1995, 648–653.
- Street, J., "Pesticides and the immune system," in R. Sharma (ed.), *Immunologic Considerations in Toxicology*, Boca Raton FL: CRC Press, 1981, 49.
- Stretch, R. H., P. D. Bliese, D. H. Marlowe, K. M. Wright, K. H. Knudson, and C. H. Hoover, "Physical health symptomatology of Gulf War-era service personnel from the states of Pennsylvania and Hawaii," *Mil Med*, 160, 1995, 131–136.
- Stretch, R. H., P. D. Bliese, D. H. Marlowe, K. M. Wright, K. H. Knudson, and C. H. Hoover, "Psychological health of Gulf War-era military personnel," *Mil Med*, 161, 1996a, 257–261.
- Stretch, R. H., P. D. Bliese, D. H. Marlowe, K. M. Wright, K. H. Knudson, and C. H. Hoover, "Post-traumatic stress disorder symptoms among Gulf War veterans," *Mil Med*, 161, 1996b, 407–410.
- Suanol, C., J. M. Tusell, et al., "Convulsant effect of lindane and regional brain concentration of GABA and dopamine," *Toxicol*, 49, 1988, 247–252.
- Sultatos, L. G., M. Shao, and S. D. Murphy, "The role of hepatic biotransformation in mediating the acute toxicity of the phosphorothionate insecticide chlorpyrifos," *Toxicol and Appl Pharmacol*, 73(1), 1984, 60–68.
- Sultatos, L. G., et al., "Metabolic activation of phosphorothioate pesticides: Role of the liver," *J Pharmacol and Exp Therapeut*, 232(3), 1985, 624–628.
- Sunaga, M., M. Yoshida, and I. Hara, "Metabolism and urinary excretion of chlorpyrifos in rats," *Nippon Eiseigaku Zasshi*, 4, 1989, 1124–1129.
- Sunder Ram Rao, C. V., R. Shreenivas, et al., "Disseminated intravascular coagulation in a case of fatal lindane poisoning," *Vet Human Toxicol*, 30, 1988, 132–134.
- Surralles, J., N. Xamena, et al., "Induction of micronuclei by five pyrethroid insecticides in whole-blood and isolated human lymphocyte cultures," *Mutation Res*, 341, 1995, 169–184.
- Suwalsky, M., M. Benites, et al., "Interaction of the organochlorine pesticide dieldrin with phospholipid bilayers," *Z Naturforsch [C]*, 52(7-8), 1997a, 450–458.
- Suwalsky, M., M. Benites, et al., "The organochlorine pesticide heptachlor disrupts the structure of model and cell membranes," *Biochim Biophys Acta*, 22(1), 1997b, 115–123.

- Suzuki, H., "Studies on the mutagenicity of some pyrethroids on salmonella strains in the presence of mouse hepatic S9 fractions," unpublished report submitted to WHO by Sumitomo Chemical Company, Sumitomo Chemical Company, 1977.
- Suzuki, T., M. Hara, et al., "In vivo chromosomal aberration test of Sumithrin® on bone marrow cells of mice," unpublished Technical Report No. ET-10-0072 submitted to WHO by Sumitomo Chemical Co., Ltd., Japan, 1981.
- Swann, R. L., D. A. Laskowski, P. J. McCall, K. Vander Kuy, and H. J. Dishburger, "A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility," Dow Chemical Company, *Residue Rev*, 85(12), 1983, 17–28.
- Tabershaw, I. R., and W. C. Cooper, "Sequelae of acute organic phosphate poisoning," *J Occup Med*, 8(1), 1966, 5–20.
- Tasaki, I., "The excitatory and recovery processes in the nerve fibre as modified by temperature changes," *Biochim Biophys Acta*, 3, 1949, 498–509.
- Telch, J., and D. A. Jarvis, "Acute intoxication with lindane (gamma benzene hexachloride)," *Can Med Assoc J*, 126, 1982, 662–663.
- Tenenbein, M., "Severe toxic reactions and death following the ingestion of diethyltoluamide-containing insect repellents," *JAMA*, 258, 1987, 1509–1511.
- Tesh, J. M., C. R. Willoughby, et al., "Sumithrin: Effects upon reproductive performance of rats treated continuously throughout two successive generations," unpublished report submitted to WHO by Sumitomo Chemical Co., Ltd., Life Science Research, Suffolk, UK, 1987.
- Thompson, M., "The silent treatment," *Nation*, 148(28), 1996.
- Thrasher, J. D., R. Madison, and A. Broughton, "Immunologic abnormalities in humans exposed to chlorpyrifos: Preliminary observations," *Arch Environ Health*, 48(2), 1993, 89–93.
- Tilson, H. A., S. Shaw, et al., "The effects of lindane, DDT, and chlordecone on avoidance responding and seizure activity," *Toxicol and Appl Pharmacol*, 88, 1987, 57–65.
- Trojan, D., and N. Cashman, "An open trial of pyridostigmine in post-poliomyelitis syndrome," *Can J Neurolog Sci*, 22(3), 1995, 223–227.
- Trojan, D., and N. Cashman, "Anticholinesterases in post-poliomyelitis syndrome," *Ann NY Acad Sci*, 753, 1995, 285–295.

- Tsatsakis, A. M., P. Aguridakis, M. Michalodimitrakis, et al., "Experiences with acute organophosphate poisonings in Crete," *Vet Human Toxicol*, 38, 1996, 101–107.
- Tucker, S. B., S. A. Flannigan, et al., "Inhibition of cutaneous paresthesia resulting from synthetic pyrethroid exposure," *Int J Dermatol*, 23(10), 1984, 686–689.
- Ullmann, L., "Acute dermal toxicity study with lindane in rats," Itingen, Switzerland: Research and Consulting Company AG, 061648, 1986a (referenced in ATSDR, 1997).
- Ullmann, L., "Four-hour acute aerosol inhalation toxicity study with lindane in rats," Itingen, Switzerland: Research and Consulting Company AG, 061637, 1986b (referenced in ATSDR, 1997).
- Ullmann, L., "Primary skin irritation study with lindane in rabbits (4 hour occlusive application)," Itingen, Switzerland: Research and Consulting Company AG, 061661, 1986c.
- Umehara, F., S. Iumo, K. Arimura, and M. Osame, "Polyneuropathy induced by *m*-tolyl methyl carbamate intoxication," *J Neurol*, 238, 1991, 47–48.
- Umetsu, N., F. H. Grose, R. Allahyari, S. Abu-El-Haj, and T. R. Fukuto, "Effect of impurities on mammalian toxicity of technical malathion and acephate," *J Agric Food Chem*, 25, 1977, 946–953.
- Unwin, C., N. Blatchley, et al., "Health of UK servicemen who served in the Persian Gulf War," *Lancet*, 353, 1999, 169–178.
- USEPA, "*N,N*-diethyl-*m*-toluamide (DEET): Pesticide registration standard," Washington, D.C.: U.S. Environmental Protection Agency, Office of Pesticide and Toxic Substances, 1980.
- USEPA, "Health advisory summary: (Baygon) propoxur," Washington, D.C.: U.S. Environmental Protection Agency, 1988.
- USEPA, "Reregistration Eligibility Decision (RED): Propoxur," Washington, D.C.: U.S. Environmental Protection Agency, 1997.
- USEPA, "Reregistration Eligibility Decision (RED): DEET," Washington, D.C.: U.S. Environmental Protection Agency, 1998a.
- USEPA, "Reregistration Eligibility Decision (RED): Methomyl," Washington, D.C.: United States Environmental Protection Agency, 1998b.
- Vaidya, V. G., and N. Patankar, "Mutagenic effect of monocrotophos: An insecticide in mammalian test systems," *Indian J Med Res*, 76, 1982, 912–917.

- Veltri, J. C., T. G. Osimitz, et al., "Retrospective analysis of calls to poison control centers resulting from exposure to the insect repellent *N,N*-diethyl-*m*-toluamide (DEET) from 1985–1989," *J Toxicol Clin Toxicol*, 32, 1994, 1–16.
- Venant, A., and C. Sery, "Lindane toxicity to one year old calves," *Bull Environ Contam Toxicol*, 46, 1991, 756.
- Verma, S. P., and A. Singhal, "Low levels of the pesticide, delta-hexachlorocyclohexane, lyses human erythrocytes and alters the organization of membrane lipids and proteins as revealed by Raman spectroscopy," *Biochim Biophys Acta*, 18(1), 1991, 265–273.
- Veronesi, B., and M. Ehrich, "Differential cytotoxic sensitivity in mouse and human cell lines exposed to organophosphate insecticides," *Toxicol and Appl Pharmacol*, 120, 1993, 240–246.
- Vodopick, H., "Cherchez la chienne. Erythropoietic hypoplasia after exposure to gamma-benzene hexachloride," *JAMA*, 234, 1975, 850–851.
- Wallwork, L. M., and J. C. Malone, "21Z73 (25:75) effect of different solvents on the rat oral toxicity," HEFG 75-4, unpublished report submitted to WHO, Wellcome Research Laboratories, Berkhamsted, 1974.
- Wallwork, L. M., R. B. Clampitt, et al., "10 day cumulative oral toxicity study with 21Z73 in mice," HEFG 74-9, unpublished report submitted to WHO, Wellcome Research Laboratories, Berkhamsted, 1974.
- Walter, Z., A. Czajkowska, and A. Lipecka, "Effect of malathion on the genetic material of human lymphocytes stimulated by phytohemagglutinin (PHA)," *Hum Genetics*, 53, 1980, 375–381.
- Wang, T. C., T. C. Lee, M. F. Lin, and S. Y. Lin, "Induction of sister-chromatid exchanges by pesticides in primary rat tracheal epithelial cells and Chinese hamster ovary cells," *Mutation Res*, 188, 1987, 311–321.
- Waters, M., S. Sandu, V. Simmon, K. E. Mortelmans, and A. P. Mitchell, "Study of pesticide genotoxicity," *Basic Life Sci*, 21, 1982, 275–326.
- Watterson, A., "Pesticide reproductive health hazards in humans and public health policy options: Some unanswered questions and undocumented answers arising from the benomyl debate," *J Pub Health Med*, 16(2), 1994, 141–144.
- Wauchope, R. D., T. M. Buttler, et al., "SCS/ARS/CES pesticide properties database for environmental decisionmaking," *Rev Environ Contam Toxicol*, 123, 1992, 1–157.
- Weatherholtz, W. M., T. C. Campbell, and R. E. Webb, "Effect of dietary protein levels on the toxicity and metabolism of heptachlor," *J Nutr*, 98, 1969, 90–94.

- Wedin, G. P., C. M. Pennente, and S. S. Sachdev, "Renal involvement in organophosphate poisoning [letter]," *JAMA*, 252(11), 1984, 1408.
- Weinstock, M., M. Razin, M. Chorev, and A. Enz, "Pharmacological evaluation of phenyl-carbamates as CNS-selective acetylcholinesterase inhibitors," *J Neural Trans [Suppl]*, 43, 1994, 219–225.
- Weizman, Z., and S. Sofer, "Acute pancreatitis in children with anticholinesterase insecticide intoxication," *Pediatrics*, 90, 1992, 204–206.
- WHO, "Permethrin," *Environmental Health Criteria 94*, Geneva, Switzerland: World Health Organization, 1990.
- Wieseler, B., K. H. Kuehn, et al., "Effects of pyrethroid insecticides on pest control operators," *Bull Environ Contam and Toxicol*, 60, 1998, 837–844.
- Wild, D., "Mutagenicity studies on organophosphorus insecticides," *Mutation Res*, 32, 1975, 133–150.
- Windham, G. C., N. Titenko-Holland, A. M. Osorio, S. Gettner, F. Reinisch, R. Haas, and M. Smith, "Genetic monitoring of malathion-exposed agricultural workers," *Am J Indust Med*, 33, 1998, 164–174.
- Windheuser, J. J., J. L. Haslam, et al., "The use of *N,N*-diethyl-*m*-toluamide to enhance dermal and transdermal delivery of drugs," *J Pharm Sci*, 17, 1982, 1211–1213.
- Wolfe, J., S. P. Proctor, J. D. Davis, M. S. Borgos, and M. J. Friedman, "Health symptoms reported by Persian Gulf War veterans two years after return," *Am J Indust Med*, 33, 1998, 104–113.
- Wolff, G. L., D. W. Roberts, et al., "Tumorigenic responses to lindane in mice: Potentiation by a dominant mutation," *Carcinogenesis*, 8, 1987, 1889–1897.
- Wong, P., C. Wai, and E. Liong, "Comparative study on mutagenicities of organophosphorus insecticides in salmonella," *Chemosphere*, 18, 1989, 2413–2422.
- Woodliff, H. J., P. M. Connor, et al., "Aplastic anaemia associated with insecticides," *Med J Austral*, 1, 1966, 628–629.
- Woodruff, R. C., J. P. Phillips, et al., "Pesticide-induced complete and partial chromosome loss in screens with repair-defective females of *Drosophila melanogaster*," *Environ Mutagen*, 5, 1983, 835–846.
- Worthing, C. R., *The Pesticide Manual: A World Compendium*, 8th ed. Croydon, U.K.: The British Crop Protection Council, 1987.
- Wright, C. G., R. B. Leidy, and H. E. Dupree, Jr., "Insecticides in the ambient air of rooms following their application for control pests," *Bull Environ Contam Toxicol*, 26(4), 1981, 548–553.

- Wu, A., M. L. Pearson, et al., "High resolution gas chromatography/mass spectrometric characterization of urinary metabolites of *N,N*-diethyl-*m*-toluamide (DEET) in man," *J High Resol Chromatogr Commun*, 2, 1979, 558–562.
- Wysocki, J., Z. Kalina, et al., "Effect of organophosphoric pesticides on the behaviour of NBT-dye reduction and E rosette formation tests in human blood," *Int Arch Occup Environ Health*, 59(1), 1987, 63–71.
- Xiong, S., and K. Rodgers, "Effects of malathion metabolites on degranulation of and mediator release by human and rat basophilic cells," *J Toxicol Environ Health*, 51, 1997, 159–175.
- Young, G. D., and S. Evans, "Safety and efficacy of DEET and permethrin in the prevention of arthropod attack," *Mil Med*, 163, 1998, 324–330.
- Zadikoff, C. M., "Toxic encephalopathy associated with use of insect repellent," *J Pediatr*, 95, 1979, 140–142.
- Ziem, G., and J. McTamney, "Profile of patients with chemical injury and sensitivity," *Environ Health Perspec*, 105 (Suppl 2), 1997, 417–436.