
 LIST OF FIGURES

1.1	Spectrum of Conflict During the Cold War	3
1.2	Current Spectrum of Conflict	4
1.3	Three Different Methods for Developing a More Effective Rapid-Reaction Capability	8
1.4	Current Scope of RAND Modeling Effort	12
2.1	SWA Scenario: An Overview	17
2.2	Depiction of DRB Hasty Defensive Position in SWA Scenario	18
2.3	East Europe Scenario: An Overview	18
2.4	JANUS Depiction of DRB Hasty Defensive Position in East Europe Scenario	19
2.5	LANTCOM Scenario: An Overview	20
2.6	Depiction of DRB Hasty Defensive Position in LANTCOM Scenario	21
2.7a	LERs Over Time for SWA and East Europe Scenarios: Base Case DRB (Fixed-Wing Aircraft Kills and Losses not Included)	28
2.7b	LER Over Time for the LANTCOM Scenario: Base Case DRB (Fixed-Wing Aircraft Kills and Losses not Included)	29
2.8a	Simulation Results at the End of the Battle for SWA and East Europe Scenarios: Base Case DRB	30
2.8b	Simulation Results at the End of the Battle for the LANTCOM Scenario: Base Case DRB	31
3.1	The Model-Test-Model Paradigm	34
3.2	Depiction of an Early Hunter-Standoff Killer Concept	35
3.3	Depiction of the Hunter-Standoff Killer Concept	37
3.4	Some Light Force RSTA Systems: Tactical UAV, IREMBASS Distributed Sensors, RST-V Platform, and ADAS	39
3.5	Some Direct-Fire Weapons: Javelin, AGS, LOSAT Missile, and Apache (Firing Hellfire)	40
3.6	Some Indirect-Fire Launchers and Submunitions: ATACMS and MLRS, BAT Submunition, Towed 155mm Howitzer, HIMARS, and SADARM Submunition	41
3.7	Fiber-Optic Guided Missile and Launcher	42
3.8	Effect of Upgrades on LERs in SWA and East Europe Scenarios	47
3.9	LER Over Time for the Three Scenarios: Upgraded DRB	48
3.10a	Simulation Results at the End of the Battle for SWA and East Europe Scenarios: Percent of Elements Left	49
3.10b	Simulation Results at the End of the Battle for LANTCOM Scenario: Percent of Elements Left	50
3.11	Effect of Red Upgrades on LERs in SWA and East Europe Scenarios	52
3.12	Effect of Additional DRB Upgrades on LERs in SWA and East Europe Scenarios	53
3.13	Effect of Combined Strategy on LERs in SWA and East Europe Scenarios	54
3.14	Effect of Increasing the Number of ADAS Sensors on Completeness	55
3.15	Effect of Increasing the Number of ADAS Sensors on Target Location Errors	56
3.16	Effect of Adding in Notional Systems on LERs in East Europe Scenario	56

3.17	Some First-Order Characteristics of Different Indirect-Fire Systems	57
3.18	Comparison of Efficiency of Different Indirect-Fire Systems	59
3.19	Comparing the Reach of the Different Indirect-Fire Systems	60
3.20	Summary of Data Comparison and Performance Assessment for Indirect-Fire Alternatives	62
4.1	Early Drawing of COVER System	67
4.2	Contribution of RSTA to Base Case DRB Performance in the LANTCOM Scenario	70
4.3	Effectiveness of Adding in Each RSTA System	71
4.4	Contribution of RSTA to Upgraded DRB Performance	72
4.5	Contribution of RSTA and External Missile to Upgraded DRB Performance	74
4.6	Impact of Large-Footprint Weapon on Target Set	75
4.7	Impact of Small-Footprint Weapon on Target Set	76
4.8	Combined Effects of Volume of Fires and TOT for Large-Footprint Weapon	77
4.9	How Organic and External Fires Complement One Another	78
4.10	How a DRB Might Be Dispersed	79
4.11	Strawman Organization for a Light Battle Unit	81
4.12	The Light Battle Force Concept	82
4.13	Red Plan of Attack	83
4.14	Laydown of Battle Units into Elements and Squads	84
4.15	Integrated AAN Light Battle Unit in a Defensive Laydown	85
4.16	Example of C3 Link Between FDC and Artillery Pods	85
4.17	How Air Defense Is Cued	86
4.18	Susceptibility of Pods by Camouflage Method: Quiescent Mode	90
4.19	Susceptibility of Pods by Various Modes	90
4.20	The Impact of Reachback Weapons on Lead Enemy Units	91
4.21	Effectiveness of Pods and Pods with Reachback Weapon on Kills of Enemy Force	92
4.22	One Battle Unit's Losses over the Simulated Battle	93
4.23	Effectiveness of Employing Two Battle Units	93
4.24	Two Battle Units' Losses over the Simulated Battle	94
4.25	Light Battle Force's Successful Engagements on the Battlefield	95
4.26	Dispersed SUO Defensive Force in SWA	96
4.27	Comparison of Lift Load and Days for DRB and SUO forces	97
4.28	Assumed C2 Structure and Communications Connectivity	98
4.29	Communications Relay Densities Needed in Open and Close Terrain	99
4.30	Effect of Weapons Mix and Loadout on Force Lethality	101
4.31	Effects of Time Delays on Short-, Medium-, and Long-Range Missiles	101
5.1	Representation of Enemy Advance and Coalition Force Battle Positions	107
5.2	Location of High-Altitude Enemy Air Defense Systems	109
5.3	Notional Tilt-Rotor Air Transport Aircraft	110
5.4	Measures of Effectiveness in Analysis	114
5.5	Attrition Rate Over Time in Base Case	118
5.6	Effect of Reducing Signature and Increasing SEAD on Base Case	119
5.7	Effect of Increasing SA (Knowledge of Location of Emitting SAMs) on Low and Slow Case	120
5.8	Depiction of Maneuver Case 1: Standoff Attack Operation	124
5.9	Total Percent of Red Kills in Each Case 1 Excursion	127
5.10	Summary of Case 1 Results	128
5.11	Depiction of Maneuver Case 2: Standoff Attack and Ground Insertion to Block Key Reserve Division	129

5.12	Summary of Case 2 Results	130
5.13	Depiction of Maneuver Case 3: Standoff Attack and Agile Ground Maneuver to Engage Key Reserve Division	130
5.14	Exemplary Future, Lightweight Ground Combat Vehicle Associated with Enhanced Strike Force	131
5.15	Summary of Case 3 Results	133
5.16	Stages of Maneuver Case 4: Standoff Attack and Agile Ground Maneuver to Engage Soft Targets	134
5.17	Summary of Case 4 Results	135
5.18	Summary of Four Cases	136
6.1	Location of Potential Hot Spots	142
6.2	Diagram of Engineer School Layered Defense of Camp Lejeune	144
6.3	Limitations of Air-Based Halt Campaigns	145
6.4	How the Three Components of Option 3 Work in Synergy	147
6.5	Three-Dimensional Rendering of Copehill Down	150
6.6	Photograph of Road at Copehill Down	150
7.1	Notional Deployment of the Three Types of Units for Stopping Enemy Invasion	160
B.1	Major Components of RAND's Force-on-Force Modeling Suite	171
B.2	Organization of Models and Their Impact on Different Aspects of Combat Missions	174
B.3	Walk-Through of Command and Control Process in Simulation	176
B.4	Command and Control Organization in Simulation	177
B.5	Exemplary Cartographic Information in Simulation	179
B.6	Modeling BAT Submunition Effects with MADAM	181
B.7	Representation of the Acoustic Model in Simulation	182
B.8	Example of RJARS Graphic Output	183
B.9	Flight Path Planning in Simulation	184
B.10	Representation of RTAM Methodology in Simulation	185
C.1	Example of Seeded Microsensor Concept	189
C.2	Some Tactical Sensor Systems	190
C.3	Small (2000-pound) MDARS Robotic Vehicle	191
C.4	Manned and Unmanned High Altitude Sensing Aircraft	192
C.5	Examples of Command, Control, and Communications Systems	193
C.6	Direct-Fire Munitions Come in Many Forms	195
C.7	Some Exemplary Indirect-Fire Systems	197
C.8	Enhanced Fiber-Optic Guided Missile and LOCAAS Loitering Weapon Systems	198
D.1	HMMWV-Based UGV Used in DARPA Demo II Program	202
D.2	Recon/Counter-Recon Scenario Emphasized UGV Maneuver	203
D.3	MOUT Scenario Highlighted High-Risk "Pointman" Function	204
D.4	UGVs Were Found to Greatly Increase Situation Awareness in Deep Attack Scenario	205
D.5	Quality of Sensor Had Major Impact on Outcome of Deep Fires Scenario	206
D.6	UGV Speed and Size Also Impacted UGV Survivability in Deep Fires Scenario	207
D.7	In Recon/Counter-Recon Scenario, UGV Speed and Weapon Both Impact Outcomes	208
D.8	MOUT Scenario Shows That Ambush Is More Survivable When UGVs Are Equipped with Weapons	209