ON CERTAIN GAMES WITH TRANSCENDENTAL VALUES

Oliver Gross

P-188

November 13, 1950

The RAND Corporation
1700 MAIN ST. • SANTA MONICA • CALIFORNIA

On Certain Games with Transcendental Values

Oliver Gross

Let Γ be a two person zero-sum game for which the compact pure strategy spaces, S_1 and S_2, and the payoff function M, defined over $S_1 \times S_2$, are definable in Tarski's system of "elementary algebra" (see [1]). Suppose, also, that Γ has a value which is a transcendental number. We can then conclude that there is no optimal strategy for either player consisting of a step function of finitely many steps (i.e. a distribution in which the probabilities are all concentrated on a finite set of points). For, suppose the contrary for one of the players, say the maximizing one. Then, for some positive integer m, the value of Γ is given by

$$v = \max_{\langle \alpha_1, \ldots, \alpha_m \rangle \in \mathcal{O}_m} \max_{x_1, \ldots, x_m \in S_1} \min_{y \in S_2} \sum_{i=1}^{m} \alpha_i M(x_i, y) \quad ,$$

where $\mathcal{O}_m$ is the set of all m-tuples $\langle \mu_1, \ldots, \mu_m \rangle$ such that $\mu_i \geq 0$ for $i = 1, \ldots, m$, and $\sum_{i=1}^{m} \mu_i = 1$. But, according to [1], v would be algebraically definable, and it is a principal result of [1] that every algebraically definable number is algebraic.

In particular, our result applies to any game with transcendental value, in which M is a continuous rational function with integral coefficients.

Example: Take $M(x,y) = \frac{(1+x)(1+y)(1-xy)}{(1+xy)^2}$, $S_1 = [x|0 \leq x \leq 1]$, and $S_2 = [y|0 \leq y \leq 1]$, Here, $v = \frac{4}{\pi}$, and a pair of distribution functions yielding this value is given by:

$$\left.\begin{aligned} F^*(x) &= \tfrac{4}{\pi} \arctan \sqrt{x} \\ G^*(y) &= \tfrac{4}{\pi} \arctan \sqrt{y} \end{aligned}\right\} \quad 0 \leq \frac{x}{y} \leq 1 .$$

Thus, in this game, there is no optimal strategy consisting of a step function of finitely many steps, for π is a transcendental number.

Reference

[1] Alfred Tarski. A decision method for elementary algebra and geometry. U.S. Air Force Project RAND, R-109. Prepared for publication by J.C.C. McKinsey. Lithoprinted. The RAND Corporation, Santa Monica, California, 1948, iii + 60 pp.