

POPULATION HEALTH SURVEY 1968: CODEBOOK AND MARGINALS

PREPARED FOR THE OFFICE OF ECONOMIC OPPORTUNITY
AND THE HEALTH SERVICES ADMINISTRATION AND THE HUMAN
RESOURCES ADMINISTRATION OF NEW YORK CITY

JAN PAUL ACTON
LINDY J. CLARK
ROBERT J. YOUNG

R-1096-NYC/OEO
JANUARY 1973

25th
Year

Rand
SANTA MONICA, CA. 90406

This report was sponsored by the Office of Economic Opportunity, and the Health Services Administration and the Human Resources Administration of New York City. Views or conclusions expressed herein should not be interpreted as the official opinion of the sponsoring agencies.

POPULATION HEALTH SURVEY 1968: CODEBOOK AND MARGINALS

PREPARED FOR THE OFFICE OF ECONOMIC OPPORTUNITY
AND THE HEALTH SERVICES ADMINISTRATION AND THE HUMAN
RESOURCES ADMINISTRATION OF NEW YORK CITY

JAN PAUL ACTON
LINDY J. CLARK
ROBERT J. YOUNG

R-1096-NYC/OEO
JANUARY 1973

25th
Year

Rand
SANTA MONICA, CA. 90406

PREFACE

The Rand Corporation prepared this report for the Health Services Administration and Human Resources Administration of New York and the Office of Economic Opportunity to document the Population Health Survey of 1968. This codebook with marginals (frequency of responses by question) is the first publication of most of the content of this survey. It lists the survey questions, their valid codes on magnetic tape, and the frequency of each code.

Although much more sophisticated analyses of the data will be performed, this simple codebook constitutes a basic reference work on the health conditions and use of health care facilities in New York City. It should be useful both to future users of the original data files and to persons who want to perform immediate analyses. It should be especially useful to those who must quickly assess general health conditions within the City and patterns of facility utilization.

Other reports in this series are *Population Health Surveys 1964, 1965, and 1966: Codebook and Marginals*, R-1161-NYC/OEO, and *Population Health Survey 1969-70: Codebook and Marginals*, R-1162-NYC/OEO, both by Jan Paul Acton, Lindy J. Clark, and Robert J. Young.

SUMMARY

The Population Health Survey of New York City was conducted for five separate years: 1964, 1965, 1966, 1968, and 1969-70 (referenced as 1970). It was originally sponsored by the City Department of Health and later by the Health Services Administration (HSA). The Survey Research Center of the City University of New York performed most of the field work and coding, using cluster sampling in five New York City boroughs.

This report lists, in abbreviated form, the questions that were asked and the frequency of coded responses for the Population Health Survey of New York City residents in 1968. The questions dealt chiefly with health conditions and use of health services, although there are also questions on many relevant sociodemographic characteristics of the respondents. Approximately 640 "columns" of information are available on 13,249 respondents. The codebook gives the meaning and frequency of responses to questions that are on magnetic tape. The marginals are not weighted in this report, although the weight column remains on the tape. No comprehensive listing of the frequency of responses has previously been made available to current research efforts.

This work is designed to facilitate future analyses of the data as well as to provide a ready reference for rapid overviews of the status of health conditions and the use of existing services.

Rand acquired these surveys through HSA on the condition that the authors clean up the data files and return edited copies of the tapes along with documentation. Editing the data required converting alphabetic and other multiple punches into single-punch codes. It also required deleting duplicated data and adding cards to each record so that all records are the same length.

Rand will use these codebooks, primarily those for 1968 and 1969-70, and their corresponding data files as part of its continuing analysis (1) of the demand for health care (both for HSA and the Office of Economic Opportunity) and (2) of the health problems and their relation to welfare dependency among the City's poor (for the Human Resources Administration). Specifically, Rand will create models of the demand for health care, and then estimate the magnitude of the services needed by using multiple regression techniques.

ACKNOWLEDGMENTS

Irv Leveson of the Health Services Administration of New York City was instrumental in acquiring this data file and generous with support. Mort Israel of the Survey Research Center, City University of New York, was helpful on many occasions in clarifying mysterious coding. We appreciate both contributions very much.

CONTENTS

PREFACE	iii
SUMMARY	v
ACKNOWLEDGMENTS	vii
Section	
I. INTRODUCTION	1
II. LOCATION AND TIME OF INTERVIEW	3
III. GENERAL PERSONAL INFORMATION ON RESPONDENT	10
IV. EFFECTS OF ILLNESS IN A TWO-WEEK PERIOD	19
V. TOTAL ANNUAL INCOME FOR FAMILIES	27
VI. AUSPICES OF PHYSICIAN'S CARE IN A TWO-WEEK PERIOD	30
VII. DENTAL VISITS	33
VIII. AUSPICES OF PHYSICIAN'S CARE IN A TWO-WEEK PERIOD-- SECOND AND THIRD ILLNESSES	35
IX. SYMPTOMS LIST	38
X. FIRST HOSPITALIZATION IN A ONE-YEAR PERIOD	42
XI. INSURANCE AND MEDICARE	50
XII. SECOND AND THIRD HOSPITALIZATION IN A ONE-YEAR PERIOD ...	54
XIII. MEDICAID KNOWLEDGE, COVERAGE, AND USE	60
XIV. MEDICAL EXPENDITURES IN PAST YEAR	66
XV. GENERAL PERSONAL INFORMATION ON RESPONDENT	72
APPENDIX: RECORD OF THE EDITING	79

INTRODUCTION

The Population Health Survey of New York City was conducted for five separate years: 1964, 1965, 1966, 1968, and 1969-70 (referenced as 1970).^{*} It was originally sponsored by the City Department of Health and later by the Health Services Administration (HSA). The Survey Research Center of the City University of New York performed most of the field work and coding, using cluster sampling in five New York City boroughs.

Rand will use these codebooks, primarily those for 1968 and 1969-70, and their corresponding data files as part of its continuing analysis (1) of the demand for health care (both for HSA and the Office of Economic Opportunity) and (2) of the health problems and their relation to welfare dependency among the City's poor (for the Human Resources Administration). Specifically, Rand will create models of the demand for health care, and then estimate the magnitude of the services needed by using multiple regression techniques.

For the 1968 survey, 13,249 individuals are recorded. Originally, there were 8 cards per person (LRECL = 640). After editing, the logical record length per person is 673. The tape positions indicated in the codebook are for the edited tape. Since completion rate was not uniform by types of respondents, the Survey Research Center created weights that attempt to correct for the differences. We have left the weight value on the tape, but the marginals are not weighted.

In the codebook, the first column indicates the tape position for a given question in the edited tape. The "ORIGINALLY DECK #" entry refers to the deck (1 through 8) as originally punched on cards. "QUES." is the question number given in the original survey instrument. "COLUMN LABELS & CODE MEANING" is a short form of the question posed to respondents; for complete wording, the user should consult the

^{*}Besides this 1968 codebook, surveys for the other years are reported in *Population Health Surveys 1964, 1965, and 1966: Codebook and Marginals*, R-1161-NYC/OEO, and *Population Health Survey 1969-70: Codebook and Marginals*, R-1162-NYC/OEO.

original instruments.* "CODE" is the actual numeric code on magnetic tape after editing; abbreviations used are NA for not answered, DK for didn't know, and BK for blank and generally means not applicable. The column headed "%" indicates the percentage of responses for the code on that line. Similarly, "N" is the number of such responses. The total N for each question (including BK, NA, and DK) should be 13,249.

In the original data, the first 27 columns of each deck were supposed to be identical for an individual. After running checks on these columns, we found that some numbers are off a little, but not significantly. The marginal percentages stayed the same, but the absolute number of the various codes was periodically off by one or two.

The appendix provides a record of the editing performed on the original tape.

* To obtain these, contact the Survey Research Center of the City University of New York.

II. LOCATION AND TIME OF INTERVIEW

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
001-002	I	Borough and health district			
		Manhattan (1)			
		Central Harlem 1	11	2.6	358
		East Harlem 2	12	1.8	242
		Kips Bay 3	13	2.3	315
		Lower East Side 4	14	3.1	423
		Lower West Side 5	15	2.9	397
		Riverside 6	16	2.8	376
		Washington Heights 7	17	2.6	359
		Bronx (2)			
		Fordham-Riverside 1	21	3.0	403
		Morrisania 2	22	3.5	464
		Mott Haven 3	23	2.6	363
		Pelham Bay 4	24	2.6	348
		Tremont 5	25	3.3	441
		Westchester 6	26	3.2	437
		Brooklyn (3)			
		Bay Ridge 1	31	3.6	493
		Bedford 2	32	3.5	465
		Brownsville 3	33	3.9	528
		Bushwick 4	34	2.9	394
		Flatbush 5	35	6.1	828
		Fort Greene 6	36	2.7	371
		Gravesend 7	37	4.3	586
		Red Hook-Gowanus 8	38	1.8	248
		Sunset Park 9	39	2.7	368
		Williamsburg-Greenpoint 10	30	2.2	300
		Queens (4)			
		Astoria-L.I. City 1	41	3.3	441
		Corona 2	42	3.0	413
		Flushing 3	43	5.5	734
		Jamaica East 4	44	4.6	619
		Jamaica West 5	45	11.3	576
		Maspath-Forest Hills 6	46	3.9	524
		Richmond (5)	50	3.2	435
003-004	I	Cluster	01-99		
005-006	I	Serial No.	01-99		
007	I	Stratum	1,2,3		
008	I	Weight	1	82.8	10,982
			2	14.6	1,944
			3	2.3	313
			4	0.0	10

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
009	I	Year (1968)	8	100.0	13,249
010-011	I	Week	01	1.5	209
			02	1.6	223
			03	1.6	229
			04	1.7	235
			05	2.0	267
			06	1.8	256
			07	1.6	226
			08	1.5	204
			09	1.8	253
			10	1.6	227
			11	1.7	234
			12	2.0	266
			13	1.8	243
			14	1.5	207
			15	1.6	225
			16	1.7	240
			17	1.8	242
			18	1.8	247
			19	1.6	230
			20	1.6	225
			21	2.2	300
			22	2.0	279
			23	2.1	284
			24	2.2	302
			25	1.9	259
			26	1.8	251
			27	1.6	231
			28	1.7	240
			29	2.3	307
			30	1.9	262
			31	2.2	301
			32	2.1	298
			33	2.2	300
			34	2.0	271
			35	1.8	242
			36	1.3	186
			37	1.8	242
			38	2.5	340
			39	2.4	323
			40	1.3	187
			41	1.8	256
			42	1.9	258
			43	1.6	221
			44	2.0	273
			45	1.8	252
			46	1.7	237
			47	2.3	318
			48	2.1	293

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
010-011	I	Week (continued)			
			49	2.0	265
			50	1.6	224
			51	2.2	300
			52	1.9	259
012-013	I	Interviewer	01-99		
014	III	Type of living quarters			
		Public housing	1	6.3	846
		Coop. housing	2	1.1	152
		Student quarters	3	0.0	4
		Company, group, or employees quarters	4	0.1	26
		House with less than 4 families	5	40.4	5,365
		All others	6	51.6	6,856
015-016		Interview group			
			11	0.1	32
			12	0.9	132
			13	4.3	573
			14	16.7	2,224
			15	3.6	482
			16	0.2	36
			17	0.0	2
			22	1.2	171
			23	4.1	557
			24	16.4	2,185
			25	2.8	378
			26	0.3	48
			27	0.0	2
			33	4.6	629
			34	17.0	2,255
			35	3.2	436
			36	0.3	45
			44	16.3	2,165
			45	3.0	399
			46	0.1	29
			47	0.0	1
			55	2.9	396
			56	0.1	30
			57	0.0	4
			66	0.1	32
			67	0.0	4
			77	0.0	2
017	VI	Reason for noninterview			
			BK	99.9	13,248
		Type A			
		Refusal	2	0.0	0

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
017	VI	Type A (continued)			
		Not at home	3	0.0	0
		Temporarily away	4	0.0	0
		Other Type A	5	0.0	0
		Type B			
		Vacant	6	0.0	0
		Usual residence elsewhere	7	0.0	0
		Other Type B	8	0.0	0
		Type C			
		Demolished	9	0.0	0
		In sample by mistake	1	0.0	1
		Other Type C	--	0.0	0
018		Noninterview	BK	100.0	13,249
019-020		Person number	01	35.6	4,732
			02	27.8	3,692
			03	16.3	2,165
			04	10.1	1,358
			05	5.1	686
			06	2.4	330
			07	1.0	143
			08	0.4	65
			09	0.2	35
			10	0.1	23
			11	0.0	11
			12	0.0	7
			13	0.0	1
			14	0.0	1
021		Length of interview			
		Completed <i>personal</i> interview	0	97.8	12,964
		through Q.11	1	0.0	6
		through Q.28	2	0.1	18
		scattered response	3	0.1	25
		Completed <i>telephone</i> interview	4	1.6	229
		through Q.11	5	0.0	0
		through Q.28	6	0.0	0
		scattered response	7	0.0	7
022	Q.1a	Size of household			
			1	7.7	1,031
			2	22.6	2,998
			3	18.5	2,461
			4	20.1	2,682
			5	13.5	1,805
			6	8.6	1,147
			7	4.0	545
			8	1.6	224
			9	2.6	356

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
023-024	1a-d	Household family structure			
		Individual person only	1	7.7	1,032
		Unrelated individuals (≥ 2)	2	1.6	225
		Married couple only	3	16.7	2,226
		Married couple with other adults	4	1.2	173
		Married couple with ≥ 1 children (own)	5	48.1	6,389
		Extended family: married couple with ≥ 1 children (own), & others	6	6.0	805
		Mother only: with own children only	7	11.8	1,573
		Mother only: incl. other children, etc.	8	0.4	63
		Father only: with own children only	9	1.0	145
		Father only: incl. other children, etc.	0	0.0	15
		All other combinations	11	3.2	432
		"Common-law" couple with children*	20	0.0	7
		"Common-law" couple without children*	21	0.0	2
		Related individuals, ≥ 2 (sisters)	22	0.8	109
		Mother incl. children & unrelated individuals	23	0.0	6
		Married couple with foster children with or without own children	24	0.0	12
		Married couple with ≥ 1 child & servant or unrelated adult	25	0.2	35
025-026		Card number			
		Q.2-9, Table A	01	100.0	13,249
		Q.10,11, Table B	02	0.0	0
		Q.12,13, Table C	03	0.0	0
		Q.14-17	04	0.0	0
		Q.18,19	05	0.0	0
		Q.20-24	06	0.0	0
		Q.25-28	07	0.0	0
		Q.29-39	08	0.0	0
027-028	IV	Actual week of interview			
		1/1-1/7	01	1.0	137
		1/8-1/14	02	1.4	193
		1/15-1/21	03	1.5	205
		1/22-1/28	04	1.7	238
		* Status may be "never married" on Q4.			

ORIGINALLY DECK # 1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
027-028	IV	Actual week of interview (continued)			
		1/29-2/4	05	1.7	238
		2/5-2/11	06	1.6	229
		2/12-2/18	07	1.6	230
		2/19-2/25	08	1.5	201
		2/26-3/3	09	1.6	231
		3/4-3/10	10	1.6	225
		3/11-3/17	11	1.8	244
		3/18-3/24	12	1.5	201
		3/25-3/31	13	1.9	259
		4/1-4/7	14	1.3	184
		4/8-4/14	15	1.4	194
		4/5-4/21	16	1.9	264
		4/22-4/28	17	2.0	266
		4/29-5/5	18	1.9	259
		5/6-5/12	19	1.8	252
		5/13-5/19	20	1.8	246
		5/20-5/26	21	2.1	292
		5/27-6/2	22	2.0	271
		6/3-6/9	23	1.6	222
		6/10-6/16	24	2.4	328
		6/17-6/23	25	1.8	242
		6/24-6/30	26	1.9	260
		7/1-7/7	27	1.5	201
		7/8-7/14	28	1.8	252
		7/15-7/21	29	1.6	230
		7/22-7/28	30	1.9	263
		7/29-8/4	31	1.9	259
		8/5-8/11	32	2.0	281
		8/12-8/18	33	1.6	226
		8/19-8/25	34	1.6	227
		8/26-9/1	35	1.5	213
		9/2-9/8	36	1.3	187
		9/9-9/15	37	2.2	302
		9/16-9/22	38	2.8	380
		9/23-9/29	39	2.2	304
		9/30-10.6	40	1.4	198
		10/7-10/13	41	2.4	328
		10/14-10/20	42	2.0	273
		10/21-10/27	43	1.7	240
		10/28-11/3	44	2.1	288
		11/4-11/10	45	1.5	212
		11/11-11/17	46	2.1	297
		11/18-11/24	47	2.0	270
		11/25-12/1	48	2.1	288
		12/2-12/8	49	1.8	249
		12/9-12/15	50	1.9	261
		12/16-12/22	51	1.6	222
		12/23-12/29	52	2.0	270

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
027-028	IV	Actual week of interview (continued)			
		12/30-1/5	53	1.2	168
		1/6-1/12, 1969	54	0.6	93
		1/13-1/19, 1969	55	0.3	50
		1/20-1/26, 1969	56	0.3	51
		1/27-2/2, 1969	57	0.1	24
		2/3-2/9, 1969	58	0.1	19
		2/10-2/16, 1969	59	0.0	12

III. GENERAL PERSONAL INFORMATION ON RESPONDENT

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
029	Q.2	Relationship to head			
		Head	1	35.6	4,734
		Wife	2	21.8	2,906
		Child & stepchild	3	35.7	4,742
		Parent of head or wife	4	1.2	168
		Other relative of head	5	3.8	516
		Unrelated individual (incl. other head when there are co-heads)	6	1.3	176
		Unrelated family head	7	0.0	2
		Family of no. 7	8	0.0	5
		"Common law" wife or husband	9	0.0	0
		Foster	0	0.0	0
030	Q.3a	Age			
		Years	1	98.4	13,038
		Months	2	1.5	207
		DK/NA	BK	0.0	4
031-032	Q.3a	Age			
			&&	0.0	4
			1&&	0.0	2
			101	1.5	204
			102	1.8	256
			103	1.6	230
			104	1.9	260
			105	1.8	254
			106	1.8	255
			107	1.6	225
			108	1.6	218
			109	1.5	213
			110	1.6	222
			111	1.5	208
			112	1.5	202
			113	1.5	204
			114	1.6	216
			115	1.5	199
			116	1.6	219
			117	1.4	192
			118	1.6	227
			119	1.3	187
			120	1.5	205
			121	1.5	210
			122	1.3	178
			123	1.4	197
			124	1.5	205
			125	1.6	224

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
031-032	Q.3a	Age (continued)			
			126	1.5	211
			127	1.3	180
			128	1.2	170
			129	1.3	183
			130	1.4	191
			131	1.0	143
			132	1.1	163
			133	1.0	143
			134	1.1	153
			135	1.1	150
			136	1.1	154
			137	1.1	157
			138	1.1	160
			139	1.0	148
			140	1.3	174
			141	0.9	127
			142	1.0	141
			143	1.0	148
			144	1.0	138
			145	1.1	152
			146	0.8	122
			147	1.2	169
			148	1.3	177
			149	1.0	149
			150	1.7	234
			151	1.0	136
			152	1.1	163
			153	1.1	161
			154	1.0	142
			155	1.1	161
			156	1.2	173
			157	1.0	139
			158	1.1	163
			159	1.0	140
			160	1.3	174
			161	1.0	138
			162	1.1	155
			163	0.9	128
			164	0.8	120
			165	1.2	172
			166	0.8	114
			167	0.8	118
			168	0.8	119
			169	0.6	84
			170	0.8	121
			171	0.6	87
			172	0.7	107
			173	0.4	60

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
031-032	Q.3a	Age (continued)	174	0.5	73
			175	0.5	70
			176	0.3	53
			177	0.2	37
			178	0.3	56
			179	0.1	28
			180	0.2	41
			181	0.1	32
			182	0.1	29
			183	0.1	22
			184	0.0	15
			185	0.0	9
			186	0.0	12
			187	0.0	6
			188	0.0	7
			189	0.0	3
			190	0.0	6
			191	0.0	3
			192	0.0	6
			193	0.0	1
			194	0.0	1
			195	0.0	1
			196	0.0	2
			197	0.0	0
			198	0.0	0
			199	0.0	1
			200	0.0	8
			201	0.1	19
			202	0.1	18
			203	0.1	17
			204	0.0	15
			205	0.0	16
			206	0.1	20
			207	0.1	21
			208	0.1	26
			209	0.0	13
			210	0.0	12
			211	0.1	21
			216	0.0	1
033	Q.3b	Sex			
		Male	1	46.5	6,161
		Female	2	53.4	7,088
034	Q.4	Marital status			
			&	0.0	8
		Not 17	1	28.5	3,776
		Married	2	44.7	5,937
		Widowed	3	6.8	916

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
034	Q.4	Marital status (continued)			
		Divorced	4	1.5	208
		Separated	5	3.0	400
		Never married	6	15.1	2,004
035-036	Q.5	Birthplace*			
		No answer	&&	0.1	22
		Don't know	--	0.0	4
		New England (6 states)	01	1.1	157
		Middle Atlantic (3 states)	02	3.5	465
		New York City	03	57.1	7,573
		E. & W. North Central (12)	04	1.3	187
		South Atlantic (8 + Wash., D.C.)	05	7.5	1,004
		E. South Central (4)	06	0.9	132
		W. South Central (4)	07	0.3	47
		Mountain & Pacific (13)	08	0.3	54
		Puerto Rico	09	6.8	905
		Virgin Is., C. A., W. Indies, Caribbean	10	3.5	465
		South America (12 countries)	11	0.8	110
		Europe (39 countries)	12	14.3	1,907
		Asia (19 countries)	13	0.7	106
		Africa & Middle East (47)	14	0.4	58
		Canada & Greenland	15	0.3	45
		Australia & New Zealand	16	0.0	5
037-038	Q.6a	Years at present address			
		Not answered	98	0.1	18
		Less than 1 year	00	14.8	1,976
		Years	01	11.0	1,463
			02	10.1	1,342
			03	8.8	1,171
			04	6.2	836
			05	5.4	725
			06	5.3	710
			07	3.3	445
			08	3.3	454
			09	2.6	355
			10	3.3	447
			11	2.0	277
			12	2.2	303
			13	2.0	265
			14	1.5	214
			15	2.1	295
			16	1.3	183
		* These are the original PHS codes, not those specified in revision of 1/22/71.			

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
037-038	Q.6a	Years at present address (continued)			
			17	1.0	142
			18	1.1	159
			19	0.6	85
			20	1.1	153
			21	0.4	59
			22	0.5	80
			23	0.5	75
			24	0.5	77
			25	1.2	173
			26	0.8	115
			27	0.6	86
			28	0.5	67
			29	0.3	48
			30	0.8	114
			31	0.1	20
			32	0.1	22
			33	0.1	29
			34	0.0	13
			35	0.3	54
			36	0.0	11
			37	0.0	10
			38	0.1	18
			39	0.0	11
			40	0.2	34
			41	0.0	9
			42	0.0	13
			43	0.1	22
			44	0.0	13
			45	0.0	14
			46	0.0	4
			47	0.0	6
			48	0.0	7
			49	0.0	2
			50	0.0	10
			51	0.0	3
			52	0.0	2
			53	0.0	2
			55	0.0	4
			57	0.0	2
			60	0.0	1
			65	0.0	1
039-040	Q.6b	If less than 5 years in Q.6a, residence 5 years ago			
			BK	55.8	7,401
		NA	&	0.4	65
		DK	--	0.0	6
		Abroad	10	3.6	491

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
039-040	Q.6b	If less than 5 years in Q.6a, residence 5 years ago (continued)			
		Manhattan	1	7.6	1,024
		Bronx	2	6.4	855
		Brooklyn	3	14.6	1,942
		Queens	4	5.2	699
		Richmond	5	0.8	114
		N.Y. State, N. J., Conn.	6	1.5	206
		Puerto Rico	7	1.1	150
		South	8	1.0	136
		Other U.S.	9	1.1	160
041-042	Q.7	Total years in New York			
		NA	98	0.5	80
		DK	99	0.1	18
		Less than 1 year	00	2.9	397
		Years	01	3.2	434
			02	3.5	478
			03	2.8	388
			04	3.1	420
			05	2.8	379
			06	3.0	410
			07	2.6	356
			08	2.6	353
			09	2.3	319
			10	2.8	378
			11	2.0	277
			12	2.1	294
			13	1.9	262
			14	2.0	270
			15	2.3	320
			16	2.0	274
			17	1.8	249
			18	2.1	292
			19	1.6	227
			20	2.5	347
			21	1.6	218
			22	1.5	205
			23	1.2	170
			24	1.2	171
			25	1.8	247
			26	1.0	147
			27	0.8	120
			28	1.0	147
			29	0.6	98
			30	1.5	214
			31	0.6	86
			32	0.7	102
			33	0.6	92

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
041-042	Q.7	Total years in New York (continued)			
			34	0.7	100
			35	1.0	147
			36	0.8	108
			37	0.6	99
			38	0.9	127
			39	0.7	105
			40	2.1	294
			41	0.8	122
			42	0.6	98
			43	0.6	92
			44	0.7	100
			45	1.1	161
			46	0.7	107
			47	1.0	133
			48	1.0	149
			49	0.6	89
			50	1.3	182
			51	0.6	91
			52	0.6	90
			53	0.6	97
			54	0.7	106
			55	1.0	147
			56	0.8	115
			57	0.6	83
			58	0.6	96
			59	0.6	88
			60	1.1	155
			61	0.5	73
			62	0.5	69
			63	0.3	57
			64	0.3	54
			65	0.5	80
			66	0.3	44
			67	0.2	36
			68	0.3	54
			69	0.1	32
			70	0.3	43
			71	0.1	22
			72	0.1	21
			73	0.0	12
			74	0.1	21
			75	0.0	13
			76	0.0	15
			77	0.0	10
			78	0.0	14
			79	0.0	8
			80	0.0	11

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
041-042	Q.7	Total years in New York (continued)			
			81	0.0	12
			82	0.0	8
			83	0.0	5
			84	0.0	5
			85	0.0	2
			86	0.0	3
			88	0.0	3
			93	0.0	1
			95	0.0	1
043-044	Q.8a	Birthplace (father)*			
		No answer	&&	0.1	31
		Don't know	--	0.2	35
		New England (6 states)	01	0.3	43
		Middle Atlantic (3 states)	02	0.6	98
		New York City	03	11.4	1,520
		E. & W. North Central (12)	04	0.3	46
		South Atlantic (8 + Wash., D.C.)	05	3.2	432
		E. South Central (4)	06	0.5	68
		W. South Central (4)	07	0.0	16
		Mountain & Pacific (13)	08	0.0	4
		Puerto Rico	09	11.0	1,461
		Virgin Is., C. A., W. Indies, Caribbean	10	4.7	630
		South America (12 countries)	11	0.8	117
		Europe (39 countries)	12	36.0	4,783
		Asia (19 countries)	13	0.9	128
		Africa & Middle East (47)	14	0.4	66
		Canada & Greenland	15	0.3	53
		Australia & New Zealand	16	0.0	2
		Continental U.S. (not specified)	99	28.0	3,716
045-046	Q.8a	Birthplace (mother)*			
		No answer	&&	0.3	45
		Don't know	--	0.1	33
		New England (6 states)	01	0.4	59
		Middle Atlantic (3 states)	02	1.0	143
		New York City	03	13.6	1,809
		E. & W. North Central (12)	04	0.3	48
		South Atlantic (8 + Wash., D.C.)	05	5.0	664
		E. South Central (4)	06	0.5	71
		W. South Central (4)	07	0.1	17
		Mountain & Pacific (13)	08	0.0	15
		Puerto Rico	09	11.1	1,478
		*These are the original PHS codes, not those specified in revision of 1/22/71.			

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
045-046	Q.8a	Birthplace (mother) [*] (continued) Virgin Is., C. A., W. Indies, Caribbean	10	4.6	621
		South America (12 countries)	11	0.8	113
		Europe (39 countries)	12	33.8	4,488
		Asia (19 countries)	13	0.9	125
		Africa & Middle East (47)	14	0.4	60
		Canada & Greenland	15	0.4	61
		Australia & New Zealand	16	0.0	2
		Continental U.S. (not specified)	99	25.6	3,397
047	Q.8b	Ethnic group			
		NA	&	0.0	5
		White	1	65.8	8,723
		Negro	2	21.5	2,849
		P.R. - White	3	10.0	1,336
		P.R. - Negro	4	1.5	207
		Other	5	0.7	101
		Oriental	6	0.1	28
		[*] These are the original PHS codes, not those specified in revision of 1/22/71.			

IV. EFFECTS OF ILLNESS IN A TWO-WEEK PERIOD

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
048	Q.9a	Sickness			
		NA	&	0.0	6
		DK	--	0.0	1
		Yes	1	11.5	1,525
		No	2	88.3	11,717
049	Q.9b	Accident or injury			
		NA	&	0.0	8
		DK	--	0.0	1
		Yes	1	0.6	96
		No	2	99.1	13,144
050	Q.9c	Bothered by an old injury or health problem			
		NA	&	0.0	8
		DK	--	0.0	1
		Yes	1	5.0	667
		No	2	94.8	12,573
051-052	A1	Illness condition	BK	83.2	11,032
		Miscellaneous	&&	0.3	50
		Unknown	--	0.0	2
		Common childhood disease	01	0.1	27
		Stomach virus, unspec. virus	02	0.8	108
		Other infections & parasitic diseases	03	0.0	15
		Recuperation from an operation	04	0.1	18
		Recuperation from an accident	05	0.0	10
		Ear problems	06	0.1	26
		Skin	07	0.1	20
		Musculoskeletal (bursitis)	08	0.1	28
		Eye problems	09	0.0	13
		Common cold	10	3.5	471
		All other upper respiratory, sore throat	11	0.9	126
		Pneumonia	15	0.0	14
		"Intestinal flu"	16	0.0	6
		Other respiratory, flu, emphysema	17	2.2	303
		Gout	18	0.0	3
		Dental conditions	20	0.6	88
		Indigestion & similar symptoms	21	0.0	12
		Other digestive system	22	0.2	37
		Phlebitis	24	0.0	2
		Fractures & dislocations	25	0.2	41
		Sprains & strains	26	0.1	30
		Open wounds & lacerations	27	0.0	16

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
051-052	A1	Illness condition (continued)			
		Contusions & superficial injuries	28	0.0	15
		Other current injuries	29	0.1	21
		Genitourinary	30	0.0	14
		Normal delivery	35	0.0	2
		Disorders of pregnancy & puerperium	36	0.0	6
		Diarrhea - newborn infants	37	0.0	2
		Headache	38	0.0	14
		All other acute conditions	39	0.2	41
		Asthma or hayfever	40	0.5	67
		Other allergy	41	0.1	22
			43	0.0	1
		Thyroid or goiter	45	0.0	6
		Diabetes	46	0.1	18
		Other metabolic	47	0.0	4
		Disease of blood or blood-forming organs	48	0.0	10
		Skin trouble	49	0.0	10
		Cysts & other benign polyps & neoplasms	50	0.0	16
		Malignant neoplasms (cancer)	51	0.0	3
		Repeated back & spine trouble	55	0.1	17
		Missing finger, hand, or arm	56	0.0	0
		Missing toe, foot, or leg	57	0.0	1
		Permanent stiffness or deformity of foot, leg, fingers, arm, or back	58	0.0	8
		Arthritis or rheumatism	59	0.8	120
		Tuberculosis (pleurisy)	60	0.0	4
		Bronchitis	61	0.1	24
		Sinus trouble	62	0.0	13
		Mental or nervous trouble	65	0.1	29
		Chronic gall bladder or liver	70	0.0	3
		Stomach or duodenal ulcer	71	0.0	15
		Other chronic stomach trouble	72	0.0	10
		Hernia	73	0.0	5
		Cleft palate or clubfoot (congenital)	75	0.0	0
		Kidney stones or other kidney trouble	80	0.0	13
		Stammering	83	0.0	0
		Paralysis	84	0.0	1
		Deafness or serious chronic ear trouble	85	0.0	9
		Blindness or serious chronic eye trouble	86	0.0	12
		Stroke	87	0.0	9

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
051-052	A1	Illness condition (continued) Cerebral palsy, meningitis, Parkinson's disease, multiple sclerosis	88	0.0	12
		Epilepsy	89	0.0	2
		Rheumatic fever	90	0.0	2
		High blood pressure without mention of heart disease	91	0.2	35
		High blood pressure with heart disease	92	0.0	4
		Heart trouble (incl. heart attack)	93	0.4	60
		Varicose veins	94	0.0	3
		Hemorrhoids or piles	95	0.0	5
		All other conditions of the circulatory system	96	0.0	7
		General arteriosclerosis	97	0.0	6
		All other chronic conditions	98	0.2	35
		Chest pains	99	0.0	15
053	A3	Activity restrictions	BK	83.2	11,033
		NA	&	0.0	3
		DK	--	0.0	1
		Yes	1	9.2	1,227
		No	2	7.3	985
	A4	Not coded			
054-055	A5	Number of bed days			
		Not applicable	97	90.2	11,959
		NA	98	0.0	7
		DK	99	0.0	1
		None	00	3.1	423
		Days	01	1.3	189
			02	1.2	172
			03	0.9	126
			04	0.5	78
			05	0.5	71
			06	0.1	21
			07	0.4	58
			08	0.0	11
			09	0.0	7
			10	0.1	21
			11	0.0	1
			12	0.0	5
			13	0.1	23
			14	0.5	76
056-057	A6	School or work days lost			
		Not applicable	97	90.4	11,989
		NA	98	0.1	27

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
056-057	A6	School or work days lost (continued)			
		DK	99	0.0	1
			00	5.2	702
		(3 of these are ' 1')	01	0.8	112
			02	0.7	105
			03	0.4	66
			04	0.3	55
			05	0.4	62
			06	0.1	18
			07	0.1	19
			08	0.0	6
			09	0.0	6
			10	0.3	45
			11	0.0	0
			12	0.0	3
			13	0.0	2
			14	0.1	31
058	A7	Compensated work loss			
			BK	95.6	12,673
		NA	&	0.1	25
		DK	--	0.0	6
		Yes	1	1.2	171
		No	2	1.3	184
		Not applicable	3	1.3	190
059	A8	Total no. of illnesses for this person during 2-week period			
			BK	83.2	11,038
			&	0.0	2
			1	15.1	2,010
			2	1.2	167
			3	0.1	32
060		Second condition (for same person)			
			BK	98.4	13,049
		Sickness	1	0.4	60
		Accident or injury	2	0.1	27
		Bothered by old injury or health problem	3	0.8	113
059-062		Illness condition (see tape position 051-052 for code meaning)			
			BK	98.5	13,053
			&&	0.0	7
			--	0.0	1
			01	0.0	3
			02	0.0	2
			05	0.0	2
			06	0.0	3
			07	0.0	2
			08	0.0	4

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
059-062		Illness condition (continued)			
			09	0.0	4
			10	0.0	4
			11	0.0	2
			17	0.0	4
			18	0.0	1
			20	0.0	8
			21	0.0	4
			22	0.0	4
			25	0.0	4
			26	0.0	1
			27	0.0	2
			28	0.0	3
			29	0.0	8
			30	0.0	5
			36	0.0	1
			38	0.0	2
			39	0.0	6
			40	0.0	7
			45	0.0	3
			46	0.0	7
			48	0.0	2
			49	0.0	2
			50	0.0	2
			51	0.0	1
			55	0.0	1
			57	0.0	1
			58	0.0	1
			59	0.1	24
			61	0.0	2
			62	0.0	4
			65	0.0	4
			70	0.0	2
			71	0.0	2
			72	0.0	3
			73	0.0	1
			80	0.0	2
			84	0.0	1
			85	0.0	2
			86	0.0	3
			87	0.0	2
			88	0.0	1
			91	0.0	8
			93	0.0	13
			94	0.0	1
			95	0.0	1
			97	0.0	2
			98	0.0	2
			99	0.0	2

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
063		Activity restrictions	BK	98.5	13,056
		Yes	1	0.5	76
		No	2	0.8	117
064-065		Number of bed days			
		Not applicable	97	99.3	13,167
		NA	98	0.0	1
		None	00	0.3	42
			01	0.0	8
			02	0.0	5
			03	0.0	3
			04	0.0	3
			05	0.0	2
			06	0.0	2
			07	0.0	5
			08	0.0	0
			09	0.0	0
			10	0.0	0
			11	0.0	0
			12	0.0	1
			13	0.0	1
			14	0.0	9
066-067		School or work days lost			
		Not applicable	97	99.3	13,167
		NA	98	0.0	6
		(Incl. one '0 ')	00	0.3	56
			01	0.0	5
			02	0.0	3
		(Incl. one ' 3')	03	0.0	3
			04	0.0	3
			05	0.0	1
			07	0.0	2
			10	0.0	1
			14	0.0	2
068		Compensated work loss			
			BK	99.7	13,216
		NA	&	0.0	5
		DK	--	0.0	1
		Yes	1	0.0	7
		No	2	0.0	10
		Not applicable	3	0.0	10
069		Third condition (for same person)			
			BK	99.6	13,212
		Sickness	1	0.0	10
		Accident or health problem	2	0.0	3
		Bothered by old injury or health problem	3	0.1	24

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
070-071		Illness condition	BK	99.7	13,218
		Ear problems	06	0.0	2
		Eye problems	09	0.0	2
		Common cold	10	0.0	1
		Dental conditions	20	0.0	1
		Other digestive system	22	0.0	2
		Headache	38	0.0	1
		All other acute conditions	39	0.0	2
		Diabetes	46	0.0	1
		Other metabolic	47	0.0	1
		Disease of blood or blood-forming organs	48	0.0	1
		Arthritis or rheumatism	59	0.0	2
		Stomach or duodenal ulcer	71	0.0	2
		Hernia	73	0.0	1
		High blood pressure without mention of heart disease	91	0.0	4
		Heart trouble (incl. heart attack)	93	0.0	3
		Varicose veins	94	0.0	2
		All other conditions of the circulatory system	96	0.0	1
		General arteriosclerosis	97	0.0	1
		All other chronic conditions	98	0.0	1
072		Activity restrictions	BK	99.7	13,219
		Yes	1	0.0	11
		No	2	0.1	19
073-074		Number of bed days			
		Not applicable	97	99.8	13,239
			00	0.0	4
			01	0.0	1
			07	0.0	1
			14	0.0	4
075-076		School or work days lost			
		Not applicable	97	99.8	13,240
		NA	98	0.0	2
			00	0.0	6
			10	0.0	1
077		Compensated work loss	BK	99.9	13,246
		NA	&	0.0	1
		No	2	0.0	1
		Not applicable	3	0.0	1
078		Number of family members			
		10 or more	0	1.6	230

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
078		Number of family members (continued)			
		Unrelated individual	1	9.8	1,312
			2	22.0	2,928
			3	18.3	2,439
			4	19.7	2,624
			5	13.1	1,750
			6	8.2	1,098
			7	3.8	518
			8	1.6	224
			9	0.9	126

V. TOTAL ANNUAL INCOME FOR FAMILIES

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
079-081		Total annual income for families (recorded for each individual in the family, in \$100s)			
		NA	998	8.6	1,153
		None	000	0.4	66
			005	0.9	127
			010	0.2	40
			015	3.1	420
			020	1.0	134
			025	3.6	481
			030	1.2	169
			035	6.1	819
			040	1.7	236
			045	6.0	795
			050	2.1	296
			055	5.1	694
			060	2.3	316
			065	4.5	603
			070	2.5	340
			075	5.0	663
			080	2.8	381
			085	0.6	96
			090	7.5	1,009
			095	1.8	245
			100	2.2	303
			105	1.5	199
			110	1.8	249
			115	0.8	115
			120	1.2	173
			125	7.6	1,011
			130	1.5	205
			135	1.0	135
			140	1.0	145
			145	0.8	113
			150	0.6	93
			155	0.7	107
			160	0.7	100
			165	0.6	99
			170	0.6	85
			175	0.6	97
			180	1.0	147
			185	0.5	74
			190	0.4	61
			195	0.2	39
			200	0.6	93

ORIGINALLY DECK #1

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
079-081		Total annual income for families (recorded for each individual in the family, in \$100s) (continued)			
			205	0.2	34
			210	0.1	19
			215	0.6	86
			220	0.0	9
			225	0.1	29
			230	0.0	12
			235	0.2	38
			240	0.0	2
			245	0.0	15
			250	0.4	66
			255	0.0	10
			260	0.0	6
			265	0.1	26
			275	0.0	4
			285	0.0	10
			295	0.0	10
			300	0.0	13
			305	0.0	7
			310	0.0	13
			315	0.0	6
			340	0.0	4
			350	0.0	11
			365	0.0	5
			375	0.3	49
			400	0.0	4
			440	0.0	2
			450	0.0	12
			500	0.0	4
			750	0.0	11
			775	0.0	4
			785	0.0	2

ORIGINALLY DECK #2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
082		Number of family members contribu- ting to family income			
		NA	9	8.6	1,153
			0	0.1	22
			1	46.0	6,106
			2	31.0	4,111
			3	9.9	1,320
			4	2.7	372
			5	1.0	140
			6	0.1	25
111-112		Illness card			
		NA	BK	81.5	10,804
			&&	0.0	1
		One of one	11	16.8	2,228
		One of two	12	1.3	184
		One of three	13	0.1	32

VI. AUSPICES OF PHYSICIAN'S CARE IN A TWO-WEEK PERIOD

ORIGINALLY DECK #2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
113	B1,B2	Medically attended	BK	81.5	10,811
		NA	&	0.0	5
		DK	--	0.0	1
		Talk to a doctor currently (YES in B1)	1	9.6	1,278
		Talk to a doctor ever (YES in B2)	2	4.0	538
		Never attended (NO in B1,B2)	3	4.5	606
		Currently in hospital	5	0.0	10
114-115	B3	No. of physician contacts (in person)			
		Not applicable	97	86.5	11,464
		NA	98	0.0	8
		DK and others	99	0.0	2
			0	0.6	93
			1	10.3	1,368
			2	1.6	228
			3	0.2	39
			4	0.1	28
			5	0.0	7
			6	0.0	7
			7	0.0	4
			8	0.0	1
116-117	B3	No. of physician contacts (by phone)			
		Not applicable	97	86.5	11,474
		NA	98	0.1	17
		DK	99	0.0	2
			0	11.6	1,544
			1	1.1	161
			2	0.2	34
			3	0.0	8
			4	0.0	5
			5	0.0	1
			6	0.0	1
			7	0.0	2
118-119	B4	No. of doctors			
		Not applicable	97	86.6	11,487
		NA	98	0.0	11
		DK	99	0.0	4
			0	0.6	84
			1	11.5	1,540
			2	0.8	109
			3	0.0	8
			4	0.0	4

ORIGINALLY DECK # 2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
118-119	B4	No. of doctors (continued)	5	0.0	1
			6	0.0	1
120	B5	Type of auspice	BK	86.5	11,464
		NA	&	0.0	14
		Private practice	1	9.3	1,242
		Hospital clinic or emergency room	2	2.6	350
		H.I.P.	3	0.5	81
		U.S., state, or city government	4	0.1	24
		Company or union	5	0.3	55
		Other	6	0.1	19
121	B5b	Physician location	BK	86.5	11,465
		NA	&	0.2	37
		DK	--	0.3	50
		Address recorded	1	12.5	1,669
		No address	2	0.1	28
122	B6, B7, B8	Physician payment	BK	86.5	11,464
		NA	&	0.0	11
		Insurance	1	2.3	312
		Courtesy/phone	2	0.7	102
		Out of pocket	3	6.3	846
		Medicaid	4	2.3	316
		Company/union	5	0.4	66
		Free	6	0.6	95
		Other	7	0.2	37
123	Q.10a	Additional doctor visits	&	0.0	16
		NA	--	0.0	1
		DK	--	0.0	1
		Yes	1	6.2	835
		No	2	93.5	12,397
124-125	Q.10b	Primary reason	BK	93.6	12,407
		NA	&&	0.0	15
		DK	--	0.0	2
		Checkup for:			
		Blood pressure (incl. one '1')	01	0.1	32
		Anemia	02	0.0	6
		Allergy	03	0.0	11
		Diabetes	04	0.0	8
		Lump on breast	05	0.0	2
		Misc. pre-existing conditions (specified)	06	0.3	51

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
124-125	Q.10b	Primary reason (continued) Checkup for: (continued)			
		Pre-natal checkup	07	0.5	72
		Heart	08	0.0	14
		Post-partem	09	0.0	5
		For eyes	10	0.1	30
		For cancer	11	0.0	
		Gynecological	12	0.0	9
		Child's immunization	13	0.0	12
		X-rays	14	0.0	10
		Adult's immunization	15	0.1	17
		*	16	0.0	1
		Foot problem	17	0.0	2
		Miscellaneous	18	0.1	31
		Backache	19	0.1	24
		General checkup (nonspecific) (incl. two '2 ')	20	2.2	300
		Blood test (nonspecific)	21	0.0	12
		Blood test for uric acid	22	0.0	1
		Allergy shot	23	0.0	13
		Skin rash	24	0.0	13
		Blood test for diabetes	25	0.0	6
		Psychiatric care	26	0.0	4
		Growths	27	0.0	2
		Injections for specific conditions	28	0.1	23
		Nervous conditions	29	0.0	9
		Diet problem	30	0.0	15
		Ulcers	31	0.0	3
		Injections for unspecified conditions	32	0.0	6
		Birth control pills	33	0.0	1
		*	39	0.0	1
		Treatment for injury (muscle)	40	0.0	8
		Miscellaneous specific conditions and treatment	41	0.3	52
		*	42	0.0	1
		Wax removal & other ear problems	60	0.0	6
		Stitches removed	61	0.0	2
		*	65	0.0	1
		Chronic puerperal nephritis	70	0.0	2
126	Q.10c	Doctor visit in past year			
			BK	14.1	1,875
		NA	&	0.0	8
		DK	--	0.0	4
		Yes	1	62.6	8,309
		No	2	23.0	3,053
		(Illness codes and physician visits continue in tape position 133)			

* No meaning given by PHS, SRC, CUNY.

VII. DENTAL VISITS

ORIGINALLY DECK # 2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
127	Q.11a	Dental visit in 2-week period	BK	0.0	3
		NA	&	0.0	11
		DK	--	0.0	1
		Yes	1	7.1	949
		No	2	92.6	12,285
128	Q.11b	No. dental visits in 2-week period	BK	92.8	12,306
		NA	&	0.0	7
		DK	--	0.0	1
			1	4.6	628
			2	1.9	257
			3	0.1	29
			4	0.0	15
			5	0.0	3
		9 or more	9	0.0	1
129-130	Q.11c	Dental treatment	BK	92.8	12,304
		NA	&	0.0	8
		DK	--	0.0	2
		Filling or restoration (capping)	1	2.8	389
		Extractions	2	0.5	80
		Cleaning	3	0.5	76
		Orthodontia	4	0.2	35
		Root canal work	5	0.1	21
		Fitting false teeth or bridge work	6	0.6	93
		X-ray or examination (checkup)	7	0.9	127
		Gum treatment	8	0.1	22
		Other	9	0.1	22
		All other combinations	11	0.0	13
		Both 1 & 2	12	0.0	7
		Both 1 & 3	13	0.1	17
		Both 1 & 4	14	0.0	1
		Both 1 & 6	16	0.0	3
		Both 1 & 7	17	0.0	11
		Both 1 & 8	18	0.0	6
		Both 2 & 3	20	0.0	1
		Both 2 & 6	23	0.0	3
		Both 2 & 7	24	0.0	4
		Both 2 & 8	25	0.0	1
		Both 3 & 8	27	0.0	1
		Both 6 & 8	31	0.0	1
		Both 4 & 8	32	0.0	1

ORIGINALLY DECK #2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
131	Q.11d	Dental visit location	BK	92.7	12,296
		NA	&	0.0	6
		DK	--	0.0	1
		Private office	1	6.5	865
		Private clinic	2	0.2	35
		School	3	0.0	13
		Government clinic	4	0.1	33
132	Q.11e	Dental visits in past year	BK	7.2	963
		NA	&	0.0	13
		DK	--	0.0	8
		Yes	1	44.2	5,866
		No	2	48.2	6,397

VIII. AUSPICES OF PHYSICIAN'S CARE IN A TWO-WEEK PERIOD--
SECOND AND THIRD ILLNESSES

ORIGINALLY DECK #2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
133-134		Illness per person			
		NA	BK	98.1	13,017
		One of one	&&	0.0	1
		One of two	11	0.0	6
		Two of two	12	0.0	2
		Two of three	22	1.3	189
			23	0.2	34
		Physician's care in 2-week period			
135	B1,B2	Medically attended			
			BK	98.2	13,021
			&	0.0	4
			1	0.6	90
			2	0.6	94
			3	0.2	40
136-137	B3	Number of physician contacts (in person)			
		Not applicable	97	98.9	13,110
		NA	98	0.0	3
			0	0.0	2
			1	0.8	121
			2	0.0	7
			3	0.0	2
			4	0.0	3
			6	0.0	1
138-139	B3	Number of physician contacts (by phone)			
		Not applicable	97	98.9	13,112
		NA	98	0.0	5
			0	0.8	116
			1	0.0	12
			2	0.0	4
140-141	B4	Number of doctors			
		Not applicable	97	98.9	13,112
		NA	98	0.0	4
			0	0.0	1
			1	0.9	128
			2	0.0	4
142	B5	Type of auspice			
			BK	98.9	13,112
		NA	&	0.0	3
		Private practice	1	0.5	80

ORIGINALLY DECK #2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
142	B5	Type of auspice (continued)			
		Hospital clinic or emergency room	2	0.1	30
		H.I.P.	3	0.0	13
		U.S., state, or city government	4	0.0	7
		Company or union	5	0.0	2
		Other	6	0.0	2
143	B5b	Physician location			
			BK	98.9	13,113
		NA	&	0.0	6
		DK	--	0.0	2
		Address recorded	1	0.9	127
		No address	2	0.0	1
144	B6,B7, B8	Physician payment			
			BK	98.9	13,112
		NA	&	0.0	4
		Insurance	1	0.1	27
		Courtesy/phone	2	0.0	7
		Out of pocket	3	0.3	55
		Medicaid	4	0.1	21
		Company/union	5	0.0	4
		Free	6	0.0	11
		Other	7	0.0	8
145-146		Third illness			
		Illness per person			
			BK	99.6	13,215
		Three of three	33	0.2	34
	B	Physician's care in 2-week period			
147	B1,B2	Medically attended			
			BK	99.6	13,214
		Talk to a doctor currently (YES in B1)	1	0.0	11
		Talk to a doctor ever (YES in B2)	2	0.1	21
		Never attended (NO in B1,B2)	3	0.0	3
148	B3	Number of physician contacts (in person)			
			BK	99.8	13,233
			1	0.0	14
			2	0.0	2
149-150	B3	Number of physician contacts (by phone)			
		Not applicable	97	99.8	13,233
			0	0.0	13
			1	0.0	3

ORIGINALLY DECK #2

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
151	B4	Number of doctors	BK 1 4	99.8 0.0 0.0	13,233 15 1
152	B5	Type of auspice	BK 1 2 4	99.8 0.0 0.0 0.0	13,234 7 5 3
153	B5b	Physician location	BK 1	99.8 0.0	13,234 15
154	B6,B7, B8	Physician payment	BK 1 2 3 4 5 6 7	99.8 0.0 0.0 0.0 0.0 0.0 0.0	13,234 2 1 1 7 1 2 1
		Second additional doctor visit			
155-156	Q.10b	Primary reason	BK 06 08 20	99.9 0.0 0.0 0.0	13,246 1 1 1
		Checkup for:			
		Misc. pre-existing conditions (specified)			
		Heart			
		General checkup (nonspecific)			
		Third additional doctor visit			
157-158	Q.10b	Primary reason	BK	100.0	13,249

IX. SYMPTOMS LIST

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
200	Q.12a	01. Earache, running ears			
		None	BK	97.3	12,903
		Had symptom, not treated	1	0.5	72
		Had symptom, was treated	2	2.0	274
201	Q.12a	02. Trouble in seeing, running eye			
			BK	96.0	12,722
			1	1.0	136
			2	2.9	391
202	Q.12a	03. Headaches			
			BK	95.6	12,676
			1	1.5	207
			2	2.7	366
203	Q.12a	04. Toothache, bleeding gums			
			BK	92.1	12,209
			1	1.3	191
			2	6.3	849
204	Q.12a	05. Coughing, spitting blood			
			BK	97.0	12,868
			1	1.0	138
			2	1.8	243
205	Q.12a	06. Pains or heaviness in chest			
			BK	96.5	12,839
			1	0.4	64
			2	2.5	346
206	Q.12a	07. Asthma			
			BK	98.0	12,997
			1	0.2	36
			2	1.5	216
207	Q.12a	08. Pains, gall bladder, stomach ulcer			
			BK	97.6	12,949
			1	0.3	50
			2	1.8	250
208	Q.12a	09. Bleeding, hemorrhoids, piles			
			BK	98.0	12,993
			1	0.7	103
			2	1.1	153
209	Q.12a	10. Pains, passing water			
			BK	99.1	13,149
			1	0.0	10
			2	0.6	90

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
210	Q.12a	11. Shortness of breath	BK 1 2	95.4 1.5 2.9	12,651 202 396
211	Q.12a	12. Trouble sleeping, nervousness	BK 1 2	93.8 1.8 4.1	12,434 253 562
212	Q.12a	13. Unexplained tiredness	BK 1 2	98.5 0.5 0.8	13,052 73 124
213	Q.12a	14. Repeated dizzy spells	BK 1 2	98.5 0.1 1.1	13,051 33 165
214	Q.12a	15. Arthritis, rheumatism	BK 1 2	91.8 2.2 5.8	12,165 299 785
215	Q.12a	16. Backaches	BK 1 2	96.2 0.9 2.6	12,759 128 362
216	Q.12a	17. Injuries or accidents	BK 1 2	97.9 0.1 1.7	12,980 32 237
217	Q.12a	18. Continuous loss of appetite	BK 1 2	98.8 0.3 0.6	13,106 46 97
218	Q.12a	19. Diarrhea, constipation	BK 1 2	98.1 0.4 1.3	13,007 60 182
219	Q.12a	20. Prostate trouble	BK 1 2	99.3 0.0 0.5	13,166 14 69
220	Q.12a	21. Varicose veins	BK 1 2	97.6 0.8 1.5	12,936 112 201

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
221	Q.12a	22. Paralysis, shaking of hands & head	BK 1 2	99.6 0.0 0.2	13,204 5 40
222	Q.12a	23. Unexplained loss of weight	BK 1 2	99.5 0.1 0.3	13,186 19 44
223	Q.12a	24. Frequent rashes, sores, itching	BK 1 2	98.1 0.4 1.3	13,008 63 178
224	Q.12a	25. Anemia	BK 1 2	98.7 0.0 1.1	13,086 11 152
225	Q.12a	26. Heart disease	BK 1 2	97.3 0.0 2.5	12,894 11 344
226	Q.12a	27. Diabetes	BK 1 2	98.1 0.1 1.6	13,016 17 216
227	Q.12a	28. High blood pressure	BK 1 2	95.4 0.1 4.2	12,650 31 568
228	Q.12a	29. Rupture, hernia	BK 1 2	99.0 0.0 0.7	13,130 15 104
229	Q.12a	30. Pains or bleeding after menopause	BK 1 2	99.8 0.0 0.1	13,227 1 21
230	Q.12a	Stroke	BK 1 2	99.8 0.0 0.0	13,240 1 8
231	Q.12a	Bursitis	BK	99.8	13,239

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
231	Q.12a	Bursitis (continued)	1	0.0	3
			2	0.0	7
232	Q.12a	Morning sickness	BK	99.9	13,246
			2	0.0	3
233	Q.12a	Hepatitis	BK	99.9	13,246
			2	0.0	3
234	Q.12a	Emphysema	BK	99.8	13,236
			1	0.0	4
			2	0.0	9
235	Q.12a	Miscellaneous	BK	95.4	12,652
		DK/NA	--	0.0	2
			1	0.7	104
			2	3.6	491
236	Q.12c	Interviewing method	BK	61.9	8,210
		NA	&	0.1	33
		Hand respondent card; interviewer reads aloud	1	20.0	2,652
		Hand respondent card; interviewer reads silently	2	8.1	1,078
		Interviewer reads aloud without giving card to respondent	3	8.1	1,081
		Any other procedure	4	1.4	195

X. FIRST HOSPITALIZATION IN A ONE-YEAR PERIOD

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
237-238	Q.13, C4	Hospital stays			
		Not applicable	97	0.0	3
		NA	98	0.0	11
		All other combinations	11	0.1	30
		Codes 1 & 2	12	0.0	12
		Codes 1 & 4	14	0.2	38
		Codes 1 & 5	15	0.0	16
		Codes 2 & 4	21	0.0	9
		Codes 2 & 5	22	0.1	30
		Codes 1, 5, & 8	36	0.0	2
		No stay	0	91.1	12,089
		Stay without surgery	1	3.7	503
		Stay with surgery	2	3.7	501
		Stay, surgery unknown	3	0.0	3
		Second stay without surgery	4	0.0	0
		Second stay with surgery	5	0.0	2
		Second stay, surgery unknown	6	0.0	0
		Third stay without surgery	7	0.0	0
		Third stay with surgery	8	0.0	0
		Third stay, surgery unknown	9	0.0	0
239	13b	Number of times			
		If "no stay" in tape positions 237-238	BK	91.2	12,096
		NA	&	0.0	6
			1	7.5	996
			2	0.8	109
			3	0.2	38
			4	0.0	1
			5	0.0	2
		9 or more	9	0.0	1
240-242	C2	Number of nights			
		Not applicable (if "no stay" in tape positions 237-238)	997	91.2	12,097
		NA	998	0.0	4
		DK	999	0.0	1
		None (incl. one '0')	000	0.0	3
			001	0.5	75
			002	0.6	98
			003	0.8	110
			004	1.0	133
			005	0.6	93
			006	0.4	66
			007	0.5	82
			008	0.2	34

ORIGINALLY DECK # 3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
240-242	C2	Number of nights (continued)	009	0.2	35
			010	0.3	46
			011	0.0	14
			012	0.1	24
			013	0.1	26
			014	0.4	65
			015	0.0	12
			016	0.0	10
			017	0.0	10
			018	0.0	8
			019	0.0	7
			020	0.0	12
			021	0.2	37
			022	0.0	2
			023	0.0	5
			024	0.0	5
			025	0.0	2
			027	0.0	1
			028	0.0	13
			029	0.0	4
			030	0.1	23
			031	0.0	3
			032	0.0	2
			033	0.0	1
			034	0.0	3
			035	0.0	12
			036	0.0	1
			039	0.0	1
			040	0.0	1
			041	0.0	2
			042	0.0	8
			045	0.0	1
			046	0.0	1
			049	0.0	4
			050	0.0	2
			053	0.0	1
			054	0.0	1
			055	0.0	2
			060	0.0	14
			061	0.0	2
			062	0.0	2
			063	0.0	1
			070	0.0	1
			072	0.0	1
			074	0.0	1
			076	0.0	1
			081	0.0	1
			084	0.0	1

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
240-242	C2	Number of nights (continued)	090	0.0	9
			092	0.0	1
			104	0.0	1
			112	0.0	1
			120	0.0	2
			122	0.0	1
			150	0.0	2
			165	0.0	1
			180	0.0	1
			270	0.0	1
			365	0.0	1
243-245	C3	Hospital condition	BK	91.3	12,099
		NA/DK	&&	0.0	7
		Refusal--unspecified or unknown	--	0.0	4
		All combinations of codes 1-9	100	0.0	1
		Infective and parasitic diseases	01	0.1	19
		Malignant neoplasms	02	0.0	1
		Benign and unspecified neoplasms	03	0.3	53
		Diabetes mellitus	04	0.0	8
		Other endocrine, allergic, and metabolic disorders	05	0.0	8
		Diseases of the skin	06	0.0	3
		Mental and personality disorders (incl. alcoholism, drug addiction)	07	0.1	23
		Diseases of the blood and blood- forming organs	08	0.0	15
		Dental conditions	09	0.0	5
		Intracranial lesions, brain concussions	10	0.0	4
		Diseases of the eye	11	0.2	40
		Other diseases of the nervous system	12	0.0	12
		Ear conditions	13	0.0	7
		Circumcision	14	0.0	4
		All combinations of codes 20-29	120	0.0	2
		Heart diseases	20	0.4	59
		Hypertension without heart involvement	21	0.0	5
		Varicose veins (excl. hemorrhoids)	22	0.0	4
		Hemorrhoids and other rectal problems	23	0.1	19
		Other circulatory diseases, phlebitis	24	0.0	15
		Stroke	25	0.0	16
		High blood pressure	26	0.0	5

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
243-245	C3	Hospital condition (continued)			
		Nose bleed	27	0.0	1
		Open stitches	28	0.0	0
		Spitting blood	29	0.0	2
		All combinations of codes 30-39	130	0.0	1
		Tonsillectomy	30	0.2	37
		Upper respiratory condition excl. tonsillectomy	31	0.0	13
		Other respiratory condition, pneumonia, bronchitis	32	0.3	44
		Stay for premature birth	33	0.0	3
		*	34	0.0	1
		*	38	0.0	1
		All combinations of codes 40-49	140	0.0	3
		Ulcer of stomach and duodenum	40	0.1	18
		Other stomach conditions	41	0.1	18
		Appendicitis	42	0.1	23
		Intestines, peritoneum, liver, hepatitis	43	0.1	18
		Hernia	44	0.1	33
		Diseases of the gall bladder	45	0.1	17
		Other digestive system conditions	46	0.0	14
		All combinations of codes 50-59	150	0.0	2
		Male genital disorders	50	0.0	10
		Female breast & lymph glands	51	0.0	11
		Other genitourinary condition excl. kidney & bladder	52	0.1	21
		Kidney and bladder	53	0.2	34
		Gout	54	0.0	1
		Female genital disorders, D&C, hysterectomy	55	0.3	55
			57*	0.0	1
		Deliveries	60	1.3	189
		Complications of pregnancy & the puerperium	61*	0.2	35
			65*	0.0	2
		Arthritis, all forms	70	0.0	6
		Other diseases of bones & joints	71	0.0	12
		Other diseases of the musculo- skeletal system	72	0.0	3
		Fractures and dislocations	80	0.3	50
		Other current injuries	81	0.2	38
		All other conditions and observations	90	0.6	83
		*	98	0.0	1
		* No meaning given by PHS, SRC, CUNY.			

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
246	C4	Operation or surgery	BK	91.3	12,099
		NA	&	0.0	4
		DK	--	0.0	1
		Yes	1	4.3	585
		No	2	4.1	560
247-248	C5	Name of operation			
		Not applicable	97	95.1	12,619
		NA	98	0.0	4
		DK	99	0.0	4
		None	00	0.0	14
		Operations for mental & nervous disorders	01	0.0	0
		Operations on the brain	02	0.0	2
		Operations on the skull	03	0.0	3
		Operations for hernia of any abdominal site	04	0.1	33
		Operations for rectum (incl. hemorrhoids)	05	0.1	19
		Operations on kidney	06	0.0	4
		Operations on bladder	07	0.0	4
		Circumcision	08	0.0	5
		Operations on prostate gland	09	0.1	18
		Other operations on male genitals	10	0.0	4
		Mastectomy (complete or partial)	11	0.0	4
		Other operations on breast	12	0.0	5
		Hysterectomy (with or without operations performed at same time)	13	0.1	17
		D&C	14	0.2	39
		Other operations on female genitals	15	0.0	9
		Amputations of finger(s), toe(s)	16	0.0	2
		Amputations of arm(s), leg(s)	17	0.0	0
		Operation for cancer	18	0.0	2
		Plastic surgery	19	0.0	5
		Thyroidectomy	20	0.0	5
		Other operations on thyroid gland	21	0.0	1
		Operations on other endocrine glands	22	0.0	0
		Operations on the spinal cord	23	0.0	0
		Other operations on nervous system excl. eye & ear	24	0.0	2
		Operations on eye, any part	25	0.2	37
		Operations on ear, any part, excl. mastoid	26	0.0	5

ORIGINALLY DECK # 3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
247-248	C5	Name of operation (continued)			
		Operations involving mastoid process	27	0.0	2
		Operations on heart	28	0.0	3
		Operations for varicose veins	29	0.0	3
		Operations on arteries, veins, capillaries not elsewhere classified	30	0.0	1
		Operations on lymph glands, spleen, bone marrow	31	0.0	3
		Tonsillectomy and/or adenoidectomy	32	0.2	36
		Other operations on throat, pharynx, tonsils	33	0.0	6
		Operations on nose	34	0.0	9
		Operations on sinuses	35	0.0	1
		Operations on lung & pleura	36	0.0	2
		Operations on other sites of respiratory system & chest not elsewhere classified	37	0.0	0
		Operations on teeth, gums, & jaw not elsewhere classified	38	0.0	5
		Operations on other sites of buccal cavity	39	0.0	0
		Operations for stomach ulcers	40	0.0	6
		Other operations on stomach	41	0.0	3
		Operations for appendicitis	42	0.1	23
		Operations on the liver	43	0.0	2
		Operations on gall bladder	44	0.0	16
		Skin graft	45	0.0	1
		Operation for pilonidal cyst	46	0.0	1
		Other operations on skin & subcutaneous tissue	47	0.0	12
		Operations for fractures	48	0.0	16
		Operations for dislocations	49	0.0	3
		Operations for knee derangements	50	0.0	1
		Operations for spinal "disk" conditions	51	0.0	6
		Other operations on bone	52	0.0	3
		Normal delivery	53	1.0	133
		Forceps delivery & other complications	54	0.0	4
		Caesarean delivery	55	0.0	8
		Operations on cyst	56	0.1	23
		Malignant tumors	57	0.0	4
		Nonmalignant tumors	58	0.1	19
		Don't know	59	0.0	4
		Operations on abdominal cavity	60	0.0	2
		Miscellaneous	61	0.1	21
		*	90	0.0	1

* No meaning given by PHS, SRC, CUNY.

ORIGINALLY DECK # 3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
249	C6	Hospital auspices	BK	91.3	12,099
		NA	&	0.0	4
		DK	--	0.1	26
		Voluntary	1	5.3	706
		Proprietary (private)	2	1.3	177
		N.Y.C. municipal	3	1.1	164
		State, county, or other local	4	0.1	30
		Federal	5	0.1	30
		Residential or short-stay nursing home	6	0.0	5
		Other, incl. European	7	0.0	8
250	C7	Type of accommodations	BK	91.3	12,098
		NA	&	0.0	3
		Private	1	0.7	107
		Semi-private	2	5.1	682
		Ward	3	2.6	358
		Other	4	0.0	1
251	C8	Follow-up after hospital discharge	BK	91.3	12,099
		NA	&	0.0	9
		Yes	1	7.7	1,035
		No	2	0.6	86
		Period not yet elapsed	3	0.1	20
252-253	C3	Second condition in <i>same</i> hospital stay (See tape position 244-245 for code meaning) (Including one ' 3')	BK	99.5	13,189
			--	0.0	1
			03	0.0	3
			04	0.0	1
			09	0.0	1
			10	0.0	2
			11	0.0	4
			12	0.0	2
			20	0.0	8
			23	0.0	1
			26	0.0	1
			32	0.0	2
			40	0.0	2
			43	0.0	2
			44	0.0	5
			46	0.0	1
			50	0.0	1
			51	0.0	1
			52	0.0	3
			53	0.0	3

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
252-253	C3	Second condition in <i>same</i> hospital stay (continued)	55 60 61 80 81 90	0.0 0.0 0.0 0.0 0.0 0.0	2 1 2 2 1 8
254	C5	Second operation in <i>same</i> hospital stay (See tape position 247-248 for code meaning)	BK 1 2	99.5 0.1 0.1	13,195 25 29
		For <i>second</i> and <i>third</i> hospital stays, see position 299			

XI. INSURANCE AND MEDICARE

ORIGINALLY DECK #4

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
283	Q.14a	Enrolled in Medicare			
			BK	88.6	11,748
		NA	&	0.0	6
		DK	--	0.0	3
		Yes	1	10.6	1,409
		No	2	0.6	83
284	14b	If "No," why?			
		Does not apply	BK	99.5	13,185
		NA	&	0.0	2
		DK	--	0.0	2
		Don't want/need Medicare	1	0.0	16
		Don't know about it	2	0.0	2
		Ineligible/not covered	3	0.0	16
		Applying now	4	0.0	12
		Can't afford it	5	0.0	0
		Other	6	0.0	14
285	14c	Medical insurance under Medicare			
			BK	89.1	11,817
		NA	&	0.0	9
		DK	--	0.0	3
		Yes	1	10.1	1,345
		No	2	0.5	75
286	14d	Doctor's visit under Medicare			
			BK	89.8	11,906
		NA	&	0.0	5
		DK	--	0.0	2
		Yes	1	8.4	1,120
		No	2	1.6	216
287	14e	Effect of Medicare on ease of obtaining medical care			
			BK	91.3	12,112
		NA	&	0.0	5
		Easier	1	1.4	192
		Same	2	6.3	843
		Harder	3	0.1	32
		Don't know	4	0.4	65
288	14f	Why?			
			BK	98.9	13,116
		Reason given	--	1.0	133
289	Q.15a	Have hospital insurance			
			BK	0.0	2
		NA	&	0.1	21

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
289	Q.15a	Have hospital insurance (continued)			
		DK	--	0.2	36
		Yes	1	76.0	10,073
		No	2	23.5	3,117
290-291	15b	Name of plan			
			BK	23.6	3,140
			&	0.1	25
			--	0.6	98
		All other combinations	11	0.6	87
		Codes 1 & 2	12	2.9	390
		Codes 1 & 3	13	0.4	59
		Codes 1 & 4	14	1.1	164
		Codes 1 & 5	15	1.0	149
		Codes 1 & 6	16	1.9	258
		Codes 1 & 7	17	0.1	22
		Codes 1 & 8	18	2.0	279
		Codes 2 & 3	20	0.0	5
		Codes 2 & 4	21	0.0	2
		Codes 2 & 5	22	0.3	43
		Codes 2 & 6	23	0.0	4
		Codes 2 & 7	24	0.1	23
		Codes 2 & 8	25	0.1	24
		Codes 3 & 8	27	0.0	6
		Codes 1, 5, & 6	28	0.1	30
		Codes 5 & 6	29	0.6	85
		Codes 5 & 8	30	0.3	50
		Codes 6 & 8	31	0.1	26
		Codes 4 & 8	32	0.0	7
		Codes 1, 2, & 8	33	0.0	9
		Codes 1, 2, & 3	34	0.0	13
		Codes 1, 2, & 5	35	0.0	8
		Codes 1, 5, & 8	36	0.0	5
		Blue Cross/Blue Shield	1	39.4	5,226
		Medicare	2	4.1	551
		Health Insurance Plan of Greater New York (HIP)	3	1.3	187
		Group Health Insurance (GHI)	4	0.6	84
		Commercial	5	5.4	727
		Major medical	6	0.6	83
		Medicaid	7	3.0	405
		Other, union, etc.	8	7.3	975
292	15d	Main subscriber			
			BK	61.4	8,142
		NA	&	0.0	9
		DK	--	0.0	7
		Main subscriber	1	38.3	5,087
		Main subscriber not in household	2	0.0	4

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
293	Q.16a	Have surgery insurance	BK	22.5	2,997
		NA	&	0.1	24
		DK	--	0.3	53
		Yes	1	73.4	9,730
		No	2	3.3	445
294-295	16b	Name of plans (See tape position 290-291 for code meaning)	BK	26.1	3,465
			&	0.2	38
			--	0.7	102
			11	0.7	100
			12	2.0	273
			13	0.3	57
			14	0.6	83
			15	0.7	100
			16	2.6	353
			17	0.1	18
			18	1.1	160
			20	0.3	44
			21	0.0	10
			22	0.1	33
			23	0.0	5
			24	0.1	18
			25	0.1	26
			27	0.1	29
			28	0.1	26
			29	0.7	102
			30	0.3	44
			31	0.1	23
			32	0.1	28
			33	0.0	8
			34	0.0	7
			35	0.0	5
			36	0.0	3
			1	28.0	3,713
			2	4.7	634
			3	5.4	724
			4	5.0	665
			5	5.8	771
			6	1.3	179
			7	3.0	410
			8	7.4	991
296	Q.17a	Have medical insurance (covers home and/or office visits)	BK	24.8	3,298
		NA	&	0.1	29
		DK	--	0.4	70
		Yes	1	39.2	5,201
		No	2	35.0	4,651

ORIGINALLY DECK #3

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
297-298	17b	Name of plan (See tape position 290-291 for code meaning)	BK & -- 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 29 30 31 32 33 34 36 1 2 3 4 5 6 7 8	60.2 0.1 0.6 0.3 0.1 0.0 0.0 0.1 0.0 0.3 0.0 0.0 0.0 0.0 0.1 0.3 0.4 0.0 0.0 0.1 0.0 0.0 0.0 4.5 6.8 5.7 5.3 2.8 2.7 3.1 4.0	7,985 27 86 56 32 12 3 15 20 3 27 50 9 11 6 15 22 46 63 14 15 25 3 2 1 609 912 762 715 386 366 421 530

XII. SECOND AND THIRD HOSPITALIZATION IN A ONE-YEAR PERIOD

ORIGINALLY DECK # 4

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
299-301	Q.13, C2	Number of nights if no hospital stay			
			BK	98.8	13,092
			&&&	0.0	1
		(Including one ' &&')	---	0.0	2
			001	0.0	7
			002	0.0	11
			003	0.0	11
			004	0.0	12
			005	0.0	7
			006	0.0	6
			007	0.0	8
			008	0.0	4
			009	0.0	10
			010	0.0	7
			011	0.0	2
			012	0.0	2
			013	0.0	7
			014	0.0	9
			015	0.0	2
			016	0.0	2
			018	0.0	4
			019	0.0	2
			020	0.0	5
			021	0.0	3
			022	0.0	3
			023	0.0	1
			026	0.0	1
			027	0.0	1
			028	0.0	3
			029	0.0	2
			030	0.0	3
			034	0.0	1
			035	0.0	4
			041	0.0	1
			042	0.0	3
			043	0.0	1
			046	0.0	1
			047	0.0	1
			049	0.0	1
			060	0.0	1
			090	0.0	3
			091	0.0	1
			127	0.0	1

ORIGINALLY DECK # 4

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
302-304	C3	Hospital condition (See tape position 243-245 for code meaning)	BK	98.8	13,095
			--	0.0	3
			01	0.0	3
			02	0.0	1
			03	0.0	4
			04	0.0	2
			07	0.0	4
			08	0.0	1
			09	0.0	1
			11	0.0	7
			12	0.0	3
			13	0.0	1
			120	0.0	1
			20	0.1	17
			21	0.0	1
			22	0.0	1
			23	0.0	3
			24	0.0	2
			25	0.0	2
			26	0.0	1
			29	0.0	1
			30	0.0	1
			31	0.0	1
			32	0.0	11
			40	0.0	3
			41	0.0	2
			43	0.0	2
			44	0.0	6
			45	0.0	4
			46	0.0	2
			150	0.0	1
			50	0.0	1
			51	0.0	4
			52	0.0	6
			53	0.0	6
			55	0.0	6
			60	0.0	4
			61	0.0	3
			65	0.0	1
			71	0.0	3
			80	0.0	7
			81	0.0	4
			190	0.0	1
			90	0.0	16
305	C4	Operation or surgery	BK	98.8	13,095
		Yes	1	0.4	64
		No	2	0.6	90

ORIGINALLY DECK #4

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
306-307	C5	Name of operation (See tape position 247-248 for code meaning)	97	99.4	13,182
			98	0.0	1
			99	0.0	1
			00	0.0	2
			04	0.0	5
			05	0.0	3
			06	0.0	2
			07	0.0	3
			09	0.0	3
			11	0.0	1
			12	0.0	1
			13	0.0	2
			14	0.0	4
			15	0.0	2
			19	0.0	1
			20	0.0	1
			25	0.0	6
			28	0.0	2
			29	0.0	1
			31	0.0	1
			32	0.0	1
			33	0.0	2
			34	0.0	1
			38	0.0	1
			40	0.0	3
			41	0.0	1
			44	0.0	2
			48	0.0	4
			52	0.0	1
			53	0.0	2
			55	0.0	1
			56	0.0	1
			57	0.0	1
			58	0.0	2
			60	0.0	1
			61	0.0	1
308	C6	Hospital auspices	BK	98.8	13,095
			DK	--	0.0
			Voluntary	1	0.6
			Proprietary (private)	2	0.1
			N.Y.C. municipal	3	0.1
			State, county, or other local	4	0.0
			Federal	5	0.0
			Residential or short-stay nursing home	6	0.0

ORIGINALLY DECK #4

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
309	C7	Type of accommodations	BK	98.8	13,096
		Private	1	0.1	17
		Semi-private	2	0.6	88
		Ward	3	0.3	48
310	C8	Follow-up after hospital discharge	BK	98.8	13,096
		NA	&	0.0	1
		Yes	1	1.0	142
		No	2	0.0	6
		Period not yet elapsed	3	0.0	4
311-312		Second condition in same hospital stay	BK	99.9	13,247
		Diseases of the blood and blood-forming organs	08	0.0	1
		Other circulatory diseases, phlebitis	24	0.0	1
313		Second operation in same hospital stay	BK	99.9	13,248
		No	2	0.0	1
		Third hospital stay			
314-316	Q.13, C2	Number of nights	BK	99.6	13,206
			&&&	0.0	1
			001	0.0	2
			002	0.0	3
			003	0.0	3
			004	0.0	1
			006	0.0	4
			007	0.0	5
			010	0.0	3
			012	0.0	1
			014	0.0	3
			015	0.0	1
			016	0.0	1
			020	0.0	3
			021	0.0	1
			024	0.0	1
			025	0.0	1
			027	0.0	1
			030	0.0	1
			031	0.0	1
			035	0.0	1
			067	0.0	1

ORIGINALLY DECK # 4

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
314-316	Q.13, C2	Number of nights (continued)	087 090 202 262	0.0 0.0 0.0 0.0	1 1 1 1
317-318	C3	Hospital condition (See tape position 243-245 for code meaning)	BK -- 02 03 07 10 11 12 13 20 24 25 28 30 32 41 46 52 53 55 60 80 81 90	99.6 0.0	13,208 1 1 1 1 1 1 2 1 7 1 1 3 1 2 1 2 2 2 2 1 3 3
319	C4	Operation or surgery Yes No	BK 1 2	99.6 0.0 0.1	13,207 13 29
320-321	C5	Name of operation Not applicable None Operations on prostate gland Mastectomy (complete or partial) D&C Other operations on thyroid gland Operations on the spinal cord Operations on eye, any part Operations on heart Operations for fractures Operations for knee derangements	97 00 09 11 14 21 23 25 28 48 50	99.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	13,231 2 1 1 2 1 1 1 2 1 1

ORIGINALLY DECK #4

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
320-321	C5	Name of operation (continued)			
		Normal delivery	53	0.0	2
		Malignant tumors	57	0.0	1
		Operations on abdominal cavity	60	0.0	2
322	C6	Hospital auspices			
			BK	99.6	13,208
		Voluntary	1	0.1	24
		Proprietary (private)	2	0.0	5
		N.Y.C. municipal	3	0.0	6
		State, county, or other local	5	0.0	4
		Residential or short-stay nursing home	6	0.0	2
323	C7	Type of accommodations			
			BK	99.6	13,208
		Private	1	0.0	8
		Semi-private	2	0.1	25
		Ward	3	0.0	8
324	C8	Follow-up after hospital discharge			
			BK	99.6	13,208
		Yes	1	0.2	36
		No	2	0.0	2
		Period not yet elapsed	3	0.0	3
325-326		Second condition in same hospital stay			
			BK	100.0	13,249
327		Second operation in same hospital stay			
			BK	100.0	13,249

XIII. MEDICAID KNOWLEDGE, COVERAGE, AND USE

ORIGINALLY DECK # 5

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
368	Q.18a	Know of Medicaid			
		NA	BK	63.5	8,422
		DK	&	0.0	10
		Yes	--	0.0	3
		No	1	26.9	3,573
			2	9.3	1,241
369-370	18b	Medicaid coverage			
		NA	BK	72.0	9,542
		DK	&	0.5	74
		All other combinations	--	5.2	702
		Codes 1 & 2	11	1.8	248
		Codes 1 & 3	12	0.7	102
		Codes 1 & 4	13	0.0	3
		Codes 1 & 5	14	0.0	2
		Codes 1 & 6	15	0.0	4
		Codes 1 & 7	16	0.1	33
		Codes 1 & 9	17	0.1	28
		Codes 2 & 3	19	0.1	26
		Codes 2 & 4	20	0.0	13
		Codes 2 & 5	21	0.0	1
		Codes 2 & 6	22	0.0	1
		Codes 2 & 7	23	0.4	61
		Codes 2 & 8	24	0.3	42
		Codes 2 & 9	25	0.0	4
		Codes 5 & 6	26	0.3	43
		Codes 6 & 8	29	0.0	2
		Codes 1, 2, & 3	31	0.0	3
		Codes 1, 2, & 5	34	0.0	2
		Miscellaneous	35	0.0	1
		People over pension age	10	1.7	234
		Underprivileged & poor, welfare	1	2.1	291
		People near \$6000 income	2	5.6	759
		Anyone who applies	3	0.4	60
		People on Social Security	4	0.0	8
		Low income	5	0.0	2
		People who cannot afford medical bills	6	2.3	322
		All persons under 21 or over 65	7	1.8	252
		People under certain income levels	8	0.0	14
			9	2.7	369
371-372	18c	Medicaid health services			
		NA	BK	72.0	9,545
			&	0.8	116

ORIGINALLY DECK #5

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
371-372	18c	Medicaid health services (continued)			
		DK	--	8.6	1,158
		All other combinations	11	4.6	614
		Codes 1 & 2	12	1.5	207
		Codes 1 & 3	13	0.0	1
		Codes 1 & 4	14	0.0	3
		Codes 1 & 5	15	0.6	94
		Codes 1 & 7	17	0.0	8
		Codes 1 & 8	18	1.9	262
		Codes 2 & 3	20	0.0	3
		Codes 2 & 4	21	0.0	3
		Codes 2 & 5	22	0.0	6
		Codes 2 & 7	24	0.0	4
		Codes 2 & 8	25	0.1	23
		Codes 2 & 9	26	0.0	6
		Codes 3 & 8	27	0.0	2
		Codes 5 & 8	30	0.1	26
		Codes 6 & 8	31	0.0	3
		Codes 4 & 8	32	0.0	2
		Codes 1, 2, & 8	33	1.0	135
		Codes 1, 2, & 3	34	0.0	7
		Codes 1, 2, & 5	35	1.6	217
		Codes 1, 5, & 8	36	0.1	33
		Miscellaneous	10	0.3	43
		Doctor (medical)	1	0.8	113
		Dentist	2	0.0	15
		Eye doctor	3	0.0	0
		Glasses	4	0.0	1
		Drugs	5	0.0	8
		Home nursing	6	0.0	6
		All medical care	7	3.9	528
		Hospital care, surgical, and nursing care	8	0.3	53
		Psychiatric care	9	0.0	4
373	18d	Medicaid eligibility			
		NA	BK	70.5	9,355
		&		0.1	19
		Yes	1	7.0	938
		No	2	16.5	2,192
		DK	3	5.5	745
	Q.19a	Have Medicaid coverage or			
374-375	19a-1	Have had Medicaid in past			
		NA	BK	17.8	2,364
		&		0.3	55
		DK	--	0.0	15
		Codes 1 & 3	13	0.5	69
		Codes 1 & 4	14	0.0	8
		Codes 2 & 3	20	3.2	434

ORIGINALLY DECK # 5

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
374-375	19a-1	Have had Medicaid in past (cont.)			
		Codes 2 & 4	21	49.5	6,559
		Codes 2 & 5	22	0.0	3
		Yes, now	1	17.4	2,315
		No, now	2	10.3	1,375
		Yes, past	3	0.0	9
		No, past	4	0.3	43
376	19b	Doctor visit since covered by Medicaid			
			BK	78.3	10,382
		NA	&	0.3	43
		DK	--	0.0	4
		Yes	1	15.3	2,031
		No	2	5.9	789
377	19c	Physician location			
			BK	84.5	11,202
		NA	&	0.1	31
		DK	--	0.3	56
		Address recorded	1	14.6	1,939
		No address	2	0.1	21
378	19d	Time going to doctor			
			BK	84.5	11,199
		NA	&	0.3	44
		DK	--	0.0	13
		< 3 mo	1	1.0	139
		≥ 3 to < 6 mo	2	1.0	136
		≥ 6 mo to < 1 yr	3	1.8	246
		≥ 1 to < 2 yr	4	3.1	418
		≥ 2 to < 3 yr	5	2.8	385
		≥ 3 to < 5 yr	6	2.0	269
		≥ 5 to < 10 yr	7	1.8	253
		≥ 10 yr	8	1.0	147
379-381		Date of last visit			
		DK/NA or not applicable	BK	84.6	11,218
		NA	&	0.1	21
		DK	---	0.1	25
		1965	5	0.0	4
		1966	6	0.0	4
		1967	7	0.1	30
		1968	8	0.0	8
		1964	9	0.0	1
		January 1960 or earlier	10	0.0	1
		January 1965	15	0.0	1
		January 1967	17	0.0	9
		January 1968	18	1.1	165
		January 1969	19	0.0	9
		February 1966	26	0.0	1

ORIGINALLY DECK #5

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
379-381		Date of last visit (continued)			
		February 1967	27	0.0	10
		February 1968	28	1.0	139
		March 1962	32	0.0	1
		March 1967	37	0.0	14
		March 1968	38	0.8	121
		April 1964	44	0.0	1
		April 1967	47	0.1	25
		April 1968	48	1.0	142
		May 1966	56	0.0	1
		May 1967	57	0.0	8
		May 1968	58	0.7	101
		June 1967	67	0.1	26
		June 1968	68	1.1	163
		July 1962	72	0.0	1
		July 1967	77	0.1	19
		July 1968	78	0.8	117
		August 1962	82	0.0	3
		August 1966	86	0.0	1
		August 1967	87	0.1	22
		August 1968	88	1.0	133
		September 1961	91	0.0	1
		September 1966	96	0.0	1
		September 1967	97	0.3	47
		September 1968	98	1.0	135
		October 1961	101	0.0	4
		October 1962	102	0.0	1
		October 1967	107	0.3	52
		October 1968	108	0.6	98
		November 1964	114	0.0	1
		November 1966	116	0.0	4
		November 1967	117	0.3	57
		November 1968	118	0.5	75
		December 1962	122	0.0	1
		December 1966	126	0.0	6
		December 1967	127	0.8	110
		December 1968	128	0.5	77
		January ?	1-	0.0	1
		April ?	4	0.0	4
		May ?	5	0.0	1
		July ?	7	0.0	1
		November ?	11&	0.0	1
		November ?	11-	0.0	9
		December ?	12-	0.0	2
		December ?	12&	0.0	15
382	19f	Changed regular doctors			
		NA	BK	84.5	11,201
		DK	&	0.1	28
			--	0.0	7

ORIGINALLY DECK #5

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
382	19f	Changed regular doctors (continued)			
		Yes	1	1.2	170
		No	2	13.8	1,843
383-384	19g	Reason for changing doctors			
			BK	98.5	13,058
		NA	&	0.1	22
		Miscellaneous	10	0.3	51
		Clinic too far	1	0.0	5
		Doctor or nurse can speak Spanish	2	0.0	14
		Doctor is closer to home	3	0.3	48
		Doctor is too expensive	4	0.0	5
		Doctor doesn't accept Medicaid	5	0.1	25
		Can go to clinic now	6	0.0	5
		Doctor knows case better	7	0.0	4
		Doctor costs nothing under Medicaid	8	0.0	2
		Moved from one area to another	9	0.0	10
385	19h	Effect of Medicaid on ease of obtaining medical care			
			BK	91.1	12,088
		NA	&	0.1	18
		Easier	1	2.4	330
		Same	2	5.3	712
		Harder	3	0.3	51
		Don't know	4	0.3	50
386-387	19i	Reason for response			
			BK	97.5	12,926
		NA	&	0.0	16
		DK	--	0.0	1
		All other code combinations	11	0.0	6
		Codes 1 & 9	19	0.0	4
		Miscellaneous	10	0.6	92
		Didn't have money for bills	1	0.8	122
		Easier to go to doctor near home	2	0.0	10
		Clinic too far away	3	0.0	9
		Some doctors refuse Medicaid	4	0.3	42
		Doctor knows he will get money	5	0.0	6
		I can go to any doctor I want	6	0.0	8
		In hospital, Spanish is understood	7	0.0	2
		Too much paper work for doctor	8	0.0	3
		Easy to make appointments	9	0.0	2
388	19j	Family use of doctor as compared to 2 years ago (asked only of head of household and those on Medicaid)			
			BK	91.3	12,099
		NA	&	0.1	22

ORIGINALLY DECK # 5

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
388	19j	Family use of doctor as compared to 2 years ago (asked only of head of household and those on Medicaid) (continued)			
		More	1	1.1	152
		Less	2	0.1	32
		Same	3	6.8	912
		Don't know	4	0.1	32

XIV. MEDICAL EXPENDITURES IN PAST YEAR

ORIGINALLY DECK #6

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
455-458 455-456	Q.20a	Hospitalization expenditure* in past year DK/NA, no hospital (Partial code. In tape positions 455-458 'no hospital' full code is 9998.)	99	95.4	12,666
		Under \$100	00	0.8	112
		\$100-199	01	0.3	43
		\$200-299	02	0.4	58
		\$300-399	03	0.4	62
		\$400-499	04	0.3	43
		\$500-599	05	0.3	49
		\$600-699	06	0.1	27
		\$700-799	07	0.1	22
		\$800-899	08	0.1	22
		\$900-999	09	0.0	14
		\$1000-1099	10	0.0	16
		\$1100-1199	11	0.0	7
		\$1200-1299	12	0.0	15
		\$1300-1399	13	0.0	7
		\$1400-1499	14	0.0	14
		\$1500-1599	15	0.0	9
		\$1600-1699	16	0.0	4
		\$1700-1799	17	0.0	7
		\$1800-1899	18	0.0	3
		\$1900-1999	19	0.0	2
		\$2000-2099	20	0.0	7
		\$2100-2199	21	0.0	1
		\$2200-2299	22	0.0	2
		\$2300-2399	23	0.0	2
		\$2400-2499	24	0.0	1
		\$2500-2599	25	0.0	8
		\$2600-2699	26	0.0	1
		\$2800-2899	28	0.0	1
		\$3000-3099	30	0.0	12
		\$3100-3199	31	0.0	1
		\$3500-3599	35	0.0	1
		\$4000-4099	40	0.0	1
		\$5000-5099	50	0.0	3
		\$5200-5299	52	0.0	1
		\$5500-5599	55	0.0	1
		* Col. 28-65 "free care" and "no charge" is coded '0000'.			

ORIGINALLY DECK #6

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
455-458 455-456	Q.20a	Hospitalization expenditure* in past year (continued)			
		\$6500-6599	65	0.0	1
		\$7000-7099	70	0.0	1
		\$8200-8299	82	0.0	1
		\$8500-8599	85	0.0	1
459	20b	Insurance paid part or all of the hospital bill			
			BK	91.1	12,088
		NA	&	0.3	47
		DK	--	0.0	3
		Yes	1	6.0	804
		No	2	2.3	307
460	20c	Part paid by insurance included in Q.20a			
			BK	94.0	12,458
		NA	&	0.9	128
		DK	--	0.0	9
		Yes	1	4.8	652
		No	2	0.0	2
461-464 461-462	20d	Out-of-pocket expenses NA/DK, no hospital (Partial code. In tape positions 461-464 'no hospital' full code is 9998.)			
			99	91.8	12,195
		Under \$100	00	6.1	827
		\$100-199	01	0.5	76
		\$200-299	02	0.3	53
		\$300-399	03	0.1	31
		\$400-499	04	0.0	16
		\$500-599	05	0.0	11
		\$600-699	06	0.0	9
		\$700-799	07	0.0	4
		\$800-899	08	0.0	5
		\$900-999	09	0.0	3
		\$1000-1099	10	0.0	3
		\$1100-1199	11	0.0	1
		\$1200-1299	12	0.0	1
		\$1500-1599	15	0.0	3
		\$1600-1699	16	0.0	1
		\$1700-1799	17	0.0	1
		\$1800-1899	18	0.0	1
		\$1900-1999	19	0.0	1
		\$2000-2099	20	0.0	1
		* Col. 28-65 "free care" and "no charge" is coded '0000'.			

ORIGINALLY DECK # 6

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
461-464	20d	Out-of-pocket expenses (continued)			
		\$2100-2199	21	0.0	1
		\$2300-2399	23	0.0	1
		\$2500-2599	25	0.0	2
		\$3000-3099	30	0.0	1
		\$3200-3299	32	0.0	1
465-468 465-466	Q.21a	Doctors' and surgeons' expenditures DK/NA, no hospital (Partial code. In tape positions 465-468 'no hospital' full code is 9998.)	99	44.3	5,901
		Under \$100	00	40.4	5,359
		\$100-199	01	7.6	1,025
		\$200-299	02	3.1	419
		\$300-399	03	1.4	194
		\$400-499	04	0.6	91
		\$500-599	05	0.6	84
		\$600-699	06	0.1	26
		\$700-799	07	0.1	30
		\$800-899	08	0.1	17
		\$900-999	09	0.0	10
		\$1000-1099	10	0.2	37
		\$1100-1199	11	0.0	3
		\$1200-1299	12	0.0	13
		\$1300-1399	13	0.0	3
		\$1400-1499	14	0.0	1
		\$1500-1599	15	0.0	10
		\$1600-1699	16	0.0	2
		\$1700-1799	17	0.0	1
		\$1800-1899	18	0.0	2
		\$2000-2099	20	0.0	15
		\$2100-2199	21	0.0	1
		\$2400-2499	24	0.0	1
		\$3000-3099	30	0.0	2
		\$4200-4299	42	0.0	1
		\$6000-6099	60	0.0	1
469	21b	Insurance paid part or all of the bill			
		NA	BK	22.8	3,031
		DK	&	1.6	220
		Yes	--	0.0	14
		No	1	22.0	2,927
			2	53.2	7,057
470	21c	Part paid by insurance included in Q.21a			
		NA	BK	77.5	10,279
		DK	&	3.8	512
			--	0.4	61

ORIGINALLY DECK # 6

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
470	21c	Part paid by insurance included in Q.21a (continued)			
		Yes	1	17.6	2,338
		No	2	0.4	59
471-474 471-472	21d	Out-of-pocket expenses NA/DK, no hospital (Partial code. In tape positions 471-474 'no hospital' full code is 9998.)	99	26.6	3,545
		Under \$100	00	61.0	8,082
		\$100-199	01	7.3	983
		\$200-299	02	2.3	321
		\$300-399	03	1.0	142
		\$400-499	04	0.3	43
		\$500-599	05	0.3	47
		\$600-699	06	0.0	14
		\$700-799	07	0.0	16
		\$800-899	08	0.0	10
		\$900-999	09	0.0	11
		\$1000-1099	10	0.0	13
		\$1100-1199	11	0.0	1
		\$1200-1299	12	0.0	5
		\$1300-1399	13	0.0	1
		\$1400-1499	14	0.0	1
		\$1500-1599	15	0.0	2
		\$1700-1799	17	0.0	1
		\$1800-1899	18	0.0	1
		\$2000-2099	20	0.0	6
		\$2500-2599	25	0.0	1
		\$3000-3099	30	0.0	1
		\$3800-3899	38	0.0	1
		\$6000-6099	60	0.0	1
475-478 475-476	Q.22a	Dental expenses DK/NA, no hospital (Partial code. In tape positions 475-478 'no hospital' full code is 9998.)	99	57.2	7,605
		Under \$100	00	32.3	4,294
		\$100-199	01	4.7	631
		\$200-299	02	1.8	255
		\$300-399	03	1.3	179
		\$400-499	04	0.6	95
		\$500-599	05	0.5	79
		\$600-699	06	0.1	24
		\$700-799	07	0.0	11
		\$800-899	08	0.0	15
		\$900-999	09	0.0	4
		\$1000-1099	10	0.1	21

ORIGINALLY DECK #6

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
475-478	Q.22a	Dental expenses (continued)			
		\$1100-1199	11	0.0	5
		\$1200-1299	12	0.0	7
		\$1300-1399	13	0.0	1
		\$1400-1499	14	0.0	3
		\$1500-1599	15	0.0	8
		\$1600-1699	16	0.0	2
		\$1700-1799	17	0.0	3
		\$1800-1899	18	0.0	1
		\$2000-2099	20	0.0	2
		\$2300-2399	23	0.0	1
		\$2500-2599	25	0.0	2
		\$3000-3099	30	0.0	1
479	22b	Insurance paid part or all of the bill			
			BK	48.4	6,420
		NA	&	1.3	181
		DK	--	0.0	15
		Yes	1	4.3	586
		No	2	45.6	6,047
480	22c	Part paid by insurance included in Q.22a			
			BK	94.1	12,473
		NA	&	1.8	250
		DK	--	0.2	36
		Yes	1	3.3	447
		No	2	0.3	43
481-484 481-482	22d	Out-of-pocket expenses DK/NA, no hospital (Partial code. In tape positions 481-484 'no hospital' full code is 9998.)			
			99	50.9	6,773
		Under \$100	00	39.0	5,173
		\$100-199	01	4.6	615
		\$200-299	02	1.8	256
		\$300-399	03	1.2	168
		\$400-499	04	0.6	85
		\$500-599	05	0.5	75
		\$600-699	06	0.1	22
		\$700-799	07	0.0	12
		\$800-899	08	0.0	13
		\$900-999	09	0.0	4
		\$1000-1099	10	0.1	19
		\$1100-1199	11	0.0	5
		\$1200-1299	12	0.0	7
		\$1300-1399	13	0.0	1
		\$1400-1499	14	0.0	3
		\$1500-1599	15	0.0	6

ORIGINALLY DECK #6

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
481-484	22d	Out-of-pocket expenses (continued)			
		\$1600-1699	16	0.0	2
		\$1700-1799	17	0.0	3
		\$1800-1899	18	0.0	1
		\$2000-2099	20	0.0	2
		\$2500-2599	25	0.0	2
		\$3000-3099	30	0.0	1
		\$8000-8099	80	0.0	1
485-488 485-486	Q.23	Expenditures for prescription and nonprescription drugs, first aid supplies, vitamins, etc., in past year DK/NA, no hospital (Partial code. In tape positions 485-488 'no hospital' full code is 9998.)	99	16.2	2,168
		Under \$100	00	74.3	9,857
		\$100-199	01	6.5	871
		\$200-299	02	1.6	225
		\$300-399	03	0.5	72
		\$400-499	04	0.1	24
		\$500-599	05	0.1	17
		\$600-699	06	0.0	5
		\$700-799	07	0.0	2
		\$800-899	08	0.0	4
		\$1000-1099	10	0.0	2
		\$1200-1299	12	0.0	1
		\$4900-4999	49	0.0	1
489-492 489-490	Q.24	Expenditures for eye glasses, crutches, prosthetics, and other appliances DK/NA, no hospital (Partial code. In tape positions 489-492 'no hospital' full code is 9998.)	99	77.9	10,347
		Under \$100	00	20.8	2,773
		\$100-199	01	0.6	86
		\$200-299	02	0.1	17
		\$300-399	03	0.0	16
		\$400-499	04	0.0	4
		\$500-599	05	0.0	1
		\$600-699	06	0.0	1
		\$1000-1099	10	0.0	2
		\$1300-1399	13	0.0	1
		\$5000-5099	50	0.0	1

XV. GENERAL PERSONAL INFORMATION ON RESPONDENT

ORIGINALLY DECK #7

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
536-537	Q.25	Highest grade completed			
		Not answered	97	0.0	3
		NA	98	0.1	30
		DK	99	0.4	65
		None	00	12.5	1,662
		First grade	01	2.3	322
		Second grade	02	2.3	312
		Third grade	03	2.7	367
		Fourth grade	04	3.0	400
		Fifth grade	05	3.1	422
		Sixth grade	06	3.8	516
		Seventh grade	07	3.3	443
		Eighth grade	08	10.9	1,450
		Ninth grade	09	4.2	569
		Tenth grade	10	6.5	873
		Eleventh grade	11	5.4	726
		Twelfth grade	12	22.6	3,002
		First year college	13	1.9	258
		Second year college	14	3.8	506
		Third year college	15	1.4	195
		Graduated college	16	4.5	603
		Postgraduate	17	3.9	525
538	Q.26	Religious background			
			BK	6.8	914
		NA	&	0.0	13
		DK	--	0.0	2
		Buddhist	1	0.1	19
		Catholic	2	46.5	6,169
		Jewish	3	18.5	2,461
		Major protestant groups (Episcopal, Presbyterian, Methodist, African Methodist, Episcopal, Reformed, United Church of Christ, Baptist, Lutheran, Pentecostal, Quaker, Unitarian, Seventh Day Adventist)	4	24.5	3,248
		Other (Moslem, Black Muslim, Confuscan, Jehovah's Witness, Hindu, Greek Orthodox)	5	2.1	284
		No religion	6	0.7	104
		Refusal	9	0.2	35
539	Q.27	Armed services			
			BK	67.7	8,979
		NA	&	0.3	42

ORIGINALLY DECK # 7

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
539	Q.27	Armed services (continued)			
		Yes	1	11.6	1,549
		No	2	20.1	2,679
540	27b	Service during a war			
			BK	88.0	11,664
		NA	&	0.3	42
		Yes	1	8.4	1,123
		No	2	3.0	405
		DK	3	0.0	15
541	27c	Service from June 27, 1950 to present			
			BK	96.0	12,732
		NA	&	0.3	55
		DK	--	0.0	2
		Yes	1	2.6	361
		No	2	0.6	99
542	Q.28a	Employment during 2-week period (respondents 14 years and over)			
			BK	23.9	3,179
		NA	&	0.1	24
		Yes	1	40.6	5,391
		No	2	35.1	4,655
543	28b	If "No" in Q.28a, regularly employed			
			BK	64.5	8,554
		NA	&	0.1	31
		Yes	1	1.9	258
		No	2	33.2	4,406
544	28c	If "Yes" in Q.28a, work full or part time			
			BK	57.2	7,588
		Full-time	1	38.8	5,146
		Part-time	2	3.5	469
545	28d	If "No" in Q.28b & c, reason for not working			
			BK	65.9	8,742
		NA	&	0.1	25
		Looking for work	1	0.9	129
		Layoff	2	0.1	32
		School	3	7.1	949
		Keeping house	4	19.2	2,558
		Retired	5	4.1	547
		Other	6	2.0	267

ORIGINALLY DECK #7

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
546	28e	Occupation	BK	56.4	7,478
		NA	&	0.3	42
		DK	--	0.0	11
		Professional, technical, and kindred	1	7.1	960
		Managers, officials, proprietors	2	4.6	621
		Clerical and kindred	3	9.7	1,295
		Sales workers	4	2.4	330
		Craftsmen, foremen, and kindred	5	3.8	514
		Operative and kindred	6	7.0	935
		Private household workers	7	0.5	81
		Service workers excl. private household	8	6.0	806
		Laborers	9	1.3	176
547	28f	Usual occupation?	BK	56.5	7,486
		NA	&	0.3	53
		DK	--	0.0	3
		Yes	1	41.5	5,506
		No	2	1.5	201
548-549	28g	If "No" in Q.28f, what is your usual occupation?	BK	98.1	13,003
		NA	&	0.3	45
		DK	--	0.0	10
		Student	10	0.8	121
		Professional, technical, and kindred	1	0.1	24
		Managers, officials, proprietors	2	0.0	7
		Clerical and kindred	3	0.0	12
		Sales workers	4	0.0	1
		Craftsmen, foremen, and kindred	5	0.0	6
		Operative and kindred	6	0.0	9
		Private household workers	7	0.0	0
		Service workers excl. private household	8	0.0	5
		Laborers	9	0.0	6
550	28h	Employment auspices	BK	56.5	7,492
		NA	&	0.5	69
		Self	1	3.7	499
		Private	2	32.9	4,367
		Government	3	6.1	822
618-619	Q.29a	1967 income from all sources before taxes	BK	24.0	3,187

ORIGINALLY DECK # 7

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
618-619	Q.29a	1967 income from all sources before taxes (continued)			
		NA/DK	&	5.0	672
		None	--	18.4	2,445
		Less than \$1,000	11	5.6	750
		\$1,000-1,999	12	5.8	781
		\$2,000-2,999	13	5.1	684
		\$3,000-3,999	14	6.3	839
		\$4,000-4,999	15	6.4	857
		\$5,000-5,999	16	5.7	764
		\$6,000-6,999	17	4.1	555
		\$7,000-7,999	18	3.5	469
		\$8,000-9,999	20	4.0	540
		\$10,000-14,999	21	4.4	596
		\$15,000-19,999	22	0.3	56
		\$20,000-24,999	23	0.0	16
		\$25,000-49,999	24	0.1	30
		\$50,000-99,999	25	0.0	8
		\$100,000-1,000,000	26	0.0	0
		\$1,000,000 + over	27	0.0	0
620-621	29b	Weekly income			
		NA	BK	24.0	3,188
		DK	&	5.3	717
		\$226 + over	--	21.7	2,887
		Less than \$25	10	0.7	106
		\$25-50	1	4.9	657
		\$51-75	2	6.5	875
		\$76-100	3	6.9	924
		\$101-125	4	8.8	1,178
		\$126-150	5	6.2	833
		\$151-175	6	4.9	660
		\$176-199	7	3.0	408
		\$200-225	8	2.2	299
			9	3.8	517
622	29c	Was this respondent's usual weekly income?			
		NA	BK	24.2	3,217
		DK	&	5.4	727
		Yes	--	0.1	31
		No	1	65.2	8,649
			2	4.6	625
623	Q.30	Welfare assistance			
		NA	BK	0.0	4
		Yes	&	0.1	31
		No	1	12.0	1,594
			2	87.6	11,620

ORIGINALLY DECK #7

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
624	Q.31	Exclusive kitchen facilities	BK	0.0	6
		NA	&	0.1	17
		DK	--	64.1	8,511
		Yes	1	34.8	4,625
		No	2	0.6	90
625-626	Q.32	Number of rooms (drop halves)	BK	22.9	3,046
			&	0.0	14
		Refused	--	41.4	5,491
		Ten rooms or more	10	0.1	27
			1	1.1	153
			2	2.7	369
			3	9.5	1,267
			4	9.1	1,224
			5	5.9	789
			6	4.0	542
			7	1.4	192
			8	0.6	84
			9	0.3	51
627	Q.33	Respondent status	BK	0.0	3
			&	0.1	18
		Self	1	47.1	6,246
		Not self	2	52.6	6,982
628	Q.34a	Any person(s) listed in the inter- view who spent time away from home in the past year	BK	0.0	5
		NA	&	0.3	46
		DK	--	0.0	1
		Yes	1	4.0	536
		No	2	95.5	12,661
629	34b	If "Yes" in Q.34a, interim location	BK	95.5	12,668
		NA	&	0.1	26
		Military service	1	0.3	47
		At school	2	0.3	48
		In a correctional institution	3	0.0	4
		Hospital or nursing home	4	0.8	118
		Another family	5	0.6	99
		Other	6	1.7	239
630	Q.35	Have a telephone	BK	63.6	8,444
		NA	&	1.0	135
		DK	--	0.0	6

ORIGINALLY DECK # 7

TAPE POSITION	QUES.	COLUMN LABELS & CODE MEANING	CODE	%	N
630	Q.35	Have a telephone (continued)			
		Yes	1	30.1	3,995
		No	2	5.0	669
	Q.36	Not coded			
631	Q.37	Medicaid ID number (or welfare number)			
			BK	17.6	2,349
		NA	&	3.0	398
		DK	--	2.8	389
		Recorded number	1	13.0	1,726
		None	2	63.2	8,387
632	Q.38	Social Security number			
			BK	0.0	8
		NA	&	10.5	1,406
		DK	--	27.1	3,607
		Recorded number	1	34.8	4,626
		None	2	27.1	3,602
633	Q.39	Status of permission form			
			BK	60.0	7,952
		NA	&	0.0	16
		DK	--	0.0	1
		Signed	1	3.4	461
		Not signed	2	8.7	1,162
		No doctor	3	27.5	3,657
634-638		Yearly income of entire household*			
639-646		01 PERSON ONLY (unknown code meanings)*			
647-673		Blank			
		* Marginals not generated.			

Appendix

RECORD OF THE EDITING

Original Tape Position	Original Code	New Code	New Tape Position
34-35	'00'	'&&'	35-36
38	'A'	'-'	39-40
41-42	'&9'	'09'	43-44
	'&2'	'12'	
52-53	'2 '	'02'	54-55
61	'0'	' '	63
62-63	'20'	'02'	64-65
80	'&'	'9'	82
108-109	'21'	'12'	111-112
110	'C'	'-'	113
114	'0'	'&'	120
115	'6'	'-'	121
	'3'	'-'	
126-127	' 1'	'11'	133-134
	'1 '	'11'	
	'2 '	'22'	
135-136	'10'	' '	145-146
195	'8'	'2'	107
198	'3'	'2'	110
223	'3'	'2'	235
230-231	'80'	' 80'	243-245
235	'8'	'-'	249
237	'4'	'1'	251
272	'1'	'4'	287
274	'D'	'-'	289
276	'H'	'-'	292
277	'3'	'-'	293
279	'V'	'-'	296
	'3'	'-'	
280	'0'	'&'	297
281-283	'6 '	'006'	299-301
	'K '	'---'	
284-285	'5C'	'150'	302-304
292-293	'00'	' '	311-312
351	'6'	'3'	373
	'K'	'2'	
354	'3'	'-'	377
	'8'	'-'	

Original Tape Position	Original Code	New Code	New Tape Position
358	'8'	'-'	382
359	'A'	'10'	383-384
363	'&'	' '	389
	'0'	' '	
	'2'	' '	
	'3'	' '	
443	'0'	'&'	470
453	'0'	'&'	480
516	'5'	'2'	544
517	'9'	'6'	545
521	'C'	'&'	550
592	'7'	'-'	624
594	'5'	'2'	627
597	'6'	'-'	630
599	'3'	'-'	632
590	'u'	'-'	622
188 to 223	'&'	'2'	200 to 235
22, 102, 182, 262, 342, 422, 502, 582	'B'	'1'	22, 104, 193, 276, 361, 448, 529, 611
26-7, 106-7, 186-7, 266-7, 346-7, 426-7, 506-7, 586-7	'2A'	'26'	27-8, 109-110, 198-9, 281-2, 366-7, 453-4, 534-5, 616-7
77-79, 227-229	'---'	'999'	79-81, 240-242
	'&&&'	'998'	
	' '	'997'	
36-37, 39-40, 52-53, 54-55, 62-63, 64-65, 71-72, 73-74, 233-234, 287-288, 301-302, 508-509	'--'	'99'	37-8, 41-2, 54-5, 56-7, 64-5, 66-7, 73-4, 75-6, 247-8, 306-7, 320-1, 536-7
	'&&'	'98'	
	' '	'97'	
17, 191, 196	'0'	'1'	17, 202, 207
23, 103, 123, 183, 225, 263, 275, 278, 280, 343, 349, 350, 352, 361, 423, 503, 583, 588	'A'	'11'	23-4, 105-6, 129-30, 194-5, 237-8, 277-8, 290-1, 294-5, 297-8, 362-3, 369-70, 371-2, 374-5, 386-7, 449-50, 530-1, 612-3, 618-9
	'B'	'12'	
	'C'	'13'	
	'D'	'14'	
	'E'	'15'	
	'F'	'16'	
	'G'	'17'	
	'H'	'18'	
	'I'	'19'	
	'J'	'20'	
	'K'	'21'	
	'L'	'22'	
	'M'	'23'	

Original Tape Position	Original Code	New Code	New Tape Position
	'N'	'24'	
	'O'	'25'	
	'P'	'26'	
	'Q'	'27'	
	'R'	'28'	
	'S'	'29'	
	'T'	'30'	
	'U'	'31'	
	'V'	'32'	
	'W'	'33'	
	'X'	'34'	
	'Y'	'35'	
	'Z'	'36'	
280, 350, 349	':'	'25'	297-8, 371-2, 369-70
	'#'	'27'	
	'"'	'11'	
111, 112, 113, 129, 130, 131, 139, 225	' '	'97'	114-5, 116-7, 118-9,
	'&'	'98'	136-7, 138-9, 140-1,
	'-'	'99'	149-50, 237-8
356	'0'	'10'	379-380
	'_'	'11'	
	'&'	'12'	
359, 38, 520, 589, 593, 361, 349, 350	'0'	'10'	383-4, 39-40, 548-9, 620-1, 625-6, 386-7, 369-370, 371-2
428-429, 434-435, 438-439, 444-445, 448-449, 454-455, 458-459, 462-463	'&&'	'9999'	455-458, 461-464,
	'- '	'9999'	465-468, 471-474,
	'--'	'9999'	475-478, 481-484,
	'-&'	'9999'	485-488, 489-492
230-321, 284-285	'0A'	'100'	243, 245, 302-304
	'1A'	'110'	
	'2A'	'120'	
	'3A'	'130'	
	'4A'	'140'	
	'5A'	'150'	
	'6A'	'160'	
	'7A'	'170'	
	'8A'	'180'	
	'9A'	'190'	

