

# The Effect of the 2009 Influenza Pandemic on Absence from Work

Fabian Duarte, Srikanth Kadiyala, Samuel H. Masters, and David Powell

RAND Labor & Population  
RAND Bing Center for Health Economics

WR-1176

December 2016

This paper series made possible by the NIA funded RAND Center for the Study of Aging (P30AG012815), the RAND Labor and Population Unit, and the RAND Bing Center for Health Economics.

RAND working papers are intended to share researchers' latest findings and to solicit informal peer review. They have been approved for circulation by RAND Labor and Population but have not been formally edited or peer reviewed. Unless otherwise indicated, working papers can be quoted and cited without permission of the author, provided the source is clearly referred to as a working paper. RAND's publications do not necessarily reflect the opinions of its research clients and sponsors. RAND® is a registered trademark.



For more information on this publication, visit [www.rand.org/pubs/working\\_papers/WR1176.html](http://www.rand.org/pubs/working_papers/WR1176.html)

Published by the RAND Corporation, Santa Monica, Calif.

© Copyright 2017 RAND Corporation

**RAND**® is a registered trademark

#### **Limited Print and Electronic Distribution Rights**

This document and trademark(s) contained herein are protected by law. This representation of RAND intellectual property is provided for noncommercial use only. Unauthorized posting of this publication online is prohibited. Permission is given to duplicate this document for personal use only, as long as it is unaltered and complete. Permission is required from RAND to reproduce, or reuse in another form, any of its research documents for commercial use. For information on reprint and linking permissions, please visit [www.rand.org/pubs/permissions.html](http://www.rand.org/pubs/permissions.html).

The RAND Corporation is a research organization that develops solutions to public policy challenges to help make communities throughout the world safer and more secure, healthier and more prosperous. RAND is nonprofit, nonpartisan, and committed to the public interest.

RAND's publications do not necessarily reflect the opinions of its research clients and sponsors.

#### **Support RAND**

Make a tax-deductible charitable contribution at  
[www.rand.org/giving/contribute](http://www.rand.org/giving/contribute)

[www.rand.org](http://www.rand.org)

# The Effect of the 2009 Influenza Pandemic on Absence from Work

Fabian Duarte, Srikanth Kadiyala, Samuel H. Masters, and David Powell<sup>1</sup>

## Corresponding Author:

Srikanth Kadiyala

Rand Corporation

1776 Main St.

Santa Monica CA, 90401

[Kadiyala@rand.org](mailto:Kadiyala@rand.org)

310-393-0411

---

<sup>1</sup> Duarte: Department of Economics, University of Chile; Kadiyala (corresponding author): RAND ([kadiyala@rand.org](mailto:kadiyala@rand.org)); Masters: Department of Health Policy and Management, Gillings School of Global Public Health, University of North Carolina at Chapel Hill; Powell: RAND. An earlier draft of this paper is available on SSRN titled “The Effect of the 2009 Influenza Pandemic on Labor Market Outcomes”. We thank two anonymous referees for their comments and suggestions. This work was funded in part by NIH grant R21 AI103741-01. Srikanth Kadiyala also thanks the RAND Bing Center for Health Economics for funding support. Duarte thanks financing provided by the Centre for Social Conflict and Cohesion Studies (CONICYT/FONDAP/15130009).

## Abstract

In July 2009, the WHO declared the first flu pandemic in nearly 40 years. Although the health effects of the pandemic have been studied, there is little research examining the labor productivity consequences. Using unique sick leave data from the Chilean private health insurance system, we estimate the effect of the pandemic on missed days of work. We estimate that the pandemic increased mean flu days missed by 0.042 days per person-month during the 2009 peak winter months (June and July), representing an 800% increase in missed days relative to the sample mean. Calculations using the estimated effect imply a minimum 0.2% reduction in Chile's labor supply.

## 1. Introduction

In July 2009, the World Health Organization (WHO) declared the first flu pandemic in nearly 40 years. The 2009 flu pandemic caused almost 18,500 confirmed deaths and cases were reported from 214 countries worldwide (WHO, 2010). Several studies have evaluated the effects of the 2009 pandemic on mortality (Azziz-Baumgartner et al., 2012; Lemaitre et al., 2012; Nguyen and Noymer, 2013; Sypsa et al., 2011; Yang et al., 2012a), finding that the 2009 pandemic significantly increased mortality rates from influenza-like illnesses relative to previous non-pandemic flu seasons. Excess mortality due to the 2009 pandemic ranged from a low of approximately 0.79 deaths per 100,000 in the United States to a high of 2.7 deaths per 100,000 individuals in Argentina. Prior research has also examined the effects of the 2009 pandemic on health care utilization, including physician visits, visits to emergency departments, and hospitalizations (Jacks et al., 2012; Rodríguez-Rieiro et al., 2012; Rubinson et al., 2013; Schanzer and Schwartz, 2013; Uscher-Pines and Elixhauser, 2006; Weinberger et al., 2012; Yang et al., 2012b); nearly all of these studies find significant increases in health care utilization in the 2009 flu season relative to earlier non-pandemic flu seasons.

Although our understanding of the mortality and health utilization effects due to the 2009 flu pandemic has grown rapidly, significant gaps remain with respect to understanding the effects of the pandemic on non-health outcomes including short-term work productivity and missed days of work (Dawood et al., 2012). Galante et al. (2012) surveyed 396 patients in Spain who had either an inpatient or outpatient visit regarding their days missed from work. The survey period in this study only captured the days missed from work in the week before the patient was treated until recovery, thus excluding estimates of missed days of work for individuals who never interacted with the medical care system; missing estimates of missed days of work due to any flu

related relapses post-recovery. Blasio et al. (2012) evaluates sick leave in Norway due to the pandemic, but as noted by the authors, because self-certified sick leave is not captured by the data, the true effects of the pandemic on sick leave are likely to be understated. Aside from Galante et al. (2012) and Blasio et al. (2012), existing research on pandemics and missed days of work is either focused on pandemics from several decades ago, or is based on simulations with limited applications (Brainerd and Siegler, 2003; Jonung and Roeger, 2006; Meltzer et al., 1999).

Influenza is an infectious disease with the potential to have large and damaging effects on the national and world economy. When considering the relationship between health and labor productivity, the flu is potentially an important factor that affects the general working population<sup>2</sup>. The labor productivity costs, as measured by missed days of work, is a potentially critical component of the full cost of a pandemic and, yet, we have little evidence regarding its magnitude. While any influenza season is associated with a rise in sickness absences (Akazawa et al., 2003), we are likely disproportionately interested in the effects of especially virulent flu seasons, since the health and non-health effects of pandemics are likely to be substantially larger. Pandemics, which typically occur due to unanticipated changes in the virulence of the flu strain, also potentially necessitate immediate investment by country governments in new vaccine procurement and investment in public health strategies aimed at fighting the spread of the disease. A full understanding of the costs of pandemics will thus aid in government decision-making both with respect to the level of immediate investment in containing the pandemic and R&D investments in technologies aimed at speeding up the vaccine creation process in the future. In this paper, using unique sick leave data from the Chilean private health insurance

---

<sup>2</sup> Studies have also identified significant effects of influenza on birth outcomes, as well as longer term effects on SES and labor force participation for individuals who were exposed to influenza in-utero (Currie and Schwandt, 2013; Schwandt, 2014).

system, we estimate the labor productivity cost of the 2009 pandemic with respect to missed days of work in Chile. Unlike many health care systems in the developed world, sick leave in Chile is based on physician diagnosis of illness and is reimbursed by the health insurance system, which provides a unique opportunity to accurately study work absences directly related to the pandemic. Our empirical strategy takes advantage of the fact that the pandemic occurred during the well-defined peak winter months in Chile of June and July of 2009. The timing of the pandemic allows us to compare work absences during the pandemic to work absences in a typical flu season while accounting for secular changes in work absences over the 2007-2010 time period.

Broadly, our paper fits into the economic literature on the relationship between health and labor market outcomes. Understanding the importance of health in explaining labor outcomes has long interested economists although estimating this relationship is difficult in many contexts due to the empirical challenges of determining the causal direction between health and labor outcomes. Currie and Madrian (1999) summarize much of the early literature in this field, “[A]lthough many studies attempt to go beyond ordinary least squares in order to deal with measurement error and the endogeneity of health, it is difficult to find compelling sources of identification. The majority of these studies rely on arbitrary exclusion restrictions, and estimates of some quantities appear to be quite sensitive to the identification assumptions” (p., 3320). More recent work, using matching and difference-in-difference research designs, has focused on the employment effects of non-infectious diseases such as cancer (Bradley et al., 2005, 2002; Moran et al., 2011). While employment no doubt affects health independently, it has little impact on the strength of the influenza virus in any year or the timing with which the influenza virus typically operates. We isolate the effect of a short-term health shock on labor productivity by taking

advantage of these characteristics of the disease. We leverage the rich sick leave data to directly link the effects of the pandemic on lost workdays, providing estimates of the labor productivity costs associated with a health shock.

In the next section, we describe the Chilean sick leave system and introduce the data. In Section 3, we outline our empirical strategy and present the results in Section 4. We conclude with a discussion of the implications of our results in Section 5.

## 2. Background

### 2.1 Sick Leave

According to a recent survey from the World Health Organization (Scheil-Adlung and Sandner, 2010), as many as 145 countries worldwide have systems that provide sick leave compensation. Sick leave is an important social insurance program which protects workers and firms against lost wages resulting from illness<sup>3</sup>.

In Chile, both the private (ISAPRE) and public (FONASA) health insurance systems reimburse individuals their daily income for non-work related health absences. There are four steps involved in filing a sickness insurance claim and receiving compensation in the Chilean sick leave system. First, an employee requesting compensation for a work absence must consult with a physician to obtain a diagnosis regarding the cause of illness. Second after diagnosing the illness the physician writes and signs a sick claim form, called a *licencia*, and specifies the number of days on the *licencia* that the employee needs to rest before returning to work. Third,

---

<sup>3</sup> Sick leave provisions typically consist of income reimbursement that either partially or fully covers lost income due to illness and some limit on the total number of days employees are allowed to be covered by sick-leave. The majority of countries with sick-leave systems cover sick leave up to a month or more and replace at least 50% of employee's income (Scheil-Adlung and Sandner, 2010).

the licencia is then sent to the employee's employer so that they can verify that the worker is employed at the time of issue. Finally, the form is sent to the employee's primary insurer (ISAPRE or FONASA), where a panel of physicians evaluates the licencia's validity and notifies the worker whether they will receive compensation.

The ISAPRE evaluation may result in three different outcomes: the licencia may be approved as is, reduced (approved in part), or rejected (not approved at all). Typically individuals request more days than they are approved. If an individual is approved less than eleven days of sick leave for an illness episode then they are only reimbursed their daily income starting on the 4<sup>th</sup> day of the illness. If an individual is approved eleven or more days of sick leave for an illness episode then they are reimbursed all of the missed days of work. Individuals who relapse due to illness or require more days than initially granted to recuperate are allowed to submit another licencia. If individuals do not return to work after the ISAPRE approved number of days then they forgo their income for those days<sup>4</sup>, thus the number of days approved by ISAPRE provides a strong lower bound estimate for employee absences. The maximum monthly-reimbursement is capped at approximately \$2,500 US dollars, which is approximately twice the average monthly salary of an individual in the private health insurance system in Chile.

This system requires and generates a set of data detailing sick leave requests and approvals, which we leverage to study changes in work absences due to exogenous changes in illness propensity resulting from a virulent flu strain in 2009.

---

<sup>4</sup> Pandemics may also have effects on presenteeism (working while sick) but the sick-leave data does not allow us to estimate these effects.

## 2.2 Data

We utilize a unique panel dataset that contains private health insurance claims data from all employed, privately insured Chileans between January 2007 and December 2010. Nearly 1.4 million individuals are observed monthly in this data. Individuals enrolled in the private health insurance system tend to be younger, have higher income, be more educated, and have smaller families compared to the remaining population that is enrolled in the Chilean public health insurance system (Duarte, 2012). Since the private health insurance system in Chile not only reimburses for health care treatments, but also reimburses income for missed days of work, information is collected on all sick leave applications filed by all employed individuals.

The Chilean sick leave data contains information on the total number of days requested by an individual to cover health related absences, the total number of days approved by the insurer, ICD-10 disease diagnosis information on the underlying reason for the request and data on the month and year of the request. We combine this information with standard health insurance claims data information including age, gender, region, enrollment information and primary insurer for a longitudinal panel of approximately 1.4 million individuals each month. The sick leave and health insurance data allow us to precisely estimate the effect of the 2009 flu pandemic on the number of days missed from work and the associated economic costs in the Chilean private health insurance system.

We provide estimates of the effect of the pandemic on days requested and days approved since both measures provide complementary information about work absences. We find large effects on both outcomes, suggesting that they are informative of changes in labor productivity. The estimates using the two measures also provide very similar results proportional to their respective means.

In Table 1 we present relevant descriptive statistics, by year, for the variables we use to estimate the regression model. The mean age in our data is relatively constant around 42 years old, and the majority of privately insured people are men. The effect of the 2009 pandemic can be observed in the raw summary statistics. We observe a pattern of high days requested and approved during the 2009 pandemic year. Moreover, even conditional on a flu claim, we find the mean number of days requested was approximately 1 day higher in 2009 than in the other years. These results imply that in 2009 there were more claims and the claims covered longer periods of work absences than in other flu seasons. These raw patterns will be confirmed in the empirical analysis.

### 3. Empirical Strategy

Our empirical strategy estimates the effect of the 2009 pandemic on work absences in Chile and exploits the fact that 1) the flu is seasonal in nature and generally occurs during the May to August months, with peak transmission in June and July, and 2) the pandemic occurred in a single year, 2009. As typical in this literature, we condition on month fixed effects to account for seasonal variation in outcomes such as the effects of a typical (non-pandemic) flu season and labor market patterns. We also include year fixed effects to account for any changes over time that may independently affect labor outcomes, such as economic policies which vary over 2007-2010 time period. This difference-in-differences approach, standard in the literature, compares the outcomes of interest in populations in an affected year (2009) and time period (June-July) with control groups taken from years before and after the 2009 flu pandemic year (Nguyen and Noymer, 2013; Weinberger et al., 2012). We define the pandemic flu season for Chile using a strict peak winter two month window, from June 1<sup>st</sup> to July 31<sup>st</sup> of each year and define individuals as having influenza if they have one of the following diagnosis codes: J10

(Influenza - influenza virus identified), J11 (Influenza – influenza virus not identified), J12 (Adenovirus pneumonia), J13 (*S. pneumoniae* pneumonia) and J18 (Pneumonia, unspecified organism). We also show that our results are robust to expanding the definition of the flu season to the May-August months.

We first use information on primary policy-holders from the private health insurance eligibility files and identify whether an individual was enrolled in a private health insurance plan in a given year/month. Using all enrolled individuals in a given year-month as the unit of analyses, we then examine three primary outcomes: 1) the total number of days requested by an individual to be reimbursed for influenza-like illnesses and 2) the total number of days approved by the private insurance company for influenza-like illnesses and 3) the probability of filing an influenza related sick-leave claim. We focus the analysis on the first two outcomes, since they are ultimately the key parameters of interest, but we also decompose the results to understand whether the intensive or extensive margins dominate the effects.

We estimate the following equation:

$$Y_{imt} = \alpha_t + \gamma_m + \beta X'_{imt} + \delta D_{mt} + \varepsilon_{imt} \quad (1)$$

where  $Y_{imt}$  represents one of our outcome measures (discussed above) for individual  $i$  in calendar month  $m$  and year  $t$ . The pandemic is represented by  $D_{mt}$ , the interaction of an indicator for the year 2009 and an indicator for the Chilean peak winter months of June and July. For the reasons noted above, the model includes calendar month and year fixed effects. The specification also controls for demographic characteristics  $X_{imt}$  including age, sex, primary insurer, and region dummies. Age is included as a continuous variable, sex is included as binary variable indicating

if the respondent is male, and we include binary indicator variables for all primary insurers in the data.

Given that we account for the independent effects of the flu season (through calendar month fixed effects) and annual changes in labor conditions,  $\delta$  captures the difference-in-differences estimate of the effect of the 2009 flu pandemic. We adjust all standard errors to account for within-individual clustering.

To test the robustness of our results, we conduct five additional analyses. We leverage the rich controls in our data and its longitudinal nature to test whether our estimates are significantly affected by the inclusion of additional covariates and individual fixed effects. In the first analysis we include additional controls for enrollee monthly salary, insurance plan type,<sup>5</sup> number of dependents and job type.<sup>6</sup> In the second analysis, we include the new controls listed above and estimate regression models with individual fixed effects, thus taking advantage of the longitudinal nature of the data. The individual fixed effects model allows us to control for unobserved time-invariant heterogeneity across individuals. In the third analysis, we include the additional controls and individual fixed effects, while limiting the sample to only those individuals who were continuously enrolled in all 48 months. By using a balanced sample, we further reduce concerns that employee attrition or enrollment is driving our results. Finally, we also perform two placebo tests, one in which we define the pandemic months as occurring in the summer (January and February) of 2009; a second placebo test where we define the pandemic as occurring in the winter months (June and July) of 2010.

---

<sup>5</sup> Whether the health insurance policy is an individual, couple, or group health insurance plan.

<sup>6</sup> Self-employed or not.

## 4. Results

### 4.1 Graphical Analysis

The labor productivity effect of the pandemic is striking and can be observed graphically. Figure 1 displays the total number of sick leave claims filed for influenza-like illnesses by privately enrolled individuals over the 2007 to 2010 data years. Figure 1 presents a very salient change in the number of claims filed for influenza like illnesses during the pandemic year. In each of the 2007, 2008 and 2010 years, there is a noticeable increase in the total number of claims filed for influenza-like illnesses during the winter months when compared to the non-winter months, but this differential increase is significantly higher in the 2009 pandemic year. The total number of days requested and the total number of days approved for influenza-like illnesses for all enrollees, also show the same pattern as Figure 1 (Appendix Figures 1 and 2).

The effect of the pandemic on worker absences is clear in our figures. The number of claims in the seasonal flu months is dramatically higher in 2009 than any other year. We observe flu seasons in years both before and after the pandemic, and the patterns do not suggest that the spike in 2009 represent the effects of a new policy change beginning in 2009. The number of claims during the 2010 flu season is similar in magnitude to the pre-pandemic flu seasons, such that we can reasonably attribute the 2009 increase to the pandemic.

### 4.2 Regression Estimates

Next we translate the results in the figures into regression estimates by estimating Equation (1) using data on all individual enrollee months. In Table 2, Column (1), we show the effect of the pandemic on the mean number of days requested for influenza-like illnesses. The regression results confirm the basic findings from Figure 2: during the pandemic the mean number of days requested for influenza increase by approximately 0.11 days per person per

month. The estimated coefficient represents a 691% increase in days requested compared to the sample mean of 0.0159.

This estimate is robust to a variety of sensitivity checks<sup>7</sup>. In Table 2, Column (2), we add the additional previously described controls and find that the effect of the pandemic on days requested is basically unchanged. In Column (3) we add individual fixed effects and again find essentially no change to the Column (1) estimate. There is little reason to think that our sample composition would react to the strength of the flu. Individuals can move into or out of private insurance, but our estimates are only affected if this is correlated with the pandemic. The consistency of the estimates when individual fixed effects are included in the main specification highlights that changes in sample composition are not driving the results. We can also test for this possibility by restricting the analyses to individuals that remain continuously in the sample. We subset the data sample to individuals who are enrolled continuously in every month over the 2007 to 2010 time period and present the estimates in Column (4). Again, the findings are very similar, as the mean number of flu days requested increased by 0.095 per person per month, compared to 0.11 in analyses using the entire sample. Overall, given the nature of the primary research design, and the fact that individual movement into and out of the private health insurance system is not likely to be dependent on the flu-season, it is not surprising that our results are robust to changes in the set of covariates or the analysis sample.

---

<sup>7</sup> We also tested the sensitivity of the OLS estimates to negative binomial regression models, but the negative binomial regressions did not converge even for the simplest regression specifications for the full data. Regressions converged for a random 5% sample of the data for the simplest regression specifications (columns 1 and 2, Tables 2 and 4) and these estimated coefficients were close in magnitude and statistical significance to the OLS estimates. We include the negative binomial results in appendix Tables 1 and 2.

The results described in Table 2 present the overall effect of the pandemic on the number of days requested. This total effect is a combination of additional claims (number of unique people missing any work monthly) and changes in the number of absent days per claim. In order to better understand what drives work loss, we estimate two-part models (Boles et al. 2004) aimed at differentiating between the pandemic causing more work absences (the extensive margin) or longer work absences, measured as an increase in number of days requested and approved per flu episode (the intensive margin).

First, in Column (1) of Table 3, we re-estimate Equation (1) but replace the outcome variable with an indicator equal to 1 if the person had a flu claim in that month-year. We estimate that the pandemic increase the probability of making a claim by 1.5 percentage points, statistically significant at the 1% level. On the intensive margin, we study the relationship between the pandemic and number of days missed conditional on filing a claim and present the results in Column (2). Conditional on filing a claim we estimate that the pandemic increased the number of days requested by 0.97 days. The mean number of days requested per influenza was approximately 5.8 in non-pandemic years. Given that pandemic flu increased days requested conditional on filing a claim by approximately 1, we determine that 85% percent of total pandemic work loss was due to new cases—the extensive margin--and 15% was due to more severe flu keeping people home longer—the intensive margin.

One concern with the estimates presented in Column (2) is that, given such a large extensive margin effect, the pandemic may have also impacted the marginal person that misses work due to the pandemic. Consequently, the pandemic may have impacted the length of work absences but also the composition of people missing work. If there are differences in the

underlying propensity to take short (or long) absences among this population, then our estimates aggregate the causal impact of the pandemic and compositional changes of the sick population.

To tease out these two mechanisms, we estimate the causal impact of the pandemic on the number of missed work days, holding the intensive margin constant by using the following approach (found in Alpert et al., (2015)). For the sample with positive missed days in the pre-pandemic years, we estimate a regression equation of missed days on observable characteristics. We then use these estimates to predict missed days conditional on covariates *for all years* ( $\hat{Y}_{imt}$ ) and replace  $Y_{imt}$  with this predicted value for anyone with any missed days of work (those with no missed days are unchanged). The new outcome variable is the number of missed days, holding the intensive margin fixed across the entire sample. Conditional on covariates, this measure *only* varies because of the extensive margin. The results of this approach are also not affected by changes in the marginal person missing work. We re-estimate Equation (1) with this modified outcome. Using this modified method we find similar effects as Column (2), with the modified methods implying that extensive margin effects explain over 81% (0.0892/0.1098) of the total effect.

In Tables 4 and 5 we re-estimate Equation (1) but with days approved as the dependent variable of interest. Our preferred specification, Table 4, Column (1) implies that the mean number of flu days approved increased by 0.042 per person per month during the pandemic, which is approximately 40% of the increase in the total number of days requested. As in the case of days requested, the estimates do not vary much with the inclusion of additional covariates, inclusion of individual fixed effects and limiting the analytical sample to the continuously enrolled. Compared to the sample mean of 0.0053, the estimated coefficient implies that the

pandemic increased the number of flu days approved by 800%. Proportional to their respective sample means, we estimate a larger relative effect using “days approved”, the outcome that is monitored and regulated by IASPRE physicians, but both measures suggest large productivity effects.

As before, we can look at the decomposition of days approved using the two models described above. The results from Table 5, again highlight the importance of the extensive margin in understanding the effects of the pandemic. The simple decomposition results imply that 74% of the increase in the days approved variable is due to the extensive margin, i.e. more cases of flu, and that 26% of the increase in total days approved was due to the intensive margin. Analyses that hold the intensive margin effect constant imply larger extensive margin effects, as the extensive margin now explains 93% (.039/.042) of the total pandemic effect.

### 4.3 Heterogeneity

The effects of the pandemic may not have been homogenous. Understanding the consequences of a pandemic of different populations is especially important given that policies encouraging preventive measures can target interventions at specific groups of individuals. In Table 6, we present results of heterogeneous pandemic flu effects on several demographic groups. Each row represents the regression coefficient for the Pandemic dummy variable from a regression that only uses observations from a specific sub-population (male/female, age-group, and region). We present breakdowns by additional variables including the number of dependents and income in Appendix Table III. The first row of Table 6 implies that males requested on average 0.088 more days per month due to the pandemic and were approved 0.034 days per month due to the pandemic, while the second row implies that women requested almost twice as many, 0.151 more days per month and were approved 0.058 days per month due to the

pandemic. This finding is possibly related to the fact that women, relative to men, are more likely to be employed in the service sector and potentially more involved in child care related activities; thus likely to be in environments that are at higher risk for transmission of disease,<sup>8</sup> though other explanations are also possible.

For the age group stratifications the results for all three outcomes variable imply larger effects of the pandemic on younger individuals. These findings are consistent with the idea that unlike seasonal flu, pandemic flu is virulent enough to affect individuals that otherwise would not have been sick in a typical flu year. Finally, we also examine if pandemic flu had differential effects for individuals in different regions of Chile. One might expect differential effects by location since climate in the southern part of Chile (dry) is more conducive to virus transmission than the climate in the northern part of Chile (rainy temperate). Consistent with these expectations, we find approximately 50% larger effects on the days requested, days approved and the probability of a flu claim in the southern and center regions of Chile when compared to the northern region in Chile.

#### 4.4 Placebo Tests

Finally, in addition to testing the sensitivity of results to additional controls, fixed effects and sample restriction, we also performed several placebo tests (Table 7). We run one set of placebo test regressions where we exclude the 2009 data year from the analyses and define the pandemic as occurring in 2010, a non-pandemic year (Table 7, column 1). We also consider a set of placebo test regressions where we keep the pandemic year the same (2009) but now define the peak flu months as the summer months (January and February) (Table 7, column 2). We perform

---

<sup>8</sup> In the privately insured population we find that 25% of women are employed in the retail sector, compared to 18.4% for men.

each of these analyses for the days requested, days approved and the probability of filing a claim outcome variables. We find much smaller magnitudes on the pandemic variable for all of the outcome variables and all the coefficients are negative.

## 5. Discussion and Conclusion

In this study, we use unique data on sick leave days from the private health insurance market in Chile to estimate the effect of the 2009 influenza pandemic on missed days of work. We find substantial negative effects of pandemic flu on short-term labor market participation. Unlike some of the previously studied diseases (such as cancer), pandemic flu is contagious in nature and has the potential to affect a larger group of individuals. Thus, as expected, our estimated pandemic flu effects on employment are significantly larger than many of the existing estimates of employment effects found in the literature.

Prior worker absenteeism studies also potentially overstate absenteeism costs due to anticipatory offsets. Firms anticipate some worker absences and train other workers to fill-in during these periods and thus may not experience the true cost of the absenteeism. However, the flu pandemic of 2009 was so widespread and concentrated in such a short period of time that firms would likely have been unable to compensate in the typical way. Therefore, our study improves on existing worker absence studies as it identifies a better estimate of the true cost of worker absence.

Estimates from our analyses suggest that the pandemic resulted in individuals requesting reimbursement for 0.110 more days per month and insurers approving an additional 0.042 days per month for influenza-like illnesses. Since individuals forgo income for not returning to work after the total number of days approved, we use the days approved estimate as our preferred

measure of the number of missed days of work due to the pandemic. Using the days approved coefficient (0.042) as a conservative estimate of missed days of work in the private insurance population, taking the entire population at risk as 1,400,000 individuals per month and the pandemic window as 2 months, we calculate that the pandemic resulted in over 117,600 total days of missed work. Assuming 21 days a month as the total number of days available to work in a month these calculations imply a 0.2% reduction in labor supply amongst privately insured employees.

Estimates from Tables 2 and 3 of the pandemic's effects on work loss days are based on a definition of the flu season in Chile as June and July. To test the sensitivity of the total estimates of missed days of work to our definition of the flu season, we re-estimated equation (1), now defining the flu season as being composed of the May-August months. Defining the flu season in this manner decreases the days approved estimate from 0.042 to 0.021 (std. error 0.0002), but increases the total number of individuals at-risk for contracting the disease. The net effect of these two changes leads to an identical estimate for the total number of missed days of work<sup>9</sup>.

Our findings have several implications. First—using our estimates for work loss with the standard two month window and data on average monthly wages in the private health insurance sector in Chile (\$1,198 US dollars in 2009 (Duarte, 2012))—we estimate a minimum net loss of approximately 6.7 million US dollars in private sector productivity due to the 2009 pandemic. We note that this estimate is likely to be a significant lower bound for the pandemic's total effects on absenteeism in Chile since only employees enrolled in private health insurance are

---

<sup>9</sup> In the case of using of just June and July as flu season month we estimate total number of days of missed work of 117,600 ( $.042 * 1,400,000 * 2$ ). Using the broader definition of a flu season we estimate a total number of days of missed work of 117,600 ( $.021 * 1,400,000 * 4$ ).

captured in these calculations. Individuals in the public health insurance system are typically less healthy and have more children<sup>10</sup> than individuals in the private health insurance system, which suggests that estimates from the private health system will represent a lower bound (total) estimate for the effects of the pandemic on the Chilean workforce. Since approximately 76% of the overall population is in the public health insurance sector (Duarte, 2012), assuming similar effects of the pandemic in the public health insurance sector increases the total work loss estimates by a substantial amount. A back of the envelope calculation using: estimates of missed days of work from the private health insurance system, the share of public health insurance sector that is employed (55%), and mean wages for this group (~\$55 per day); implies a lower bound national (public and private enrollees) estimate of 16 million US dollars.<sup>11</sup> Extrapolating to the United States requires assumptions that influenza transmission works similarly in the United States and Chile, but it provides a useful benchmark to help understand the potential economic consequences in a larger and more developed country. Applying our estimates to the United States, we calculate that the pandemic would have led to a labor productivity loss of approximately \$2 billion<sup>12</sup>. A comparison of this value directly to existing estimates of worker absenteeism due to season influenza in the United States (Akazawa et al., 2003) imply pandemic influenza effects that are approximately 400% larger<sup>13</sup>.

---

<sup>10</sup> Number of children is a strong predictor of days lost from work due to illness (Vistnes, 1997).

<sup>11</sup> This estimate is dependent on several factors including the size the population, the employment to population ratio and the wage rate for the employed.

<sup>12</sup> There are approximately 160,000,000 people ages 18-65 in the United States and 62% are currently employed. Assuming pandemic effects that are equivalent to the one estimated from the Chilean private health insurance system and a daily wage of \$170 per person for a U.S. worker, would imply ~2 billion dollar loss in the United States.

<sup>13</sup> We note that a 400% difference estimated difference between typical influenza and pandemic influenza is likely to be a lower-bound since Akazawa M, Sindelar JL, Paltier AD (2003) analyze data from the 1995/1996 influenza season. Seasonal influenza vaccination rates in 1995/1996 were substantially lower

Estimating the productivity cost of pandemics also allows for a correct valuation of the benefits of prevention efforts aimed at containing the spread of the disease, the benefits derived from rapid new vaccine development in anticipation of virulent strains and universal influenza vaccine development. For example, during the 2009 pandemic, several governments (Hine, 2010) contracted with pharmaceutical firms to produce a new influenza vaccine in anticipation of the pandemic. Typically, vaccine production using egg cell based technologies requires a lag time of approximately 6 to 9 months for the production of a new influenza vaccine (tailored to anticipated strains). However, new vaccine production is now possible in as little as 3 months with the aid of innovative and more costly cell-culture based technologies. An understanding of the full potential costs of pandemics would aid long-term government and firm decision-making regarding investment in technologies that reduce the time to vaccine delivery. It would also aid in short-term government decision-making with respect to new vaccine purchases, which are typically aimed at combating the effects of unexpected strains. To our knowledge Chile did not have access to vaccines that were effective against the 2009 pandemic H1N1 strain during the winter months of 2009. Chile's lack of access to pandemic vaccination allows for cost-benefit calculations with respect to obtaining and providing such a vaccination. We make three assumptions in our calculations: 1) Chile was able to obtain a vaccine that was 80% effective against the pandemic H1N1 strain, 2) Chile was able to provide the vaccine at the typical Chile influenza vaccine price of \$12 to the privately insured population, and 3) the privately insurance population would be vaccinated to herd-immunity level (36%, Plans-Rubió, 2012). Given these

---

than seasonal influenza rates during the time of the pandemic (Clarke et al., 2015), thus one would expect that work-loss estimates taken from that time period are potentially higher than work-loss estimates taken from the late 2000s. Furthermore, as noted by the authors, it is possible that their estimated magnitudes are biased upwards since they are derived from cross-sectional multivariate regressions where the dependent variable is total missed days of work.

assumptions, the expected reduction in work-loss productivity is approximately 11% higher than H1N1 vaccination spending—implying that investment in vaccination would have been cost saving, even when only taking into account benefits from work-loss (vaccination spending = \$6,048,000 vs. expected improvement in work-loss = \$6,700,000)<sup>14</sup>.

Our estimates imply that the pandemic reduced flu-related work productivity by 700-800% relative to the sample mean. However, the impact of the pandemic was not limited to Chile, as evidenced by cases being detected in 214 countries worldwide. Due to the nature of the disease and increased interconnectedness between countries all across the world, influenza has consequences not only for local but also for regional and global populations. The identified pandemic effect in Chile implies large potential global productivity losses before even considering the cost due to morbidity and mortality. More research is needed to understand the global impact of pandemic flu both for health and non-health outcomes. Additionally, comprehensive analyses that take into account health loss and economic loss are needed to understand the returns to investment in new vaccine and vaccine technology development.

---

<sup>14</sup> We use relatively conservative values for these calculations. For example, Plans-Rubio (2012) also calculates with alternative assumptions that with 80% vaccine effectiveness, herd immunity during the 2009 pandemic may potentially be achieved by vaccinating just 10% of the population. Assuming vaccination for just 10% of the population would imply spending \$1,680,000, again compared to a gain in work productivity of \$6,700,000.

## References

- Akazawa, M., Sindelar, J.L., Paltiel, A.D., 2003. Economic costs of influenza-related work absenteeism. *Value Health* 6, 107–115. doi:10.1046/j.1524-4733.2003.00209.x
- Alpert, A., Lakdawalla, D., Sood, N., 2015. Prescription Drug Advertising and Drug Utilization: The Role of Medicare Part D. National Bureau of Economic Research Working Paper Series No. 21714. doi:10.3386/w21714
- Azziz-Baumgartner, E., Cabrera, A.M., Chang, L., Calli, R., Kuszniierz, G., Baez, C., Yedlin, P., Zamora, A.M., Cuezco, R., Sarrouf, E.B., Uboldi, A., Herrmann, J., Zerbini, E., Uez, O., Rico Cordeiro, P.O., Chavez, P., Han, G., Antman, J., Coronado, F., Bresee, J., Kosacoff, M., Widdowson, M.-A., Echenique, H., 2012. Mortality, Severe Acute Respiratory Infection, and Influenza-Like Illness Associated with Influenza A(H1N1)pdm09 in Argentina, 2009. *PLoS ONE* 7, e47540. doi:10.1371/journal.pone.0047540
- Blasio, B.F. de, Xue, Y., Iversen, B., Gran, J.M., 2012. Estimating influenza-related sick leave in Norway: Was work absenteeism higher during the 2009 A(H1N1) pandemic compared to seasonal epidemics? [WWW Document]. *Eurosurveillance*. URL <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=20246> (accessed 9.9.15).
- Boles, M., Pelletier B., Lynch W., 2004. The Relationship Between Health Risks and Work Productivity. *JOEM* 46(7), 737-745. doi: 10.1097/01.jom.0000131830.45744.97
- Bradley, C.J., Bednarek, H.L., Neumark, D., 2002. Breast cancer survival, work, and earnings. *J Health Econ* 21, 757–779.
- Bradley, C.J., Neumark, D., Bednarek, H.L., Schenk, M., 2005. Short-term effects of breast cancer on labor market attachment: results from a longitudinal study. *J Health Econ* 24, 137–160. doi:10.1016/j.jhealeco.2004.07.003
- Brainerd, E., Siegler, M.V., 2003. *The Economic Effects of the 1918 Influenza Epidemic*. Centre for Economic Policy, London, UK.
- Clarke, T.C., Ward, B.W., Freeman, G., Schiller, J.S., 2015. Early release of selected estimates based on data from the January–March 2015 National Health Interview Survey. National Center for Health Statistics. September 201.
- Currie, J., Madrian, B.C., 1999. Health, health insurance and the labor market (*Handbook of Labor Economics*). Elsevier.
- Currie, J., Schwandt, H., 2013. Within-mother analysis of seasonal patterns in health at birth. *PNAS* 110, 12265–12270. doi:10.1073/pnas.1307582110
- Dawood, F.S., Iuliano, A.D., Reed, C., Meltzer, M.I., Shay, D.K., Cheng, P.-Y., Bandaranayake, D., Breiman, R.F., Brooks, W.A., Buchy, P., Feikin, D.R., Fowler, K.B., Gordon, A., Hien, N.T., Horby, P., Huang, Q.S., Katz, M.A., Krishnan, A., Lal, R., Montgomery, J.M., Mølbak, K., Pebody, R., Presanis, A.M., Razuri, H., Steens, A., Tinoco, Y.O., Wallinga, J., Yu, H., Vong, S., Bresee, J., Widdowson, M.-A., 2012. Estimated global mortality associated with the first 12 months of 2009 pandemic influenza A H1N1 virus circulation: a modelling study. *The Lancet Infectious Diseases* 12, 687–695. doi:10.1016/S1473-3099(12)70121-4
- Duarte, F., 2012. Price elasticity of expenditure across health care services. *Journal of Health Economics* 31, 824–841. doi:10.1016/j.jhealeco.2012.07.002
- Galante, M., Garin, O., Sicuri, E., Cots, F., García-Altés, A., Ferrer, M., Dominguez, À., Alonso, J., 2012. Health Services Utilization, Work Absenteeism and Costs of Pandemic Influenza A (H1N1) 2009 in Spain: A Multicenter-Longitudinal Study. *PLoS One* 7. doi:10.1371/journal.pone.0031696
- Hine, 2010. *The 2009 Influenza Pandemic: An Independent Review of the UK Response to the 2009 Influenza Pandemic*.
- Jacks, A., Ollgren, J., Ziegler, T., Lyytikäinen, O., 2012. Influenza-associated hospitalisations in Finland from 1996 to 2010: unexpected age-specific burden during the influenza A(H1N1)pdm09 pandemic from 2009 to 2010. *Euro Surveill.* 17.

- Jonung, L., Roeger, W., 2006. The macroeconomic effects of a pandemic in Europe - A model-based assessment., *European Economy Economic Papers*. Directorate-General for Economic and Financial Affairs, Brussels, Belgium.
- Lemaitre, M., Carrat, F., Rey, G., Miller, M., Simonsen, L., Viboud, C., 2012. Mortality Burden of the 2009 A/H1N1 Influenza Pandemic in France: Comparison to Seasonal Influenza and the A/H3N2 Pandemic. *PLoS ONE* 7, e45051. doi:10.1371/journal.pone.0045051
- Meltzer, M.I., Cox, N.J., Fukuda, K., 1999. The economic impact of pandemic influenza in the United States: priorities for intervention. *Emerg Infect Dis* 5, 659–671.
- Moran, J.R., Short, P.F., Hollenbeak, C.S., 2011. Long-Term Employment Effects of Surviving Cancer. *J Health Econ* 30, 505–514. doi:10.1016/j.jhealeco.2011.02.001
- Nguyen, A.M., Noymer, A., 2013. Influenza Mortality in the United States, 2009 Pandemic: Burden, Timing and Age Distribution. *PLoS ONE* 8, e64198. doi:10.1371/journal.pone.0064198
- Plans-Rubió, P., 2012. The vaccination coverage required to establish herd immunity against influenza viruses. *Prev Med* 55, 72–77. doi:10.1016/j.ypmed.2012.02.015
- Rodríguez-Rieiro, C., Carrasco-Garrido, P., Hernández-Barrera, V., Andrés, A.L. de, Jimenez-Trujillo, I., Miguel, A.G. de, Jiménez-García, R., 2012. Pandemic influenza hospitalization in Spain (2009): Incidence, in-hospital mortality, comorbidities and costs. *Human Vaccines & Immunotherapeutics* 8, 443–447. doi:10.4161/hv.18911
- Rubinson, L., Mutter, R., Viboud, C., Hupert, N., Uyeki, T., Creanga, A., Finelli, L., Iwashyna, T.J., Carr, B., Merchant, R., Katikineni, D., Vaughn, F., Clancy, C., Lurie, N., 2013. Impact of the Fall 2009 Influenza A(H1N1)pdm09 Pandemic on US Hospitals: *Medical Care* 51, 259–265. doi:10.1097/MLR.0b013e31827da8ea
- Schanzer, D.L., Schwartz, B., 2013. Impact of Seasonal and Pandemic Influenza on Emergency Department Visits, 2003–2010, Ontario, Canada. *Acad Emerg Med* 20, 388–397. doi:10.1111/acem.12111
- Scheil-Adlung, X., Sandner, L., 2010. Evidence on paid sick leave: Observations in times of crisis. *Intereconomics* 45, 313–321. doi:10.1007/s10272-010-0351-6
- Schwandt, H., 2014. The lasting legacy of seasonal influenza: In-utero exposure and human capital development.
- Sypsa, V., Bonovas, S., Tsiodras, S., Baka, A., Efstathiou, P., Malliori, M., Panagiotopoulos, T., Nikolakopoulos, I., Hatzakis, A., 2011. Estimating the Disease Burden of 2009 Pandemic Influenza A(H1N1) from Surveillance and Household Surveys in Greece. *PLoS One* 6. doi:10.1371/journal.pone.0020593
- Uscher-Pines, L., Elixhauser, A., 2006. Emergency Department Visits and Hospital Inpatient Stays for Seasonal and 2009 H1N1 Influenza, 2008–2009: Statistical Brief #147, in: *Healthcare Cost and Utilization Project (HCUP) Statistical Briefs*. Agency for Health Care Policy and Research (US), Rockville (MD).
- Vistnes, J.P., 1997. Gender Differences in Days Lost from Work Due to Illness. *Industrial and Labor Relations Review* 50, 304–323. doi:10.2307/2525088
- Weinberger, D.M., Simonsen, L., Jordan, R., Steiner, C., Miller, M., Viboud, C., 2012. Impact of the 2009 Influenza Pandemic on Pneumococcal Pneumonia Hospitalizations in the United States. *J Infect Dis* 205, 458–465. doi:10.1093/infdis/jir749
- WHO, 2010. WHO | Pandemic (H1N1) 2009 - update 112 [WWW Document]. WHO. URL [http://www.who.int/csr/don/2010\\_08\\_06/en/](http://www.who.int/csr/don/2010_08_06/en/) (accessed 8.2.15).
- Yang, L., Chan, K.P., Cowling, B.J., Chiu, S.S., Chan, K.H., Peiris, J.S.M., Wong, C.M., 2012a. Excess mortality associated with the 2009 pandemic of influenza A(H1N1) in Hong Kong. *Epidemiology & Infection* 140, 1542–1550. doi:10.1017/S0950268811002238
- Yang, L., Wang, X.L., Chan, K.P., Cao, P.H., Lau, H.Y., Peiris, J.S., Wong, C.M., 2012b. Hospitalisation associated with the 2009 H1N1 pandemic and seasonal influenza in Hong Kong, 2005 to 2010. *Euro Surveill*. 17.

Figure 1 – Total Number of Sick Leave Claims by Year-Month




Table 1 – Summary Statistics by Year

	Year			
	2007	2008	2009	2010
Age, Mean (SD)	41.27 (13.13)	41.39 (13.2)	41.68 (13.26)	41.91 (13.33)
Male, N (%)	10357577 (66)	10699939 (65)	10746936 (65)	10976434 (65)
Flu claim, N (%)	33788 (0.21)	27138 (0.17)	65601 (0.4)	40340 (0.24)
Flu # of days requested, Mean (SD)	0.01 (0.36)	0.01 (0.31)	0.03 (0.52)	0.01 (0.36)
Flu # of days approved, Mean (SD)	0.004 (0.163)	0.003 (0.141)	0.01 (0.227)	0.004 (0.161)
Flu # of days requested during flu season, Mean (SD)	0.04 (0.62)	0.01 (0.37)	0.13 (1.11)	0.01 (0.36)
Flu # of days approved during flu season, Mean (SD)	0.012 (0.261)	0.005 (0.174)	0.049 (0.459)	0.004 (0.17)
Flu # of days requested per episode, Mean (SD)	5.99 (4.91)	5.79 (4.83)	6.87 (4.51)	5.74 (4.65)
Flu # of days approved per episode, Mean (SD)	1.9 (2.97)	1.81 (2.94)	2.53 (2.55)	1.65 (2.85)
Flu # of days requested per episode during flu season, Mean (SD)	6.06 (4.75)	5.8 (4.78)	7.16 (4.24)	5.85 (5.05)
Flu # of days approved per episode during flu season, Mean (SD)	1.89 (2.64)	1.84 (2.97)	2.7 (2.13)	1.74 (3.18)
N	15,800,138	16,356,740	16,483,874	16,901,659

Table 2 – Estimates of additional flu days requested due to 2009 pandemic

	(1)	(2)	(3)	(4)
	Flu days requested	Flu days requested	Flu days requested	Flu days requested
Pandemic	0.1098*** (0.00069)	0.1099*** (0.00069)	0.1099*** (0.0003)	0.0946*** (0.00034)
Mean of dependent variable	0.0159	0.0159	0.0159	0.0131
Additional controls <sup>^</sup>	No	Yes	Yes	Yes
Individual fixed effects	No	No	Yes	Yes
Only observed all 4 years	No	No	No	Yes
R <sup>2</sup>	0.005	0.005	0.039	0.030
Number of observations	65,542,411	65,542,411	65,542,411	39,324,624

Note: Observations are person/month. Standard errors in parentheses. All regression specifications included region, primary insurer, age, month and year controls. Standard errors adjusted to allow for arbitrary variance-covariance matrix at the individual level over time. <sup>^</sup>-Additional controls include number of dependents, taxable income, type of worker and plan type. \*\*\*-significant at the  $p < 0.001$  level.

Table 3 – Decomposition of 2009 pandemic effect for days requested

	(1)	(2)	(3)
Dependent variable	Any flu claim	Flu days requested	Flu days requested
Pandemic	0.0149*** (0.00008)	0.9676*** (0.05852)	0.0892*** (0.00051)
Mean of dependent variable	0.0025	6.2400	0.0159
R <sup>2</sup>	0.006	0.036	0.006
Number of observations	65,542,411	166,867	65,542,411

Note: Observations are person/month. Standard errors in parentheses. All regression specifications included region, primary insurer, age, month and year controls. Standard errors adjusted to allow for arbitrary variance-covariance matrix at the individual level over time. Column 3 estimates pandemic effects holding the intensive margin constant, refer to the text for more details. \*\*\*-significant at the  $p < 0.001$  level.

Table 4 – Estimates of additional flu days approved due to 2009 pandemic

	(1)	(2)	(3)	(4)
	Flu days approved	Flu days approved	Flu days approved	Flu days approved
Pandemic	0.0424*** (0.00029)	0.0424*** (0.00029)	0.0425*** (0.00013)	0.0379*** (0.00015)
Mean of dependent variable	0.0053	0.0053	0.0053	0.0043
Additional controls <sup>^</sup>	No	Yes	Yes	Yes
Individual fixed effects	No	No	Yes	Yes
Only observed all 4 years	No	No	No	Yes
R <sup>2</sup>	0.003	0.003	0.040	0.028
Number of observations	65,542,411	65,542,411	65,542,411	39,324,624

Note: Observations are person/month. Standard errors in parentheses. All regression specifications included region, primary insurer, age, month and year controls. Standard errors adjusted to allow for arbitrary variance-covariance matrix at the individual level over time. <sup>^</sup>-Additional controls include number of dependents, taxable income, type of worker and plan type. \*\*\*-significant at the  $p < 0.001$  level.

Table 5 – Decomposition of 2009 pandemic effect for days approved

	(1)	(2)	(3)
Dependent variable	Any flu claim	Flu days approved	Flu days approved
Pandemic	0.0149*** (0.00008)	0.6458*** (0.03805)	0.039*** (0.00023)
Mean of dependent variable	0.0025	2.0700	0.0053
R <sup>2</sup>	0.006	0.049	0.040
Number of observations	65,542,411	166,867	65,542,411

Note: Observations are person/month. Standard errors in parentheses. All regression specifications included region, primary insurer, age, month and year controls. Standard errors adjusted to allow for arbitrary variance-covariance matrix at the individual level over time. Column 3 estimates pandemic effects holding the intensive margin constant, refer to the text for more details. \*\*\*-significant at the  $p < 0.001$  level.

Table 6: 2009 pandemic effects in specific subpopulations (Gender, Age, Geography)

	(1)	(2)	(3)	N
Dependent variable	Flu Days requested	Flu Days approved	P(Flu Claim)	
Male	0.0877*** (0.0003)	0.0342*** (0.0001)	0.0122*** (0.00004)	42,780,886
Female	0.1516*** (0.0006)	0.0579*** (0.0003)	0.0199*** (0.0001)	22,761,525
Age <=35	0.1478*** (0.0005)	0.0568*** (0.0002)	0.0203*** (0.0001)	26,070,709
35< Age <=56	0.1049*** (0.0004)	0.0408*** (0.0002)	0.0141*** (0.0001)	30,161,478
Age > 55	0.0327*** (0.0006)	0.0126*** (0.0003)	0.0041*** (0.0001)	10,713,829
Region = South	0.1113*** (0.0007)	0.0423*** (0.0003)	0.0144*** (0.0001)	14,918,584
Region = North	0.076*** (0.0006)	0.0273*** (0.0003)	0.0102*** (0.0001)	11,824,044
Region = Center	0.1199*** (0.0004)	0.0472*** (0.0002)	0.0165*** (0)	38,799,488
Mean of dependent variable entire sample	0.0159	0.0053	0.0025	

Note: Observations are person/month. Standard errors in parentheses. All regression specifications included individual fixed effects, controls for primary insurer and type of worker. Other covariates vary across regressions here and in appendix Table 3 based on the demographic group that is being analyzed. \*\*\*-significant at the  $p < 0.001$  level.


Table 7. Placebo regressions

	Summer 2009 <sup>^</sup>	2010 <sup>†</sup>
Flu days requested	-0.0186*** (0.0003)	-0.0198*** (0.00028)
Flu days paid	-0.0078*** (0.00013)	-0.006*** (0.00012)
P(Flu Claim)	-0.0023*** (-0.00231)	-0.0033*** (0.00004)
N	65,542,411	49,058,537


Note:<sup>^</sup>-Results are from regressions with all observations but pandemic is assigned to summer months of January/February 2009 instead of the winter months. <sup>†</sup>-Results are from regressions where we dropped the 2009 data and reassigned the pandemic indicator to be in the winter months of 2010. Observations are person/month. Standard errors in parentheses. All regression specifications included region, primary insurer, age, number of dependents, taxable income, type of worker, plan type, month, year controls and individual fixed effects. Standard errors adjusted to allow for arbitrary variance-covariance matrix at the individual level over time. \*\*\*-significant at the  $p < 0.001$  level.

## Supplementary Appendix

Appendix Figure 1. Total Number of Days Requested by Year-Month



Appendix Figure 2. Total Number of Days Approved by Year-Month



Appendix Table 1. Estimates for flu days requested from negative binomial regression

	(1)	(2)
	Flu days requested	Flu days requested
Pandemic	0.0822*** (0.009)	0.0845*** (0.00909)
Mean of dependent variable	0.0159	0.0159
Additional controls <sup>^</sup>	No	Yes
Individual fixed effects	No	No
Only observed all 4 years	No	No
R <sup>2</sup>	0.029	0.036
Number of observations	3,282,479	3,282,479

Note: Results are marginal effects from a negative binomial regression using a 5% sample of original dataset. Observations are person/month. Standard errors in parentheses. All regression specifications included region, primary insurer, age, month and year controls. Standard errors adjusted to allow for arbitrary variance-covariance matrix at the individual level over time. <sup>^</sup>-Additional controls include number of dependents, taxable income, type of worker and plan type. \*\*\*- significant at the  $p < 0.001$  level.

Appendix Table 2. Estimates for flu days approved from negative binomial regression

	(1)	(2)
	Flu days approved	Flu days approved
Pandemic	0.0284*** (0.0031)	0.0285*** (0.00307)
Mean of dependent variable	0.0053	0.0053
Additional controls <sup>^</sup>	No	Yes
Individual fixed effects	No	No
Only observed all 4 years	No	No
R <sup>2</sup>	0.041	0.049
Number of observations	3,282,479	3,282,479

Note: Results are marginal effects from a negative binomial regression using a 5% sample of original dataset. Observations are person/month. Standard errors in parentheses. All regression specifications included region, primary insurer, age, month and year controls. Standard errors adjusted to allow for arbitrary variance-covariance matrix at the individual level over time. <sup>^</sup>-Additional controls include number of dependents, taxable income, type of worker and plan type. \*\*\*-significant at the  $p < 0.001$  level.

Appendix Table 3. 2009 pandemic effects in specific subpopulations (Income, # of Dependents)

	(1)	(2)	(3)	N
Dependent variable	Flu Days requested	Flu Days approved	P(Flu Claim)	
Income < mean	0.0975*** (0.0004)	0.0357*** (0.0002)	0.0128*** (0.00005)	34,019,180
Income > mean	0.123*** (0.0005)	0.0495*** (0.0002)	0.0171*** (0.0001)	31,523,231
No dependents	0.1137*** (0.0004)	0.044*** (0.0002)	0.0155*** (0.0001)	33,565,855
One dependent	0.1137*** (0.0008)	0.0436*** (0.0003)	0.015*** (0.0001)	12,914,071
2+ Dependents	0.1011*** (0.0005)	0.0392*** (0.0002)	0.0138*** (0.0001)	19,062,485
Mean of dependent variable entire sample	0.0159	0.0053	0.0025	

Note: Observations are person/month. Standard errors in parentheses. All regression specifications included individual fixed effects, controls for primary insurer and type of worker. Other covariates vary across regressions here and in paper Table 6 based on the demographic group that is being analyzed. \*\*\*-significant at the  $p < 0.001$  level.